INCH-POUND

MIL-C-71189 (AR)
AMENDMENT 1
22 July 1996

MILITARY SPECIFICATION

CARTRIDGE, 81MM, INFRARED ILLUMINATING, XM816
LOADING, ASSEMBLING AND PACKING

This amendment forms a part of MIL-C-71189 (AR), dated 23 June 1994, and is approved for use by the U.S. Army Armament Research, Development and Engineering Center, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.2, Under Drawings: Add:

"12977137 - Packing and Marking for Container, Metal, M548 for Canister Loading Assembly for Cartridge, M853A1, 81mm and Canister Loading Assembly for Cartridge, XM816, 81mm".

PAGE 20

4.4.2.8, Majors 104, 106 and 107: Delete in their entirety.

AMSC N/A FSC 1315
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:28Z
Check the source to verify that this is the current version before use.

PAGE 23a

4.4.2.12: Add the following:

4.4.2.12	TITLE Packing and Marking for Container, Metal, M548 for Canister Loading Assembly for Cartridge, M853A1/XM816 81mm (Prior to Closing)	SHEET 1 OF 1		DRAWING NUMBER 12977137
CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	NEXT HIGHER ASSEMBLY INSPECTION METHOD REFERENCE
Critical	None defined			
Major				
101	Canister loading assembly improperly packed	Level III	3.2	Manual/Visual
Minor				
201	Packing material in unusable condition	Level V	3.2	Visual
202	Evidence of poor workmanship	Level V	3.8	Visual
NOTES:				

PAGE 23b

4.4.2.13: Add the following:

4.4.2.13	TITLE Packing and Marking Container, Metal, M548 for Canister Loading Assembly for Cartridge, M853A1/XM816 81mm (After Closing)	SHEET 1 OF 1		DRAWING NUMBER 12977137
CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	NEXT HIGHER ASSEMBLY INSPECTION METHOD REFERENCE
Critical	None defined			
Major				
101	Contents of metal can loose	Level III	3.2	Manual
102	Cover assembly not secure	Level III	3.2	Manual
Minor				
201	Marking missing, misleading or unidentifiable	Level V	3.2	Visual
202	Metallic seal missing or improperly installed	Level V	3.2	Visual
203	Evidence of poor workmanship	Level V	3.8	Visual
NOTES:				

Source: https://assist.dla.mil -- Downloaded: 202610-23T04:28Z
Check the source to verify that this is the current version before use.

PAGE 23c

4.4.2.14: Add the following:

4.4.2.14	TITLE Support, Propelling Charge	SHEET 1 OF 1		DRAWING NUMBER 12977198
CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	NEXT HIGHER ASSEMBLY 9362799/ 12630600 INSPECTION METHOD REFERENCE
Critical	None defined			
Major				
101	Width of opening	(a)	3.2	Gage
102	Inside length	(a)	3.2	Gage
103	Radius to outside surface of rib (3 places)	(a)	3.2	Gage
104	Inside radius to support wall	(a)	3.2	Gage
Minor				
201	Evidence of poor workmanship	Level V	3.8	Visual

NOTES:
(a) Sample three (3) parts from each mold cavity at the start of each mold run. All dimensions shall be as specified in the drawing prior to production run.

PAGE 34

5.1, 5.2 and 5.3: Delete in their entirety and substitute:

5.1 Unit packaging.

5.1.1 Level A. Packaging for cartridges shall be in accordance with the requirements of drawing 9362799.

5.1.2 Level B. Same as level A.

5.1.3 Level C. Not applicable.

5.2 Packing.

5.2.1 Level A. Cartridges shall be packed in accordance with the requirements of drawing 12944509.

5.2.2 Level B. Same as level A.

5.2.3 Level C. Not applicable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:28Z
Check the source to verify that this is the current version before use.

5.2.4 Packing for interplant shipment of canister loading assembly and IR canister loading assembly.

5.2.4.1 Level A. Not applicable.

5.2.4.2 Level B. Packing for interplant shipment of canister loading assemblies and IR canister loading assemblies shall be in accordance with drawing 12977137.

5.2.4.3 Level C. Same as level B.

5.3 Marking.

5.3.1 Level A. Unit packaged cartridges shall be marked in accordance with the requirements of drawing 9362799. Packed cartridges shall be marked in accordance with requirements of drawing 12944509.

5.3.2 Level B. Same as level A.

5.3.3 Level C. Not applicable.

5.3.4 Marking for interplant shipment of canister loading assembly and IR canister loading assembly.

5.3.4.1 Level A. Not applicable.

5.3.4.2 Level B. Marking shall be in accordance with requirements of drawing 12977137.

5.3.4.3 Level C. Same as level B.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1315-0130)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:28Z
Check the source to verify that this is the current version before use.