INCH-POUND

MIL-F-63107C(AR)
AMENDMENT 2
29 March 1991
SUPERSEDING
AMENDMENT 1
Dec 16, 1988

MILITARY SPECIFICATION

FLARE, AIRCRAFT COUNTERMEASURE: M206

This Amendment forms a part of Military Specification MIL-F-63107C(AR), dated 6 January 1986, and is approved for use within the U.S. Army Armament, Munitions and Chemical Command, and is available for use by all Department and Agencies of the Department of Defense.

PAGE 2

2.1.2, Under Inspection Equipment Drawings: Change drawing number "9380372" to "9280372".

PAGE 3

* 3.3.3, Aircraft vibration. Line 3, delete "Procedure IIC" and substitute "Procedure IIC and Procedure IA".

* 3.3.4, Temperature-altitude. Line 3, delete "Method 504.1-II, Category 6" and substitute "Method 504.1, Procedure I, Table 504.1-II, Category 6".

PAGE 4

* 3.3.6 Moisture absorption. Delete in its entirety.

3.5.3 Static output. Change drawing number "9380372" to read "9280372".

* 3.5.3.2 High intensity time. Change dwg. number "9380372" to 9280372".

PAGE 5

3.5.3.3 Intensity at .25 seconds. Change dwg. number from "9380372" to read "9280372".

* 3.8 Foreign Matter. Delete in its entirety.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:13Z
Check the source to verify that this is the current version before use.

* 3.9 Stress. Delete in its entirety.

* 3.10 Burst. Delete in its entirety.

Page 8

* Table I. Delete Cap, end, plastic case (dwg. 9362854) in its entirety. Under Cap, end (ALT) (dwg. 9362906) delete "3.13, 4.5.12" and substitute "3.11, 4.5.11".

PAGE 9

* Table I. Delete Case, cartridge (dwg. 9362853 - ALT) in its entirety.

PAGE 13

* 4.4.2.2 Cap, end, plastic case. Delete in its entirety.

PAGE 14

* 4.4.2.3 Cap, end (ALT). Major 106: Delete "3.13" and substitute "3.11".

PAGE 15

* 4.4.2.4 Cap, end assembly. Delete dwg. number "/9362904".

PAGE 16

* 4.4.2.5 Piston, cushion assembly. Delete dwg. number "/9362905".

PAGE 18

* 4.4.2.7 Cartridge case. Delete in its entirety.

PAGE 23

* 4.4.2.12 Flare, aircraft, countermeasure: M206. Major 103, change to read: "103 Piston inserted backward or damaged" Delete Major 110 in its entirety.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:13Z
Check the source to verify that this is the current version before use.

PAGE 28

* 4.5.1.3 Shock. Line 2, delete "Test 516.3, Procedure I, Figure 516.3-2" and substitute "Test 516.2, Procedure I, Figure 516.2-2".

* 4.5.1.4 Humidity. Line 2, delete "Test Method 507.2, Procedure II" and substitute "Test Method 507.1, Procedure I".

* 4.5.1.5 Transportation vibration. Line 2, delete "Test Method 514.3, Procedure II, Category 3, Test Condition I-3.2.3" and substitute "Test Method 514.2, Procedure X, Curve AW".

* 4.5.1.6 Temperature-altitude. Line 2, delete "Test Method 520.0, Procedure II" and substitute "Test Method 504.1, Procedure I, Table 504.1-II, Category 6".

PAGE 32

* 4.5.7 Moisture absorption test. Delete in its entirety.

PAGE 33

* 4.5.8 Foreign matter test. Delete in its entirety.

* 4.5.9 Stress test. Delete in its entirety.

* 4.5.10 Burst test. Delete in its entirety.

PAGE 35

* 4.5.11 Delete in its entirety and substitute:

"4.5.11 Distortion test. (Alt End Cap dwg. 9362906). The Alternate End Cap shall be assembled to M206 Flares in the aluminum case configuration. All rounds will be leak tested as described in paragraph 4.5.4.3. After passing the leak test, the rounds shall be conditioned at 200 + 5°F (93 + 3°C) for 16 hours and the leak test repeated. Observations shall be made to comply with applicable requirements."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:13Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with a asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to eveluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendments.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project: 1370-A322)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:13Z
Check the source to verify that this is the current version before use.