MILITARY SPECIFICATION

DRAWINGS, INSTALLATION: (INDUSTRY STANDARDS)

The complete requirements for procurement of drawings and associated lists described herein consists of this documents and the latest issue of MIL-D-1000.

1. SCOPE

1.1 This specification covers Category G - Installation Form 3 - Drawings to Industry Standards (Minimum Military Controls), as defined by Specification MIL-D-1000. Drawings consist of complete sets of installation drawings. Submission of prints and reproducibles are required by the Government.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

UU-P-221	Paper, Direct-Positive Sensitized

MILITARY

MIL-D-1000	Drawings, Engineering and Associated Lists
MIL-D-5480	Data, Engineering & Technical, Reproduction Requirements for

FSC DRPR

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:34Z
Check the source to verify that this is the current version before use.

3 REQUIREMENTS

3.1 General.- Drawings furnished under this specification will be Category G, Form 3, as defined by MIL-D-1000 and the requirements specified herein. In the event of conflict between the requirements of MIL-D-1000 and the requirements of this document, this document shall govern.

3.2 Installation Drawings.- Installation drawings shall include, but shall not necessarily be limited to: Layout details, including block diagrams, etc., necessary to determine layout and put items into operation; interface mountings and mating information; wiring and cabling; information on limitations on space and clearance; data on limitations on interconnecting criteria such as maximum length of cables, piping and tubing; heating, ventilation and auxiliary equipment. The drawings shall include all data necessary to meet equipment specification requirements.

3.3 Data Required.- Data will be in the form of the contractor's own drawings or other documents, and will include all directly-referenced specifications and subsidiary documents thereto. All drawings or other documents in accordance with this specification will be furnished with unlimited rights.

3.4 Submission.- Separate submissions of prints, and reproducibles are required.

3.4.1 Prints.- One complete set of Diazo process copy prints, made from the original drawings, is required, with changes or revisions up to the time of submission. Prints of subsequent changes or revisions will be furnished as made and released, so that at any point thereafter the Government will have complete prints covering installation to that time.

3.4.2 Reproducibles.- One complete set of full size, direct-reading, positive Diazo transparencies, made from the original drawings, is required. Transparencies of associated lists will be included. Paper used for transparencies will be Type I or II, Sub-type A or D, Class 6, Sub-class A-1, Style E, in accordance with UU-P-221. Transparencies will not be treated with oil or other material to improve reproducibility. The drawings and lists will reflect all changes or revisions up to final installation.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:34Z
Check the source to verify that this is the current version before use.

3.5 Marking for Government Use.- Each individual drawing, and at least the first sheet of each associated list, specification, or other document will be marked with the following notation:

> THIS DOCUMENT HAS BEEN PURCHASED BY THE GOVERNMENT AND MAY BE REPRODUCED AND USED IN CONNECTION WITH ANY GOVERNMENT PROCUREMENT OR MAINTENANCE OPERATION.

This notation will be in letters not less than 1/8 inch high, and may be lettered or stamped on the face of the document in black ink.

3.6 Drawing Numbers.- Drawing or document numbers will be as assigned by the contractor for all drawings, associated lists, separate parts lists (if used), specifications, or subsidiary documents. Such numbers, including any spaces, dashes, slashes, periods, and suffix letters must not exceed 15 positions.

3.7 Code Identification Number.- Each individual drawing, each sheet of associated lists, and at least the first sheet of each specification, amendment, or other document will be marked with the contractor's code identification number. This five digit number will be lettered or stamped in black ink, either in or immediately adjacent to the title block, in characters not less than 1/4 inch high, with the prefix "CODE IDENT NO." and must not obscure any other data on the document.

3.8 Legibility and Reproducibility.- All drawings, associated lists, and other documents will meet the legibility and reproducibility requirements of Paragraph 3.14 of Specification MIL-D-1000.

4. QUALITY ASSURANCE PROVISIONS

4.1 General.- In addition to the Quality Assurance Provision of MIL-D-1000, all drawings may be subject to inspection by authorized Government personnel during the life of the contract. This may include a physical inspection of the drawings against the equipment being manufactured. Necessary inspections by Government personnel will include, but are not limited to, inspection for completeness, workmanship, and accuracy.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:34Z
Check the source to verify that this is the current version before use.

4.2 Inspection for Completeness, Workmanship and Accuracy.- This is inspection of drawings and other documents, both the set of prints and the set of reproducibles, to determine compliance with the general requirements for MIL-D-1000 Category G, Form 3 Drawings, as well as compliance with the additional and definitive requirements of this specification.

4.3 Responsibility for Inspection.- US Army Strategic Communications Command has complete responsibility for all inspections of fixed plant installations. The office designated as technically responsible for the data in the contract shall inspect installation drawings for requirements other than USASTRATCOM.

5. PREPARATION FOR DELIVERY

5.1 Packaging of Drawings.- The submission of prints and reproducibles should be arranged in orderly, systematic fashion. Drawings of each unit will be packed separately, with data list on top, drawings, specifications and other documents will be segregated by size, and each size arranged in numerical order with the lowest number on top. Reproducibles must not be folded or creased in any way. Packaging will be "Level C" of MIL-D-5480. If drawings are shipped rolled, mandrels with minimum 3-inch diameter will be used.

5.1.1 Shipping List.- A shipping list for each package is required. Copies of data lists or index lists may be used for this purpose. An asterisk or check mark will identify each drawing, list, or other document furnished in accordance with this specification.

5.2 Marking of shipments.- Each package will be durably and legibly marked with the following information:

a. Contractor's name.

b. Procurement Instrument Identification Number.

c. "DRAWINGS FOR (nomenclature or name of equipment)."

d. "PACKAGE NO._____OF_____PACKAGES."

e. Other information as required by contract.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:34Z
Check the source to verify that this is the current version before use.

5.2.1 Marking of Shipping Cases.- When shipping cases are used, they will be marked in the same manner for packages except that item "d" will be "CASE NO._____OF_____CASES."

6. NOTES

6.1 Intended Use.- Drawings purchased under this specification will be used by the Government to effect an operational installation of parts, components, equipments, subsystems, or systems in aircraft, marine craft, ground vehicle and/or fixed plant sites.

Custodian-
Army EL

Preparing Activity
Army EL

PROJECT NO. DRPR A165

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:34Z
Check the source to verify that this is the current version before use.