17 December 1969
SUPERSEDING
MIL-H-1071C
11 March 1964

MILITARY SPECIFICATION

HAM, CANNED, SLICED, COOKED, WITH JUICES

This specification is mandatory for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers canned, sliced and cooked ham, with juices for use by the Armed Forces as a component of operational rations.

2. APPLICABLE DOCUMENTS

* 2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

PPP-C-29 - Canned Subsistence Items, Packaging and Packing Of.

MILITARY

MIL-L-1497 - Labeling of Metal Cans for Subsistence Items.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:38Z
Check the source to verify that this is the current version before use.

* 2.2 Other publications.- The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issues in effect on date of invitation for bids or request for proposal, shall apply:

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE

Federal Food, Drug, and Cosmetic Act As Amended and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.)

ASSOCIATION OF OFFICIAL AGRICULTURAL CHEMISTS

Official Methods of Analysis.

(Application for copies should be addressed to the Association of Official Analytical Chemists, Box 540, Benjamin Franklin Station, Washington, D.C. 20044.)

U.S. DEPARTMENT OF AGRICULTURE

Regulations Governing the Meat Inspection of the U.S. Department of Agriculture.

Working Reference of Livestock Regulatory Establishments, Circuits, and Officials.

(Application for copies should be addressed to the Information Division, Consumer and Marketing Service, U.S. Department of Agriculture, Washington, D.C. 20250.)

3. REQUIREMENTS

* 3.1 First article (preproduction sample).- When specified (see 6.1), a sample of the finished product shall be submitted to the contracting officer for approval before production is commenced. This sample shall be representative of the product, the supplier proposes to furnish under the contract. Sample approval shall be based on compliance with 3.4. When a sample is required, the quantity shall also be specified.

* 3.2 Material.- All ingredients and materials shall be free from foreign material, foreign odor, and foreign color.

3.2.1 Ham.- The ham component shall comply with the requirements listed in table I.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:38Z
Check the source to verify that this is the current version before use.

* TABLE I.- Component ham requirements

Item No.	Requirement
1	Hams shall be bone-in, and in excellent condition at the time of use. Examples of ham that shall not be used are: ham that has dried surfaces, freezer burn, blood clots or bruises, or that is putrid, stale, sour, rancid, moldy, slimy, sticky, or gassy.
2	Hams shall be cured or uncured, but shall not be frozen after curing.
3	Hams shall be fresh or frozen. When frozen, the uncured hams shall have been stored at 0°F. or lower for not more than 90 days prior to use.
4	Hams shall be shank-on or shank-off, whole hams. The shank-end cut shall be in or above the hock joint, but not above the stifle joint. The butt-end cut shall be not less than 1-3/4 inches anterior to the exposed knob end of the aitch bone.
5	Hams shall weigh not more than 25 pounds based on a bone-in, partially skinned (collar-on) uncured weight or 27 1/2 pounds based on a bone-in, collar-on, cured weight.

* 3.2.2 Other ingredients.- Substances and their quantities (e.g., salt, nitrites, nitrates, flavoring agents and phosphates) shall be any of those permitted by the Regulations Governing the Meat Inspection of the U.S. Department of Agriculture (USDA).

3.2.3 Frying fat.- Frying fat, if used, shall be hydrogenated animal or vegetable fat or oil, deodorized lard or a mixture of these fats and oils. It shall be clean and free from rancidity, sourness, foreign flavor, and foreign odor. It may contain anti-oxidants or anti-foaming agents, or both.

* 3.3 Processing.- Before or after curing, hams shall be boned and trimmed of glands, tendons, ligaments, connective tissue, skin, and fat. The cured ham shall be formed, sliced, cooked (fried, broiled or baked) in any sequence. Frying fat, if used, shall be filtered at least daily and replaced when foaming becomes a problem, or when undesirable odors or flavors develop. Ham slices and water shall be filled into cans (see 5.1); and the cans vacuumized, sealed and thermostabilized.

* 3.4 Finished product.- Finished product shall comply with the requirements of table II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:38Z
Check the source to verify that this is the current version before use.

* TABLE II.- Finished product requirements

Item No.	Requirements
	Physical requirements (see 4.5.1)
1	There shall be no foreign odor or flavor, such as, but not limited to burnt, scorched, stale, sour, rancid, musty, or moldy odor or flavor.
2	There shall be no foreign color, such as, but not limited to black, purple, blue, green, yellow or white.
3	There shall be no foreign material, such as, but not limited to dirt, insect, insect part, wood, paper, paint, glass or metal.
4	There shall be at least 4 ham slices that are larger than a 1-1/2 inch square. That is, a 1-1/2 inch square could be cut from each of the slices.
5	The thickness of at least 4 of the ham slices meeting the item 4 dimensions shall be not less than 1/8 inch at the thinnest point (edges excepted) and not more than 3/4 inch at the thickest point.
6	The total weight of ham slices meeting the item 4 and 5 dimensions shall be not less than 2 ounces for slices consisting of 1 piece of meat or not less than 4 ounces for fabricated slices.
7	The total weight of ham retained on both (1/2-inch and No. 8) sieves shall be not less than 4 1/4 ounces.
8	Ham slices shall be 1 piece of meat or composed of meat pieces resulting from a grind or chop of 1/2 inch or greater.
9	Total weight of connective tissue, ligament, tendon, blood vessel, cartilage, gristle and glandular material measuring more than 1/4 inch in any dimension shall be not more than 1/8 ounce.
10	There shall be no bone greater than 1/4 inch in any dimension.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:38Z
Check the source to verify that this is the current version before use.

* TABLE II.- Finished product requirements (cont'd)

Item No.	Requirements
	Chemical requirements (see 4.5.2)
11	The fat content shall be not more than 15 percent.
12	The salt content shall be not less than 2.0 percent or more than 3.0 percent.

3.5 Slaughtering and handling of the meat component and preparation of the finished product shall be in an establishment(s) listed in the Working Reference of Livestock Regulatory Establishments, Circuits, and Officials; and the finished product shall be inspected, passed, and marked in accordance with the Regulations Governing the Meat Inspection of the U.S. Department of Agriculture.

3.6 All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act As Amended and Regulations Promulgated Thereunder.

* 4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection.- Unless specified in the the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Preacceptance inspection (plant sanitation inspection).- Award of contracts shall be limited to plants operating under the continuous inspection supervision of the Processed Food Inspection Division, Consumer and Marketing Service, USDA, as officially listed by that agency.

4.3 Inspection.- Sampling for inspection shall be performed in accordance with MIL-STD-105, except where otherwise indicated hereinafter.

4.3.1 Component and material inspection.- In accordance with 4.1, components and materials shall be inspected in accordance with all the requirements of referenced specifications, drawings, and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:38Z
Check the source to verify that this is the current version before use.

4.3.1.1 Examination for freezer age requirement of frozen uncured hams.- Determination of requirements of table I item 3 shall be made by examination of storage records, USDA Certificate or other valid documents. Nonconformance to the freezer age requirement shall be cause for rejection of the lot or the finished product made therefrom as applicable.

4.3.1.2 Examination of hams prior to processing.- Examination of hams shall be made to determine compliance with the requirements of 3.2 and table I. Classification of defects shall be in accordance with table III. Lot size shall be expressed in hams. The sample unit shall be 1 ham. The sample size for examination shall be the number of sample units indicated by inspection level S-4. The AQL for Major B defects shall be 1.5 and for minor defects 6.5 expressed as defects per hundred units.

* TABLE III.- Examination of hams prior to processing 1/

Categories			Defects
Major A	Major B	Minor	
101			Presence of foreign material.
102			Presence of foreign color.
103			Presence of foreign odor, e.g. putrid, stale, sour, rancid or gassy.
104			Presence of moldiness, sliminess, or stickiness.
105			Evidence of freezing after curing.
	151		Presence of dried surfaces.
	152		Presence of freezer burn.
	153		Presence of blood clots.
	154		Presence of bruises.
	155		Not a whole boned in ham.
	156		Bone-in, partially skinned (collar-on) uncured hams weight more than 25 pounds (See item 5 table I) 3/
	157		Bone-in, collar-on cured hams weigh more than 27-1/2 pounds. 3/
		201	Shank end not cut as specified (See item 4 table I)
		202	Butt end cut less than 1-3/4 inch anterior to the exposed knob end of the Aitch bone. 2/

1/ Finding of one or more major A defects shall be cause for rejection of the lot.
2/ Measure to the nearest 1/8 inch.
3/ Weigh to the nearest 1/2 pound.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:38Z
Check the source to verify that this is the current version before use.

4.3.1.3 Examination of frying fat.- Determination of compliance to the requirements of 3.2.3 as concerns identity shall be made by examination of labels, invoices or other valid documents. In addition examination shall be made to determine compliance with the condition requirements of 3.2.3. The sample unit shall be 1 pound of product derived from 5 primary containers or all the containers if less than five form a lot. Nonconformance to the identity requirements or one or more condition requirements shall be cause for rejection of the lot or the finished product made therefrom, as applicable.

4.3.2 Testing of components.- Testing of components described in subsidiary specifications shall be in accordance with those specifications.

4.3.3 Process examination.- Examination shall be made to determine compliance with requirements of 3.3 as concerns procedures and condition of frying fat. Nonconformance to one or more of the above referenced requirements shall be cause for rejection of the lot or the finished product made therefrom as applicable.

4.3.4 Examination of the end item.- Classification of defects found during examination shall be in accordance with tables V and VI, and 4.3.4.1 and 4.3.4.2. The examination criteria for the above referenced tables shall be as shown in table IV, "End item examination criteria." The AQLs shall be expressed as percent defective for table V, and as defects per hundred units for table VI.

* TABLE IV.- End item examination criteria

Table	Inspection level	Sample unit	Lot size expressed in	AQLs Major A	Major B	Minor
V	S-4	1 can	Cans		1.5	2.5
VI	S-3	1 can	Cans	1/	1.5	

1/ Finding of a Major A defect shall be cause for rejection of the lot.

* TABLE V.- Examination for weights

Category		Defect
Major B	Minor	
	201	Net weight of contents less than 5-1/4 ounces. 1/ 2/
151		Drained weight less than 4-1/4 ounces. 2/

1/ Lot shall be rejected if sample data indicate a lot average net weight less than specified net weight (5-1/2 ounces).

2/ Weight to the nearest 1/8 ounce.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:38Z
Check the source to verify that this is the current version before use.

* TABLE VI.- Examination of product characteristics

Categories		Defect
Major A	Major B	
101		Presence of foreign material, e.g., dirt, insect, insect part wood, paper, paint, glass or metal.
102		Presence of foreign color, e.g., black, purple, blue, green, yellow or white.
103		Presence of foreign odor or flavor, e.g., burnt, scorched, stale, sour, rancid, musty or moldy.
	151	Less than 4 ham slices that are larger than 1-1/2 inch square (i.e. a 1-1/2 inch square cut from each of the slices) 1/
	152	Thickness of the 4 ham slices cited in defect 151 is less than 1/8 inch 1/ at the thinnest point or more than 3/4 inch at the thickest point. 2/
	153	Total weight of ham slices cited in defect 151 and 152 weigh less than 2 ounces for slices consisting of 1 piece of meat and less than 4 ounces for fabricated slices. 3/
	154	Ham slices not a whole piece of meat or molded meat slices composed of pieces, resulting from a grind or chop less than 1/2 inch. 2/
	155	Total weight of connective tissue, ligament, tendon, blood vessel, cartilage, gristle and glandular material measuring more than 1/4 inch 2/ in any dimension weighs more than 1/8 ounce. 4/
	156	Presence of bone greater than 1/4 inch in any dimension. 2/

1/ Measure to the nearest 1/16 inch.

2/ Measure to the nearest 1/8 inch.

3/ Weigh to the nearest 1/8 ounce.

4/ Weigh to the nearest 1/16 ounce.

4.3.4.1 Examination of can labeling.- Examination of can labeling shall be made in accordance with the examination criteria of MIL-L-1497.

4.3.4.2 Examination of level A packaging, vacuum marking and level C packing.- Examination of level A packaging vacuum, marking and level C packing shall be in accordance with the examination criteria of PPP-C-29 (See 5.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:38Z
Check the source to verify that this is the current version before use.

4.3.5 Sampling procedure and acceptance criteria for testing of the finished product.- The finished product shall be tested for fat and salt as specified in table II, items 11 and 12. Procedures for testing shall be in accordance with 4.5. Test requirements shall be applicable to the sample unit. The sample unit shall be the contents of 1 primary container. Lot size shall be expressed in terms of the sample unit. Sample size shall be the number of sample units indicated by inspection level S-2. The acceptable quality level expressed as percent defective shall be 4.0 for each characteristic. A nonconformance to test requirements shall be classified as defective.

4.4 Standby test samples.- The Government reserves the right to withdraw and hold standby test samples of components or finished product or both (quantity of which shall be not more than twice that required by this specification) for inspection purposes. Samples not used will be returned to the supplier.

4.5 Test methods.- Examination and test procedures which differ from those specified herein, unless otherwise excepted, may be used by the supplier if they provide a quality assurance equivalent to that specified. If the Government inspection activity determines that such procedures and controls do not provide, as a minimum such quality assurance, the supplier will use the procedures set forth herein. In case of dispute as to examination or test results, the procedures specified herein will govern.

* 4.5.1 Physical examination.- Finished product shall be examined not less than 72 hours after thermostabilization. Cans tested for vacuum may be used. Net weight shall be determined by weighing unopened cans on a scale tared with a representative can and lid. After being brought to room temperature, the can shall be opened and emptied into a flat bottom container. Three times the can's volume of 180° - 212°F. water shall be added. The product and water shall be stirred exercising care to prevent breaking the ham slices. After the meat slices have been separated from each other and the rendered fat liquified, the product and water shall be dumped onto a set of 2 nested woven wire sieves in a manner that will distribute the product on the top sieve. The top sieve shall be a U.S. Standard 1/2 or 0.530 inch sieve, and the bottom one a U.S. Standard No. 8 sieve. The sieves shall be tilted slightly and allowed to drain at least 2 minutes before removing the product for examination.

* 4.5.2 Chemical analyses.- Samples of finished product shall be prepared in accordance with the preparation of sample procedure and analyzed in accordance with the methods cited below from the Official Methods of Analysis of the Association of Official Agricultural Chemists. Fat shall be reported to the nearest whole percent and salt to the nearest 0.1 percent.

Chapter	Section	Test	Method
Meat & Meat Products	Meat	Fat	Crude fat or ether extract (using petroleum ether)
		Salt	Salt

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:38Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Packaging, level A.- A net weight of 5-1/2 ounces of the product shall be filled into a size 300 by 200 can. The metal can shall comply with the level A requirements of PPP-C-29. The filled and sealed can shall have a vacuum of not less than 5 inches when tested in accordance with PPP-C-29.

5.2 Packing, level C.- The cans of the product shall be packed in accordance with the level C requirements of PPP-C-29.

5.3 Labeling and marking.-

5.3.1 Cans.- Cans shall be labeled in accordance with MIL-L-1497 and shall contain the following information:

HAM, SLICED, COOKED WITH JUICES

TO HEAT:

Submerge can in boiling water, or

Place can in food warmer, or

Place OPEN can over flame (avoid

burning or overheating.)

5.3.2 Shipping containers.- Shipping containers shall be marked in accordance with MIL-STD-129.

6. NOTES

* 6.1 Ordering data.- Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) First article (preproduction sample).- When a preproduction sample is required, and the quantity (see 3.1).

6.2 The margins of this specification are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and suppliers are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:38Z
Check the source to verify that this is the current version before use.

Custodians:

Army - GL
Navy - SA
Air Force - 45

Review activities:

Army - MD, GL
Navy - MC, SA
Air Force - 45
DSA-SS

Preparing activity:

Army - GL

Project No. 8905-0392

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:38Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION

Ham, Canned, Sliced, Cooked, with Juices MIL-H-1071D

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 68 1426

REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:38Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. S. Army Natick Laboratories
Natick, Massachusetts 01760

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

Commanding General
U. S. Army Natick Laboratories
ATTN: AMXRES-EQS
Natick, Massachusetts 01760

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:38Z
Check the source to verify that this is the current version before use.