MIL-R-1041D
3 March 1967
SUPERSEDING
MIL-R-1041C
19 September 1963

MILITARY SPECIFICATION

RATION SUPPLEMENT, AID STATION

This specification is mandatory for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers components and packaging requirements for a beverage supplement designed for use in aid stations of the Armed Forces to provide drinks to casualties being evacuated. This supplement ration provides one hundred 8-ounce drinks.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

L-P-378	- Plastic Film (Polyethylene Thin Gage)
UU-T-111	- Tape; Paper, Gummed (Sealing and Securing)
PPP-B-566	- Box, Folding, Paperboard
PPP-B-636	- Box, Fiberboard

MILITARY

MIL-L-10547	- Liners, Case, and Sheet, Overwrap; Water-Vaporproof or Waterproof, Flexible

(Specifications applicable to individual components are listed in table I.)

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129	- Marking for Shipment and Storage
MIL-STD-668	- Sanitary Standards for Food Plants

FSC 8970

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:37Z
Check the source to verify that this is the current version before use.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications.- The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply:

U. S. Department of Health, Education and Welfare

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder

(Application for copies should be addressed to the Superintendent of Documents, Government Printing Office, Washington, D. C. 20402.)

3. REQUIREMENTS

3.1 Preproduction sample approval.- When specified (see 6.1), a sample of the finished product shall be submitted to the contracting officer for approval before production is commenced.

3.2 All components shall be packaged and assembled under strictly sanitary conditions and by such methods as will produce the best possible finished product, consistent with the material requirements specified in this specification.

3.3 All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

3.4 This ration supplement shall consist of the components specified in table I with exceptions and additions as indicated in 3.5.1 and 3.5.2.

TABLE I.- Components

Product	No. of units	Minimum net contents per unit	Related spec. type and class	Reference para of this spec.
Coffee, instant	60	2.5 grams (g.)	HHH-C-575, type II	5.1.1.1
Cream substitute dry, non-dairy	70	4 g.	MIL-C-43338	5.1.1.2
Flavored dairy drink, dry, chocolate-coffee flavored	3	Cartons (ten 4 oz. pkgs. each)	MIL-F-35100	

Source: https://assist.dla.mil -- Downloaded: 202610-16T12:37Z
Check the source to verify that this is the current version before use.

TABLE I.- Components (cont'd)

Product	No. of units	Minimum net contents per unit	Related spec. type and class	Referenced para of this spec.
Paper, toilet	10	12 or 24 sheets per packet	UU-P-556, type II packet	3.5.2 and 5.1.1.3
Tube, drinking, plastic, bent	1	12 tubes	MIL-T-36261(DM)	3.5.1 and 5.1.1.4
Sugar, granulated	70	6 g.	JJJ-S-791, type I (a)	5.1.1.5
Tea, instant	10	0.65 g. or 1.3 g.	MIL-T-3527, type I or II, class A	5.1.1.6

3.5 Exceptions.-

3.5.1 Tube, drinking, plastic, bent.- The bent plastic drinking tube shall be fabricated and packaged in unit packages in accordance with MIL-T-36261(DM), except that the dimensions of the unit package shall not exceed 4-5/8 by 9-7/8 inches.

3.5.2 Paper, toilet.- Toilet paper shall comply with type II packet requirements of UU-P-556, except that a strip of 24 sheets of type I paper may be substituted for the type II paper.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection.- Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may use his own or any other inspection facilities and services acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Preacceptance inspection (plant sanitation inspection).- Award of contracts shall be limited to plants which have received prior sanitary approval by the Military Veterinary Services in accordance with MIL-STD-668.

4.3 Sampling for inspection.- Sampling for inspection shall be performed in accordance with MIL-STD-105, except as otherwise indicated herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:37Z
Check the source to verify that this is the current version before use.

4.3.1 Component and material inspection.- In accordance with 4.1 above, components and materials shall be inspected and tested in accordance with all the requirements of referenced specifications, drawings, and standards unless otherwise excluded, amended, modified or qualified in this specification.

4.3.2 Examination.- Examination shall be in accordance with tables III through VII and 4.3.2.1 and 4.3.2.2. Sampling plans and acceptance criteria for the aforementioned tables shall be in accordance with table II. Acceptable quality levels (AQLs) shall be expressed in terms of defects per hundred units.

TABLE II.- Sampling plan and AQLs

Table	Inspection level	Sample unit	Lot size expressed in	AQLs	
				Major	Total
III	S-3	1 drinking tube package	Packages	2.5	6.5
IV 1/	S-3	1 filled carton	Cartons	1.5	6.5
V	S-3	1 filled intermediate fiberboard container	Intermediate fiberboard containers	1.5	6.5
VI	S-2	1 filled and closed intermediate container	Intermediate fiberboard containers	2.5	10.0
VII	S-3	1 filled and closed polyethylene liner	Liners	4.0	10.0

1/ Examine each different component carton (see table I) as a separate lot.

TABLE III.- Examination of drinking tube package

Category		Defect
Major	Minor	
		Envelope
151		Envelope exceeds size specified.
152		Envelope closure not secure.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:37Z
Check the source to verify that this is the current version before use.

TABLE III.- Examination of drinking tube package (cont'd)

Category		Defect
Major	Minor	
		Envelope (cont'd)
	201	Envelope has hole or tear.
153		Labeling on envelope missing, incorrect or illegible.
154		Less than 12 tubes in envelopes.
		Tube 1/
155		Design or size (all dimensions) of tube not as specified.
156		Tube not clean.
157		Tube damaged in a manner that may adversely affect serviceability.
	202	Tube damaged in a manner which only adversely affects appearance.
158		Tube has objectionable odor or taste.
159		Tube distorts when subjected to a liquid having a temperature of 170°F.

1/ Examine 1 tube from a packet.

TABLE IV.- Examination of carton contents 1/

Category		Defect
Major	Minor	
151		Less than required number of units in carton.
152		Food unit in carton has tear, hole or open seam. 2/
	201	Unit in carton not clean. 2/

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:37Z
Check the source to verify that this is the current version before use.

TABLE IV.- Examination of carton contents 1/ (cont'd)

Category		Defect
Major	Minor	
	202	Envelope containing drinking tube has tear or hole.
	203	Toilet paper packet not banded or wrapped. 2/

1/ Examination not applicable to Government furnished cartons containing required number of units.

2/ For multiple unit carton, examine 5 units from the carton.

TABLE V.- Examination of contents of intermediate fiberboard container

Category		Defect
Major	Minor	
151		Carton missing.
152		Incorrect assortment of cartons.
	201	Arrangement of cartons not as specified.
153		Carton crushed or damaged adversely affecting contents.
	202	Tear or hole in carton.
	203	Closure of carton not secure.
	204	Carton not clean.
	205	Marking on carton missing, incorrect or illegible.
154		Filling Pad(s) missing or not placed as specified.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:37Z
Check the source to verify that this is the current version before use.

TABLE VI.- Examination of intermediate fiberboard container

Category		Defect
Major	Minor	
151		Not securely closed in accordance with one of the methods specified.
	201	Closure tape (when used) does not extend at least .3 inches onto end panels.
	202	Tear or hole in container.

TABLE VII.- Examination of polyethylene case liner

Category		Defect
Major	Minor	
151		Not closed in manner or with material specified.
152		Tear, hole or open seal.
	201	Not clean.

4.3.2.1 Examination of case liner (other than polyethylene).- The filled and closed case liners shall be examined in accordance with examination criteria in the appendix of MIL-L-10547.

4.3.2.2 Examination of shipping container.- The filled and marked shipping containers shall be examined in accordance with the criteria contained in the appendix of PPP-B-636. In addition, the following defect shall be included in the examination: Major - Markings required to be applied by assembler missing, incorrect or illegible.

4.4 Standby test samples.- The Government reserves the right to withdraw and hold standby test samples of components or finished product or both (quantity of which shall be not more than twice that required by this specification) for inspection purposes. Samples not used will be returned to the supplier.

4.5 Tests.- There are no applicable tests.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:37Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Packaging, level A.-

5.1.1 Cartons.- The packaged components shall be placed into cartons as specified in 5.1.1.1 through 5.1.1.6, as applicable.

5.1.1.1 Coffee, instant.- Sixty packages of instant coffee shall be placed in a folding paperboard box, made and closed in accordance with variety 1, style II, type A, class a, with notched tucks, of PPP-B-566. Paperboard for the box shall be 0.022-inch thick, and shall have a minimum bursting strength of 66 pounds per square inch. The box shall be 5-3/4 inches in length, 2 inches in width and 8-3/4 inches in depth.

5.1.1.2 Cream substitute, dry, non-dairy.- Seventy envelopes of cream substitute shall be packaged as specified in 5.1.1.1, except that the box shall be 5-1/8 inches in length, 2 inches in width, and 8-3/4 inches in depth.

5.1.1.3 Paper, toilet.- Ten packets shall be packaged as specified in 5.1.1.1, except that the box shall be 5-1/8 inches in length, 3/4 inch in width and 6 inches in depth.

5.1.1.4 Tube, drinking, plastic, bent.- One unit package containing 12 tubes shall be packaged in a folding paperboard box made and closed in accordance with variety 1, style II, type A, class a, with notched tucks, of PPP-B-566. Paperboard for the box shall be 0.022-inch thick and shall have a minimum bursting strength of 66 pounds per square inch. The box shall be 5 inches in length, 3/4 inch in width, and 10 inches in depth.

5.1.1.5 Sugar, granulated.- Seventy envelopes of sugar shall be packaged as specified in 5.1.1.1, except that the box shall be 4-1/4 inches in length, 2 inches in width, and 8-3/4 inches in depth.

5.1.1.6 Tea, instant.- Ten envelopes of tea shall be packaged as specified in 5.1.1.1, except that the box shall be 2-3/4 inches in length, 3/4 inch in width, and 5 inches in depth. Paperboard for the box shall be 0.022-inch thick.

5.2 Packing, level A.- Packing shall be in accordance with 5.2.1 through 5.2.3, inclusive.

5.2.1 The components listed in table I and packaged as specified in 5.1, shall be assembled in an intermediate fiberboard box constructed in accordance with style RSC, type CF, class domestic, grade 125, B or C flute of PPP-B-636. The box shall have a taped manufacturer's joint. The dimensions of the box shall be 15-1/2 inches in length, 8-7/8 inches in width, and 9-1/16 inches in depth. The components shall be arranged as shown in figure 1. Four filler pads, made of 125-pound test corrugated fiberboard, 10 inches in length, 3-3/4 inches in width, and 3/16 inch in depth, shall be used to fill the void space in the top layer. The top and bottom flaps shall be sealed with a regular case-sealing

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:37Z
Check the source to verify that this is the current version before use.

adhesive applied throughout the entire area of contact between the inner and outer flaps. Alternatively, top and bottom flaps may be taped with gummed kraft tape meeting the requirements of class 2 or 3, 3-inch width, of UU-T-111. All edges of the outer flaps shall be securely taped. The lengthwise tapes joining the edges of the outer flaps shall extend onto the sides at least 3 inches.

5.2.2 The filled and sealed box specified in 5.2.1 shall be placed in a waterproof case liner, made and sealed in accordance with type I, grade B or C of MIL-L-10547. Alternatively, the case liner may be a bag fabricated from not less than 0.005-inch thick polyethylene in accordance with L-P-378 with all seams heat-sealed. The liner shall be closed by folding down the top opening so that at least three 180-degree folds are formed. The fold thus formed shall be held in place with a strip of one-inch wide, pressure-sensitive tape, and the ears of the fold shall be folded to the center of the unit, and shall be taped down with one-inch wide, pressure-sensitive tape. Heat sealing of the top opening shall not be necessary.

5.2.3 The filled and sealed bag specified in 5.2.2 shall be placed in a fiberboard box made, closed and reinforced in accordance with style CSSC, V2s of PPP-B-636. The dimensions of the box shall be 16-1/2 inches in length, 9-5/8 inches in width, and 10-1/16 inches in depth.

5.3 Marking.-

5.3.1 Cartons.- All cartons shall be legibly stamped or printed with an identification of the contents.

5.3.2 Shipping containers.- Ration supplement cases shall be marked in accordance with MIL-STD-129 and as specified in figure 2. Component shipping containers shall be marked in accordance with MIL-STD-129.

6. NOTES

6.1 Ordering data.- Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) Whether preproduction sample is to be furnished (see 3.1).

6.2 Asterisks are not used in this revision to identify changes with respect to the previous issue, due to the extensiveness of the changes.

Source: https://assist.dla.mil -- Downloaded: 202610-16T12:37Z
Check the source to verify that this is the current version before use.

Custodians:

Army - GL
Navy - SA
Air Force - 45

Preparing activity:

Army - GL

Project No. 8970-0074


Review activities:

Army - MD
Navy - MC, SA
Air Force - 45


Review information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current Federal Supply Classification Listing of DOD Documents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:37Z
Check the source to verify that this is the current version before use.


ARRANGEMENT OF PACKAGED COMPONENTS
WITHIN INNER FIBERBOARD BOX



A. BOTTOM LAYER



B. MIDDLE LAYER




C. TOP LAYER

CARTONS

1. MILK PRODUCT, DRY INSTANT, FLAVORED (3)
2. COFFEE, INSTANT
3. CREAM SUBSTITUTE, DRY
4. SUGAR
5. TUBES, DRINKING, PLASTIC, BENT
6. TOILET PAPER
7. TEA, INSTANT
8. FILLER PAD

FIGURE 1 ASSEMBLY OF RATION SUPPLEMENT, AID STATION

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:37Z
Check the source to verify that this is the current version before use.



LETTERING SHALL BE ONE INCH HIGH

LETTERING SHALL BE NOT LESS THAN 3/4" HIGH, CRESCENT AS PER DETAIL BELOW. WT., CU., & STOCK NO. TO BE STENCILED.




FIGURE 2. MARKINGS FOR RATION SUPPLEMENT, AID STATION

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:37Z
Check the source to verify that this is the current version before use.

"to detach this form, cut along this line"

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity.

SPECIFICATION: Ration Supplement, Aid Station MIL-R-1041D

ORGANIZATION	CITY AND STATE

CONTRACT NO.	QUANTITY OF ITEMS PROCURED	DOLLAR AMOUNT
		$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES", IN WHAT WAY?

4. REMARKS (Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)

SUBMITTED BY (Printed or typed name and activity)	DATE

DD FORM 1 OCT 64 1426

Source: https://assist.dla.mil -- Downloaded: 202640-16T12:37Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. S. Army Natick Laboratories
Natick, Massachusetts 01760

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

Commanding General
U. S. Army Natick Laboratories
ATTN: AMXRES-CS
Natick, Massachusetts 01760

FOLD

"to detach this form, cut along this line"

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:37Z
Check the source to verify that this is the current version before use.