INCH-POUND

MIL-H-52213E(ME)
AMENDMENT 1
23 August 1991

MILITARY SPECIFICATION

HEATERS, HOT OIL

This amendment forms a part of MIL-H-52213E(ME), dated 17 September 1986 and is approved for use within the USA Belvoir Research, Development, and Engineering Center, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.1, under SPECIFICATIONS, FEDERAL, delete HH-B-671, WW-C-566 and WW-C-581 in their entirety and add:

"PPP-B-636 - Box, Shipping, Fiberboard."

Under SPECIFICATIONS, MILITARY, MIL-P-116, delete "-Packaging". Add:

"MIL-C-104 - Crate, Wood, Lumber and Plywood Sheathed, Nailed and Bolted.
"MIL-B-16008 - Brick Insulation, High Temperature, Clay."

Under STANDARDS, MILITARY, add:

"MIL-STD-633 - Mobile Electric Power Engine Generator Standard Family Characteristics."

PAGE 4

2.2, under AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM), delete "D 3951" in its entirety.

PAGE 5

2.2, under NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA), delete "ICS - Industrial Center and Systems." and substitute "250 - Enclosures for Electrical Equipment (1000 Volts Maximum)."

PAGE 6

2.2, under UNDERWRITERS LABORATORIES (UL), delete UL 516B in its entirety and substitute:

UL 514B - Fittings for Conduit and Outlet Boxes."

AMSC N/A FSC 3895
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:10Z
Check the source to verify that this is the current version before use.

PAGE 7

3.5.1.7, line 2, delete "HH-B-671" and substitute "MIL-B-16008".

PAGE 8

3.5.1.12, delete last sentence and substitute: "Manually operated valves shall be labeled to indicate function and valve controls provided with double-ended arrows showing direction of operation, labeled at each end to indicate the functional result (i.e., open, close, etc.)."

PAGE 9

3.9.1, lines 3 and 4, delete "NEMA Standard ICS 1-110, table 1-110-2" and substitute "NEMA Standards Publication No. 250".

3.9.2, line 2, delete "WW-C-566,".

3.9.3, add at end of paragraph: "Means shall be provided for storing ground rods on the heater."

PAGE 15

3.24, delete in its entirety and substitute:

"3.24 Government-furnished property. Unless otherwise specified, the following property will be furnished by the Government (see 6.5):

Item	Description	Identification	Quantity
2	15 KW generator	MIL-STD-633 NSN 6115-00-118-1241"	1

3.25, delete in its entirety and substitute:

"3.25 Camouflage pattern data. When specified (see 6.2.1), the contractor shall provide camouflage pattern data."

3.27, delete in its entirety and substitute:

"3.27 Warnings. Warnings or cautions shall be provided for all inherent dangers which can stem from unsafe operations or an unsafe operating position. Warnings or cautions shall be stenciled in Green 383 paint over black, and stenciled in black paint over Green 383 and Brown 383 paint."

3.28, delete in its entirety and substitute:

"3.28 Fire extinguisher. The heater shall be provided with a Coast Guard approved mounting bracket to accommodate a 10 pound halon 1211 fire extinguisher."

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:10Z
Check the source to verify that this is the currentversion before use.

PAGE 16

3.31, delete in its entirety and substitute:

"3.31 Type I. Type I heaters shall be powered from a Government-furnished Mobile Electric Power (MEP) generator set (see 3.24 and 3.32.2)."

3.32, line 1, after "heater" add: "including the generator (see 3.32.2)". After the first sentence, add: "The prime mover of this trailer shall be a 5 ton series truck."

PAGE 24

3.32.2, delete in its entirety and substitute:

"3.32.2 Power supply. Power to operate the heater shall be supplied by the Government-furnished 15 KW, 60 Hz, Mobile Electric Power (MEP) generator set (see 3.24)."

3.35, line 2, after "MIL-STD-1474 requirements", add: "with the exception of MIL-STD-1474, 5.2, 5.3, and 5.4,". Line 7, after "MIL-STD-1474, 4.3", add: ", except the sign shall state "HEARING PROTECTION REQUIRED WITHIN (specify) FEET"."

PAGE 28

4.5.1, delete item 176 in its entirety.

4.5.2.2.1, before the first sentence, add: "The prime mover for these tests shall be a 5 ton series truck."

PAGE 31

4.5.2.14, lines 7 and 8, delete "Exterior noise levels.....in accordance with SAE J88."

4.6.2.2, delete in its entirety and substitute:

"4.6.2.2 Sampling. Samples size shall be determined by using MIL-STD-105, table I and table IIa. A lot shall be accepted when zero defects are found and rejected when one or more defects are found."

4.6.2.3, line 2, delete "AQL shall be 1.0 percent defective." and substitute "Presence of one or more defects shall be cause for rejection."

Line 3, delete the column heading "Comm." and substitute "C".

Item 191, under column C, add: "5.2.2".

Item 193, under column C, add: "5.2.2".

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:10Z
Check the source to verify that this is the current version before use.

PAGE 32

4.5.2.14, item 195, under column C, add: "5.2.2".

Item 196, under column C, add: "5.2.2".

Item 198, under column C, add: "5.2.2".

Item 106a, under column C, add: "5.2.2".

Item 107a, delete "Commercial" and substitute "Level C".

Item 110a, under column C, delete "5.4.2" and substitute "5.4".

5.2, line 1, delete "commercial" and substitute "level C".

PAGE 33

5.2.1.5, line 2, delete "type I".

5.2.2, delete in its entirety and substitute:

"5.2.2 Level C. Each complete heater shall be preserved so as to prevent deterioration and damage during shipment to the initial destination and during short term storage. As a minimum, openings into electric motors, burner, and power cables shall be sealed with waterproof tape. Flexible hose shall be placed in its container. Repair parts shall be preserved as specified in 5.2.1.8. Consolidation shall be as specified in 5.2.1.12 except that the box for items not placed in the tool box shall conform to PPP-P-636, class weather-resistant, variety SW or DW, grade appropriate for the weight and size of contents."

5.3, line 1, delete "commercial" and substitute "C".

5.3.1.1, lines 2 and 3, delete "MIL-C-3774, type I, style A" and substitute "MIL-C-104, type I, class 2, style a."

5.3.2, delete in its entirety and substitute:

"5.3.2 Level C. Complete type I heaters shall be packed in crates conforming to MIL-C-3774, type I, style a. Blocking, bracing, and tie-down shall be in accordance with the crate specification and with MIL-STD-1186. Type II heaters shall be shipped mobile with the consolidation container secured to the trailer."

5.4, 5.4.1, and 5.4.2, delete in their entirety and substitute:

"5.4 Marking. Marking for shipment and storage shall be in accordance with MIL-STD-129."

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:10Z
Check the source to verify that this is the current version before use.

PAGE 35

6.2.m, delete "Government-loaned" and substitute "Government-furnished".

6.2.q, delete in its entirety and substitute:

"q. Level of preservation and packing required (see 5.2 and 5.3)."

PAGE 36

6.5, delete in its entirety and substitute:

"6.5 Government-furnished property. The contracting officer should arrange to furnish the property listed in 3.24."

6.7, delete in its entirety.

Custodian:
Army - ME

Preparing activity:
Army - ME

Review activity:
Army - AT

Project 3895-A256

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:10Z
Check the source to verify that this is the current version before use.