INCH-POUND


MIL-M-38527/3B
15 December 1988
SUPERSEDING
MIL-M-38527/3A
7 September 1984

MILITARY SPECIFICATION SHEET

MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .100 DIAMETER PIN CENTER TO A LARGER DIAMETER

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of the following specification listed in that issue of the Department of Defense Index of Specifications and Standards (DODISS) specified in the solicitation: MIL-M-38527.



Inches	mm
.005	0.13
.010	0.25
.020	0.51
.033	0.84
.040	1.02
.105	2.67
.200	5.08
.255	6.48

SECTION A-A


M38527/03-001

FIGURE 1. Mounting pads.

Ⓑ denotes changes

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.


Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:08Z
Check the source to verify that this is the current version before use.



Inches	mm
.005	0.13
.010	0.25
.020	0.51
.025	0.64
.030	0.76
.037	0.94
.050	1.27
.150	3.81
.187	4.75
.225	5.72


FIGURE 1. Mounting pads - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:08Z
Check the source to verify that this is the current version before use.



SECTION A-A

M38527/03-003



SECTION A-A

M38527/03-004

FIGURE 1. Mounting pads - Continued.

Source: https://assist.dla.mil -- Downloaded: 202610-21T15:08Z
Check the source to verify that this is the current version before use.





FIGURE 1. Mounting pads - Continued.

Source: https://assist.dla.mil -- Downloaded: 202610-21T15:08Z
Check the source to verify that this is the current version before use.




Inches	mm
.020	0.51
.025	0.64
.027	0.69
.040	1.02
.050	1.27
.060	1.52
.080	2.03
.100	2.54
.230	5.84
.250	6.35
.300	7.62

M38527/03-006

FIGURE 1. Mounting pads - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:08Z
Check the source to verify that this is the current version before use.




Inches	mm
.022	0.56
.031	0.71
.055	1.40
.062	1.57
.086	2.18
.120	3.05
.200	5.08
.343	8.71

M 38527 / 03 - 007

FIGURE 1. Mounting pads - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:08Z
Check the source to verify that this is the current version before use.



Inches	mm
.005	0.13
.010	0.25
.020	0.51
.025	0.64
.050	1.27
.200	5.08
.275	6.99

M38527/03-008

FIGURE 1. Mounting pads - Continued.

Source: https://assist.dla.mil -- Downloaded: 202610-21T15:08Z
Check the source to verify that this is the current version before use.





FIGURE 1. Mounting pads - Continued.

Source: https://assist.dla.mil -- Downloaded: 202610-21T15:08Z
Check the source to verify that this is the current version before use.




Inches	mm
.010	0.25
.020	0.51
.027	0.69
.033	0.84
.040	1.02
.085	2.16
.200	5.08
.255	6.48
.305	7.75


M38527/03-010

FIGURE 1. Mounting pads - Continued.

Source: https://assist.dla.mil -- Downloaded: 202610-21T15:08Z
Check the source to verify that this is the current version before use.




Inches	mm
.010	0.25
.020	0.51
.027	0.69
.033	0.84
.040	1.02
.200	5.08
.255	6.48
.350	8.89



Inches	mm
.010	0.25
.020	0.51
.027	0.69
.033	0.84
.035	0.89
.050	1.27
.105	2.67
.200	5.08
.220	5.59
.270	6.86
.305	7.75

FIGURE 1. Mounting pads - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:08Z
Check the source to verify that this is the current version before use.




Inches	mm
.010	0.25
.015	0.38
.022	0.56
.040	1.02
.050	1.27
.065	1.65
.080	2.03
.100	2.54
.115	2.92
.142	3.61
.235	5.96

M 38527/03-013

FIGURE 1. Mounting pads - Continued.

Source: https://assist.dla.mil -- Downloaded: 202640-21T15:08Z
Check the source to verify that this is the current version before use.




Inches	mm
.023	0.58
.025	0.64
.040	1.02
.080	2.03
.150	3.81
.230	5.84

M38527/03-014

FIGURE 1. Mounting pads - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:08Z
Check the source to verify that this is the current version before use.




Inches	mm
.020	0.51
.025	0.64
.030	0.76
.032	0.81
.040	1.02
.080	2.03
.100	2.54
.120	3.05
.200	5.08
.235	5.97
.250	6.35

M38527/03-015

FIGURE 1. Mounting pads - Continued.

Source: https://assist.dla.mil -- Downloaded: 202610-21T15:08Z
Check the source to verify that this is the current version before use.




Inches	mm
.010	0.25
.020	0.51
.025	0.64
.050	1.27
.150	3.81
.225	5.72

M38527/03-016

FIGURE 1. Mounting pads - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:08Z
Check the source to verify that this is the current version before use.



Inches	mm
.015	0.38
.025	0.64
.050	1.27
.075	1.91
.220	5.59
.260	6.60
.340	8.34

M38527/03-017

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Tolerance on height of pad shall be ±.015 (0.38 mm).
4. Unless otherwise specified, tolerances are ±.010 (0.25 mm) for decimals, ±1° on angular, a .010 (0.25 mm) radius is permissible on corners and edges and a 1° draft is permitted on the side.

FIGURE 1. Mounting pads - Continued.

Source: https://assist.dla.mil -- Downloaded: 202610-21T15:08Z
Check the source to verify that this is the currentversion before use.

REQUIREMENTS:

Design and configuration: See figure 1.

Material: Diallyl phthalate or nylon.

Part number: M38527/03- (and dash number from table I).

TABLE I. Supersession information.

Dash number 1/ M38527/03-	Superseded part number per MIL-M-38527/1 1 April 1972 2/	Superseded part number per MIL-M-38527 11 February 1974
001N	---	---
001D	---	---
002N	---	---
002D	---	---
003N	---	---
003D	---	---
004N	---	---
004D	---	---
005N	---	---
005D	---	---
006N	---	---
006D	---	---
007N	---	---
007D	---	---
008N	---	---
008D	---	---
009N	---	---
009D	---	---
010N	---	---
010D	---	---
011N	---	M38527-03N
011D	---	M38527-03D
012N	M38527-1-25x2	---
012D	---	---
013N	---	---
013D	---	---
014N	---	---
014D	---	---
015N	---	---
015D	---	---
016N	---	---
016D	---	---
017N	---	---
017D	---	---

1/ Complete dash number example: M38527/03-001N.

2/ "x" represents any of the color codes in the previous part numbers (i.e., N, B, R, C).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:08Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
Army - ER
Navy - EC
Air Force - 85

Review activities:
Air Force - 11, 19, 99
DLA - ES

User activities:
Navy - AS, CG, MC, SH

Preparing activity:
Air Force - 85

Agent:
DLA - ES

(Project 5999-0202-01)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:08Z
Check the source to verify that this is the current version before use.