
MILITARY SPECIFICATION SHEET

MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, MULTIPLE APPLICATIONS


This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the pads described herein shall consist of this specification and the latest issue of MIL-M-38527.



INCHES	MM
.005	.13
.008	.20
.010	.25
.020	.51
.025	.64
.028	.71
.031	.79
.062	1.57
.100	2.54
.125	3.18
.200	5.08
.290	7.37

M38527/07-001




INCHES	MM
.020	0.51
.025	0.64
.028	0.71
.040	1.02
.100	2.54
.230	5.84

M38527/07-002

FIGURE 1. Mounting pads.


Ⓐ denotes changes.

Source: https://assist.dla.mil - Downloaded: 2026-10-21T15:09Z
Check the source to verify that this is the current version before use.




INCHES	MM
.044	1.12
.065	1.65
.070	1.78
.085	2.16
.141	3.58
.500	12.70
.600	15.24

M38527/07-003



INCHES	MM
.015	0.38
.022	0.56
.040	1.02
.058	1.47
.060	1.52
.070	1.78
.085	2.16
.100	2.54
.125	3.18
.545	13.84

M38527/07-004




INCHES	MM
.010	0.25
.020	0.51
.025	0.60
.040	1.02
.050	1.27
.100	2.54
.200	5.08
.420	10.67
.580	14.73

M38527/07-005


FIGURE 1. Mounting pads - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:09Z
Check the source to verify that this is the current version before use.



INCHES	MM
.040	1.02
.045	1.14
.071	1.80
.100	2.54
.115	2.92
.140	3.56
.180	4.57
.200	5.08
.215	5.46
.375	9.53
.430	10.92
.545	13.84
.594	15.09
1.187	30.15

M38527/07-006



INCHES	MM
.025	0.64
.062	1.57
.078	1.98
.141	3.58
.203	5.16
.250	6.35
.375	9.53

M38527/07-007

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Tolerance on height of pad shall be ±.015 (0.38 mm).
4. Unless otherwise specified, tolerances are ±.010 (0.25 mm) for decimals, ±1° on angular, a .010 (0.25 mm) radius is permissible on corners and edges and a 1° draft is permitted on the side.

FIGURE 1. Mounting pads - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:09Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Design and construction: See figure 1.

Material: Diallyl phthalate or nylon.

Part number: M38527/07- (and dash number from figure 1).

Complete dash number example: M38527/07 - 001N.

Custodians:
Army - ER
Navy - EC
Air Force - 85

Review activities:
Air Force - 11, 19, 99
DLA - ES

User activities:
Navy - AS, CG, MC, SH

Agent:
DLA - ES

Preparing activity:
Air Force - 85

(Project 5999-0129-7)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:09Z
Check the source to verify that this is the current version before use.