INCH-POUND

MIL-S-29461
AMENDMENT-1
APR 17 1992

MILITARY SPECIFICATION

SUIT, CHEMICAL AND BIOLOGICAL PROTECTIVE (CARBON SPHERE)

This amendment forms a part of MIL-C-29461, dated 7 April 1992, and is approved for use by all Departments and Agencies of the Department of Defense.

Page 2

2.1.1 under "Specifications, Federal" Delete:

"PPP-B-636 - Box, Shipping, Fiberboard"

2.1.1 under "Specifications, Military" under "MIL-B-117" Add:

"MIL-B-131- Barrier Materials, Watervaporproof, Greaseproof Flexible, Heat Sealable.

MIL-T-3530 - Thread and Twine, Mildew Resistant or Water Repellant Treated.

MIL-B-17757 - Box, Shipping, Fiberboard (Modular Sizes).

After "MIL-C-43303" - Delete "MIL-T-43548 - Thread, Polyester, Cotton-Covered and Rayon Covered" and add under Specifications, Federal the following: "A-A-50199 - Thread, Polyester Core, Cotton or Polyester-Covered".

Page 3

2.1.2 - Under "Drawings" -Delete "1-6-102" and substitute "2-6-102".

AMSC N/A FSC 8415

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited.



Source: https://assist.dla.mil -- Downloaded: 2026-10-20T23:17Z
Check the source to verify that this is the current version before use.

3.3.1 - Delete in its entirety and substitute the following:

"3.3.1 Outer shell. The camouflage printed and quarpel treated cotton cloth used for the outer shell of the Class 1 Suit shall conform to Type IV (Roll number 3476) of MIL-C-43468. The camouflage printed and quarpel treated cotton cloth used for the outer shell of the Class 2 Suit shall conform to Type V (Roll number 3300) of MIL-C-43468 (See 6.2)".

3.3.2, Line 2 - At the end of paragraph, add the following:

"The color of the lining shall be black."

3.3.4, line 1 - Delete "side" and substitute "slide".

3.3.4, - At the end of paragraph, add the following:

"The color and number for the slide fastener shall be Woodland Camouflage #7 Shade No.66519 for class 1 Suit, and Tan, Cable No.66516 for class 2 Suit".

3.3.4.1, line 3 - At the end of paragraph, add the following:

"The width of the slide fastener tape shall be 5/8 inch wide."



3.3.5, line 7 - Delete "pile" and substitute "hook".

3.3.6.1 line 4 - After "plastic" add ", or equal".

3.3.6.2, Line 2 - Delete "Natrick" insert "Natick".

3.3.6.2, line 4 - After "plastic" add ", or equal".

3.3.8.1, line 3 -Delete "30,".

line 4 -Delete "MIL-T-43548" and substitute "A-A-50199".



3.3.9.3 - Insert "INSTRUCTION LABEL", in capital letters, above "Chemical and Biological Protective Suit (Carbon Sphere)".

3.3.9.3 - Instruction Label. At the end of 3, add the following:



Source: https://assist.dla.mil -- Downloaded: 20260-20T23:17Z
Check the source to verify that this is the current version before use.

Page 6

"4. These garments are items of outer wear and can be worn for up to 30 consecutive days. When exposed to chemical agent they will offer protection for at least 24 hours. At the end of 30 days or after 24 hours use in a chemical environment the overgarments are to be replaced".

Page 10

After 3.7, add the following paragraph:

"3.7.1 Figures. Figures are furnished for information only. To the extent of any inconsistencies between the figures and the written specification, the written specification shall govern".

Page 14

Operation 3 - At the end of the operation add the following: "Note: No punches and/or drillholes permitted."

Page 16

Table II, operation 9, line 11 - Delete "shellsleeve" and substitute "shell sleeve".

Page 17

Table II, operation 10.a, line 2 - After "flap" add "face to face".
operation 10.b, line 4 - Delete "±/ 1/4", and substitute "±/ 1/8 inch".
operation 11.b, line 4 - Delete "±/ 1/4", and substitute "± 1/8 inch".

Page 24

Table II, operation 23.a, line 2 - After "flap" add "right sides together".



Source: https://assist.dla.mil -- Downloaded: 2026-10-20T23:17Z
Check the source to verify that this is the current version before use.

Page 25

Table II, Operation 24b, line 2 - After "pleats" delete "as the marks are indicated on pattern" and substitute "in accordance with pattern marks".

Page 26

Operation 24d, line 2 - After "pocket" add: "right sides together and.

Page 29

Table II, operation 26., "Note:", line 1 - Delete "22.b and 22.c" and substitute "26.b and 26.c".

Page 31

Table II, operation 28.b line 10 - After "on" add "for".

Page 32

Table II, operation 30, line 9 - After "on" add "for".

operation 31.a, line 2 - After "tab" add "face to face".

Page 35

Table II, operation 34.b, line 2 - After "edges" add "on outer shell".

operation 35.a, line 2 - After "edges" add "on outer shell".

operation 35.b, line 9 - After "3/4" delete remainder of sentence and substitute the following: "($\pm$ 1/4) inch".

operation 36.a, line 1 - After "bib" delete "on". and substitute the following:

"face side up on inside of".

Page 36

Table II, operation 37.a - After line 6, add the following sentence: "The bartack shall be 3/4 inch long and continuous, or as an alternate, two separate and aligned bartacks of 1/4 inch length may be used."



Source: https://assist.dla.mil -- Downloaded: 2026-10-20T23:17Z
Check the source to verify that this is the current version before use.

Page 41

Table V - END ITEM VISUAL DEFECTS, "b.1" - After "any hole", insert, "exposed drill hole, or punch".

b. 2."Mends: -any mend up to 1/4 inch in diameter or length" - Delete the "X" under MINOR and move it under MAJOR.

b. 2. "Mends: -any mend more than 1/4 inch in diameter or length" - Delete the "X" under MAJOR and move it under CRITICAL.

c. -"Any cut, hole or tear" - Delete the "X" under MINOR and move it under MAJOR.

c. -"Any missing yarn" - Delete the "X" under MINOR and move it under MAJOR.

Page 42

Table V - END ITEM VISUAL DEFECTS, Under "Cleanness" Spot or stain (grease, oil, ink) - Delete the "X" under MINOR and move it under MAJOR.

Under "Components and assembly" - Any assembly or operation not properly performed, unless otherwise classified herein. Delete the "X" under MINOR and move it under MAJOR.

Under "Seams and stitching, a.1." - Delete the "X" under MINOR and move it under MAJOR.

Page 44

Table V -END ITEM VISUAL DEFECTS, f. 1. - After "1 inch" add "(excluding laminate lining cloth)".

f. 2. - After "1 inch" add "(excluding laminate lining cloth)".

f. 3. - After "or stitching" add "(excluding laminate lining cloth)".

Under "f. Stitch tension" - After "f.3." add the following: "4. Loose tension on laminate lining cloth". Add "X" under MINOR.

Page 47

Table V - END ITEM VISUAL DEFECTS, Under "Slide fastener, b." - Delete the "X" under MINOR and move it under MAJOR.



Source: https://assist.dla.mil -- Downloaded: 202610-20T23:17Z
Check the source to verify that this is the current version before use.

Page 47

Under "Slide fastener, c." - Delete the "X" under MINOR and move it under MAJOR.

Under "Slide fastener, d." - Delete the "X" under MINOR and move it under MAJOR.

Page 48

Under "Cargo pockets and flaps, a." - Delete the "X" under MINOR and move it under MAJOR.

Page 49

4.4.3.3, under DEFECTS - After last sentence add "Specified number of desiccant units not enclosed".

Page 51

4.4.7, line 2 - After "4 hours", add "at room temperature,".

5.1.1, line 2 - After "and" add "each component".

5.1.1, line 3 - After "rectangle", delete "." and add ", each approximately 8 X 11 inches."

Page 52

5.2.1 and 5.2.2 - Delete in their entirety and substitute the following:

5.2.1 Level A. Eight (8) suits (size x-large) or (10) suits (sizes small, medium and large) of one size only preserved as specified in 5.1.1 and 5.1.2, shall be packed in a fiberboard shipping container assembled, closed and reinforced to conform to Type CF, Class weather-resistant, Variety DW, style RSC-L, grade V2s, size 3A of MIL-B-17757. A liner conforming to type CF, Class Domestic, Variety DW, Grade V15c of MIL-B-17757 shall be placed inside carton. Packages shall be either packed flat and/or on end. All voids shall be filled with commercial grade kraft paper. The shipping container shall be sealed using glue. To accommodate the last shipment at the end of the contract, less than full cartons and pallets are acceptable.



Source: https://assist.dla.mil -- Downloaded: 202610-20T23:17Z
Check the source to verify that this is the current version before use.

5.2.2 Level B. Eight (8) suits (size x-large) or (10) suits (sizes small, medium and large) of one size only, packaged as specified, shall be packed in a fiberboard shipping container assembled and closed in accordance with MIL-B-17757. The container shall be size 3A, style RSC-L, Type CF, Class Domestic, Variety DW, Grade 275 of MIL-B-17757. A liner conforming to Type CF, Class Domestic, Variety DW, Grade 275 of MIL-B-17757 shall be placed inside carton. Packages shall be either packed flat and/or on end. All voids shall be filled with commercial grade kraft paper. The shipping container shall be sealed using glue. To accommodate the last shipment at the end of the contract, less than full cartons and pallets are acceptable.

Page 53

5.3.4 - Delete in its entirety.

5.3.5 - Delete in its entirety.

Add figures 1-4, following page 55.

Custodian:
MC
Review Activity:
MC
User Activity:
MC

Preparing Activity:
DLA-CT
(Project No 8415-N859)



Source: https://assist.dla.mil -- Downloaded: 202610-20T23:17Z
Check the source to verify that this is the current version before use.





FIG-1 Suit, Chemical and Biological Protective (Carbon Sphere) (COAT)



Source: https://assist.dla.mil -- Downloaded: 2026-10-20T23:17Z
Check the source to verify that this is the current version before use.

CONSTRUCTION DETAILS: SIDE VIEW (LEFT)

(COAT)




Note: The Measurements on this Figure are based on a size medium suit.

1 - SEWN EYELET (HOOD & BOTTOM OF SUIT TOP)
2 - RUBBER CORD (DRAWSTRING)
3 - POCKET HAS PILE TAPE (FLAP HAS HOOK TAPE)
4 - TAB HOOK
5 - SLIDE FASTENER
6 - SLEEVE (WITH ELBOW PATCH)
7 - TAB HOOK & PILE FASTENER
8 - HOOD CENTER PANEL
9 - HOOD SIDE PANEL

SIZES:

A - 8 1/2 INCHES
B - 9 1/2 INCHES (ELBOW PATCH)
C - 7 INCHES
(TOTAL SLEEVE LENGTH = 25")
D - 3 INCHES
E - 4 2/8 INCHES
F - 5 2/8 INCHES
(TOTAL POCKET LENGTH = 7 2/8")
G - 9 INCHES
H - 4 INCHES
I - 5 INCHES (PILE)
J - 4 INCHES (HOOK TAB)

FIG-2 Suit, Chemical and Biological Protective (Carbon Sphere)



Source: https://assist.dla.mil -- Downloaded: 202610-20T23:17Z
Check the source to verify that this is the current version before use.

CONSTRUCTION DETAILS: FRONT VIEW

(TROUSERS)

--------- STITCH

_____ EDGE

Note: The Measurements on this Figure are based on a size medium suit.






FIG-3 Suit, Chemical and biological Protective (Carbon Sphere)
Figure 3



Source: https://assist.dla.mil -- Downloaded: 2026-10-20T23:17Z
Check the source to verify that this is the current version before use.

CONSTRUCTION DETAILS: BACK VIEW

(TROUSERS)




A - BIB (7 INCHES)
B - 11 INCHES
C - CARGO POCKET (10-1/2")
D - 20 INCHES
E - 3-1/2 INCHES
F - LEG TAB (PILE)
G - WAIST TAB (TAB HOOK)
H - GUSSET
I - SUSPENDER(S), STRAP TAPE
J - BAR TACK(S)

------ STITCH
_____ EDGE

Note: The Measurements on this Figure are based on a size medium suit.

FIG-4 Suit, Chemical and Biological Protective (Carbon Sphere)
Figure 4



Source: https://assist.dla.mil -- Downloaded: 2026-10-20T23:17Z
Check the source to verify that this is the current version before use.