MILITARY SPECIFICATION

CONTROL, SLAVING; N-1 COMPASS

This amendment forms a part of Military Specification MIL-C-25101A (USAF), dated 5 December 1956, and is approved for use by the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1: Add "SPECIFICATION, Federal" and the following:

BB-N-411	Nitrogen, Technical
PPP-B-601	Boxes, Wood, Cleated Plywood
PPP-B-636	Box, Shipping, Fiberboard"

Under "SPECIFICATIONS, Military" delete "MIL-N-6011". Add the following:

"MIL-P-116	Preservation-packaging, Methods Of

Delete "STANDARDS, Air Force-Navy Aeronautical" and listing thereunder.

Add "STANDARDS, Military" and the following:

"MIL-STD-129	Marking For Shipment And Storage
MS 3102	Connector, Receptacle, Electric, Box Mounting"

3.1: Delete "Preproduction" in title and line 2. Substitute "First article".

Add the following boxed paragraph to bottom of page:

> Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: HQ AFLC CASO/LODS, Federal Center, Battle Creek, MI 49016 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

PAGE 2

3.3.1, line 3: Delete "MIL-N-6011" and substitute "BB-N-411".

3.3.4.1, line 3: Delete "AN3102" and substitute "MS3102".

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T03:37Z
Check the source to verify that this is the current version before use.

PAGE 4

3.7: Delete "USAF Stock No" and numbers referenced. Under "Description", delete "DT-173-AJN" and replace with "DT-309/AJN or DT-310/AJN".

Add new paragraph "3.8" as follows"

"3.8 Reclaimed materials. The use of reclaimed materials shall be encouraged to the maximum extent possible without jeopardizing the intended end use of the item."

PAGE 6

4.3: Delete "Preproduction Testing" and substitute "First Article Testing".

4.3.1, title and line 2: Delete "Preproduction" in both places and substitute "First article".

4.3.2, title and line 1: Delete "Preproduction" in both places and substitute "First article".

Add new paragraphs to Section 4 as follows:

"4.4 Packaging inspection.

4.4.1 Quality conformance. The inspection of the preservation-packaging and interior package marking shall be in accordance with Group A and B quality conformance inspection requirements, Section 4 of MIL-P-116. The sampling and inspection of the packing and marking for shipment and storage shall be in accordance with the quality assurance provisions of applicable container specification and the marking requirements of MIL-STD-129.

4.4.2 First article. When the unit container is capable of serving as the shipping container, First Article Inspection and rough handling tests, as outlined in Section 4 of MIL-P-116, shall be accomplished followed by a functional test of the unit to insure freedom from operational malfunction."

Delete Section 5 in its entirety and substitute the following new section 5:

"5. PACKAGING.

5.1 Preservation-packaging. Preservation-packaging shall be level A or C as specified by procuring activity.

5.1.1 Level A.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T03:37Z
Check the source to verify that this is the current version before use.

5.1.1.1 Cleaning. Unit shall be cleaned in accordance with Process C-1 of MIL-P-116.

5.1.1.2 Drying. Immediately after cleaning, the unit shall be dried following any one of combination of the drying procedures of MIL-P-116. The drying procedures employed shall not be injurious to the unit.

5.1.1.3 Preservation-application. Not required.

5.1.1.4 Unit-packaging. Unless otherwise specified by the procuring activity, each unit shall be packaged in quantity unit packs of one each in accordance with Method IIc of MIL-P-116. Overbox each completed pack in a PPP-B-636 fiberboard, weather-resistant class box. Cushioning material between bag and container shall be of a type, density and thickness that will protect the unit form impact shock damage when tested as specified in paragraph 4 of this specification. Insofar as practical, exterior containers shall be of uniform shape, minimum tare and cube consistent with protection required.

5.1.2 Level C. Units shall be cleaned, dried, and individually packaged in a manner that will afford adequate protection against corrosion, deterioration and physical damage during shipment from supply source to the first receiving activity.

5.2 Packaging. Packing shall be Level A, B or C as specified (see 6.3.2).

5.2.1 Level A. Units packaged as specified in 5.1 shall be packed in shipping containers conforming to specification PPP-B-601 boxes, wood cleated plywood. Table II of MIL-STD-794 applies for Army use.

5.2.2 Level B. Units packaged as specified in 5.1 shall be packed in shipping containers conforming to specification PPP-B-636, class domestic. Closure and reinforcing requirements shall be in accordance with the appendix of PPP-B-636. For the Army, the shipping containers shall conform to specification PPP-B-636 class weather-resistant.

5.2.3 Level C. Packaged units shall be packed in shipping containers in a manner that will afford adequate protection against damage during direct domestic shipment from the supply source to the first receiving activity. These packs shall conform to applicable carrier rules and regulations.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T03:37Z
Check the source to verify that this is the current version before use.

5.3 Marking. In addition to any special marking required by the contract or order, each unit package and shipping container shall be marked in accordance with MIL-STD-129."

Custodian:
Air Force-99

Preparing Activity:
Air Force-99

Project Number:
6605-F316

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T03:37Z
Check the source to verify that this is the current version before use.