MILITARY SPECIFICATION SHEET

WIRE, ELECTRICAL, HIGH TEMPERATURE AND FIRE RESISTANT, LIGHT WEIGHT

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the wire described herein shall consist of this document and the latest issue of Specification MIL-W-25038.




FIGURE 1. Wire, electrical.

REQUIREMENTS:

Design and construction: See figure 1.

Temperature rating: 260°C.

Voltage rating: 600 Vrms.

Color: Unless otherwise specified by the part number, the color shall be white.

Thermal shock: Maximum change in insulation measurement:
0.060 inch for sizes 22 through 10;
0.125 inch for sizes 8 through 4;

Part number: M25038/2-(wire size from table I) - (color code number).
Examples:
Size 20, white - M25038/2-20-9;
Size 20, white with orange stripe - M25038/2-20-93.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T03:25Z
Check the source to verify that this is the current version before use.

FSC 6145

TABLE I. Finished wire construction and performance details.

Finished wire construction				Performance details	
				Bend test and cold bend	
Wire size	Resistance at 20°C (68°F) ohms/1000 ft (max)	Diameter in inches	Weight lb/1000 ft (max)	Mandrel diameter in inches	Test load (lb)
22	23.7	.105 - .113	8.6	6	2
20	14.6	.114 - .122	10.0	6	2
18	9.14	.120 - .130	13.0	6	2
16	6.85	.125 - .135	14.8	8	3
14	4.32	.148 - .160	22.0	8	3
12	2.78	.167 - .180	34.2	8	3
10	1.68	.208 - .223	53.0	10	5
8	.936	.260 - .280	83.1	12	5
6	.591	.320 - .340	125	14	10
4	.375	.385 - .408	190	16	10

Custodians:
Army - CR
Navy - AS
Air Force - 11

Review activities:
Army - MI, AR
Air Force - 85,99
DLA - IS

User activities:
Army - AV
Navy - OS

Preparing activity:
Air Force - 11

Agent:
DLA - ES

(Project 6145-0771)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T03:25Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-W-25038/2

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76

Replaces edition of 1 Jan 72 which may be used.

S/N 0102-LF-001-4260

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T03:25Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 12503 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

DESC-ESD, DAYTON, OHIO 45444

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T03:25Z
Check the source to verify that this is the current version before use.