MILITARY SPECIFICATION

CAMERA SET, STILL PICTURE, VIEW 4 BY 5 INCH KS-17( )

This amendment forms a part of Military Specification MIL-C-55086A(EL) dated 26 April 1973, and is approved for use by the Electronics Research and Development Command, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1 Delete in its entirety and substitute: "2.1 Government documents. 2.1.1 Specifications, standards, and handbooks. Unless otherwise specified, the following specifications, standards, and handbooks of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation form a part of this specification to the extent specified herein."

Under "SPECIFICATIONS, FEDERAL": Delete "NN-P-71, QQ-S-781, PPP-B-585, PPP-B-601, PPP-B-621, PPP-B-636, PPP-B-640, PPP-F-320, PPP-P-291, and PPP-S-760."

Add the following "Beneficial comments" note on the bottom center of the first page:

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Electronics Research and Development Command, ATTN: DELCS-PE, Fort Monmouth, NJ 07703 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

PAGE 2

Under "SPECIFICATIONS, FEDERAL": Delete "PPP-T-76 and PPP-T-97."

Under "SPECIFICATIONS, MILITARY": Add "MIL-P-11268 Parts, Materials, and Processes Used in Electronic Equipment."

Under "STANDARDS, MILITARY": Delete "MIL-STD-129, MIL-STD-130, and MIL-STD-147."

Delete the note at the end of 2.1.

FSC 6720

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:21Z
Check the source to verify that this is the current version before use.

Delete "2.2 Other publication" in its entirety and substitute: "2.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this specification to the extent specified herein."

PAGE 3

Following National Bureau of Standards: Add "SPI IG00189 Special Packaging Instruction."

Add the following note at the end of section 2: "(Copies of specifications, standards, handbooks, drawings, and publications required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)"

3.1, lines 1 and 2: Delete "4 by 5 inch" and substitute "4 x 5 inch (102 x 127mm)."

3.1.1.a, line 1: Delete "4 by 5 inch" and substitute "4 x 5 inch (102 x 127mm)."

3.1.1.a, line 2: Delete "6 inch" and substitute "6 inch (150-165mm)."

3.1.1.b, line 1: Delete "3-1/2 inch" and substitute "3.5 inch (90mm)."

3.1.1.c, line 1: Delete "8-1/2 inch" and substitute "8.5 inch (210-225mm)."

3.1.1.d and e: Delete "4 x 5 inch" and substitute "4 x 5 inch (102 x 127mm)."

PAGE 4

Delete 3.3 in its entirety and substitute: "3.3 Parts, materials, and processes; general. In addition to the requirements of this specification, the requirements of MIL-P-11268, including the selection requirement therein, shall apply. Recycled or reclaimed materials in lieu of virgin materials shall be used to the maximum extent possible without jeopardizing the specified performance and reliability of the camera set."

PAGE 5

3.6.1, lines 4 and 5: Delete "focussing" and substitute "focusing."

3.6.1, line 6: Delete "8-1/2 inch" and substitute "8.5 inch (210-225mm)."

3.6.1, line 8: Delete "3-1/2 inch" and substitute "3.5 inch (90mm)."

Source: https://assist.dla.mil -- Downloaded: 20260-22T22:21Z
Check the source to verify that this is the current version before use.

3.14, line 5: Delete "6 feet" and substitute "6 feet (1.83m)."

3.14.2, line 2: Delete "12 inch" and substitute "12 inch (305mm)."

PAGE 16

3.15.3, line 3: Delete "1 inch" and substitute "1 inch (25.4mm)."

3.16.1.1, line 4: Delete "35°F" and substitute "35°F (1.7°C)."

PAGE 17

3.16.1.2, line 4: Delete "120°F" and substitute "120°F (49°C)."

PAGE 18

4.2a, lines 1 and 2: Delete "preparation for delivery" and substitute "packaging."

4.2c(1), lines 1 and 2: Delete "preparation for delivery" and substitute "packaging."

4.2c(2), line 1: Delete "preparation for delivery" and substitute "packaging."

PAGE 19

4.3.1, line 2: Delete "4 x 5 inch" and substitute "4 x 5 inch (102 x 127mm)."

PAGE 22

4.7, line 2: Delete "35°F" and substitute "35°F (1.7°C)."

4.7, line 2: Delete "120°F" and substitute "120°F (49°C)."

4.7, line 3: Delete "70°F" and substitute "70°F (21.1°C)."

PAGE 24

4.13, line 7: Delete "6 ft" and substitute "6 feet (1.83m)."

4.15, lines 3 and 4: Delete "35°F, 70°F, and 120°F" and substitute "35°F (1.7°C), 70°F (21.1°C), and 120°F (49°C)."

4.16.1, line 3: Delete "-65°F" and substitute "-65°F (-53.9°C)."

4.16.1, line 3: Delete "+35°F" and substitute "35°F (1.7°C)."

4.16.2, line 3: Delete "120°F" and substitute "120°F (49°C)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:21Z
Check the source to verify that this is the current version before use.

PAGE 26

Delete "4.20" in its entirety and substitute: "4.20 Unit pack design validation. When unit pack design validation in accordance with MIL-P-116 is performed, the following functional test shall be conducted to determine freedom from operational malfunction caused by the rough handling tests: Operational test, 4.14 herein."

PAGES 26 through 29

Delete section 5 in its entirety and substitute "5. PACKAGING. 5.1 Packaging requirements. The requirements for packaging shall be in accordance with SPI 1G00189."

Delete "6.2c" in its entirety and substitute: "c. Level A or Level B preservation and packing (see section 5)."

Delete "6.2.d" in its entirety and substitute: "d. When rough handling test is not required."

PAGE 30

Add the following paragraph: "6.2g. Environmental. Environmental pollution prevention measures are contained in the referenced packaging material specification. Refer to material specifications or preparing activity for recommended disposability methods."

Custodian:
Army - ER

Preparing activity:
Army - ER

(Project 6720-A311)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:21Z
Check the source to verify that this is the current version before use.

PAGE 6

3.6.1.3, line 2: Delete "12 inches" and substitute "12 inches (305mm)."

3.6.1.3, line 3: Delete "8-1/2 inches" and substitute "8.5 inches (210-225mm)."

3.6.1.3, line 3: Delete "7 inches" and substitute "7 inches (178mm)."

3.6.1.3, line 6: Delete "9-1/2 pounds" and substitute "9.5 lbs (4.31 kg)"

3.6.1.5.1.3, line 2: Delete "5/8 inch" and substitute ".625 inch (16mm)."

PAGE 7

3.6.1.6, line 4: Delete "focussing" and substitute "focusing."

3.6.1.6, lines 4 and 5: Delete "accomoderate" and substitute "accommodate."

3.6.1.6, line 5: Delete "4 by 5 inch" and substitute "4 x 5 inch (102 x127mm)."

3.6.1.6.1, lines 1, 2 and 6: Delete "focussing" and substitute "focusing."

3.6.1.6.1, line 11: Delete "focussed" and substitute "focused."

PAGE 8

3.6.1.7.1, line 4: Delete "8-1/2 inch" and substitute "8.5 inch (210-225mm)."

3.6.1.7.1, line 6: Delete "3-1/2 inch" and substitute "3.5 inch (90mm)."

3.6.1.8.1.3, line 2: Delete "5/8 inch" and substitute ".625 inch (16mm)."

PAGE 9

3.6.1.9.1, line 2: Delete "8-1/2 inch" and substitute "8.5 inch (210-225mm)."

PAGE 10

Table I: Delete "3-1/2 inch" and substitute "3.5 inch (90mm)."

Delete "6 inch" and substitute "6 inch (150-165mm)."

Delete "8-1/2 inch" and substitute "8.5 inch (210-225mm)."

Table II: Delete "3-1/2 inch" and substitute "3.5 inch (90mm)."

Source: https://assist.dla.mil -- Downloaded: 202610-22T22:21Z
Check the source to verify that this is the current version before use.

PAGE 11

Table III: Delete "6 inch" and substitute "6 inch (150-165mm)."

Table IV: Delete "8-1/2 inch" and substitute "8.5 inch (210-225mm)."

PAGE 12

3.7.2.2: Delete "3-1/2 inch" and substitute "3.5 inch (90mm)."

3.7.2.2, line 8: Delete "plus 35 degrees Fahrenheit (F) to plus 120 degrees F" and substitute "35°F to 120°F (1.7°C to 49°C)."

3.7.2.2, line 9: Delete "zero degrees F. to plus 35 degrees F" and substitute "0°F to 35°F (-17.8°C to 1.7°C)."

3.7.2.3, line 1: Delete "6 inch and 8-1/2" and substitute "6 inch (150-165mm) and 8.5 inch (210-225mm)."

3.7.2.3, line 8: Delete "plus 35 degrees F. to plus 120 degrees F" and substitute "35°F to 120°F (1.7°C to 49°C)."

3.7.2.3, line 9: Delete "zero degrees F. to plus 35 degrees F" and substitute "0°F to 35°F (-17.8°C to 1.7°C)."

PAGE 14

3.8, line 2, and 3.9, line 4: Delete "6 inch, and the 8-1/2 inch" and substitute "6 inch (150-165mm) and the 8.5 inch (210-225mm)."

3.9, line 9: Delete "3-1/2 inch" and substitute "3.5 inch (90mm)."

3.10, line 4: Delete "12 inches" and substitute "12 inches (305mm)."

3.11, line 1: Delete "Focussing" and substitute "Focusing."

3.11, line 3: Delete "40 by 48 inches" and substitute "40 x 48 inches (102 x 122cm)."

3.12, lines 2 and 4: Delete "4 inch by 5 inch" and substitute "4 x 5 inch (102 x 127mm)."

PAGE 15

3.13, line 2: Delete "4 inch by 5 inch" and substitute "4 x 5 inch (102 x 127mm)."

3.14, lines 3 and 4: Delete "30 ±1/2 inches" and substitute "30 ±0.5 inches (762 ±12.7mm)."

Source: https://assist.dla.mil -- Downloaded: 202640-22T22:21Z
Check the source to verify that this is the currentversion before use.