MIL-L-52682A(ME)
17 July 1975
SUPERSEDING
MIL-L-52682(ME)
18 March 1970

MILITARY SPECIFICATION

LABORATORY SECTION, TOPOGRAPHIC REPRODUCTION SET, TRUCK MOUNTED: 190 INCH WHEELBASE, PACKAGING OF

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers requirements for preservation, packaging, packing, and marking of a Laboratory Section, Topographic Reproduction Set, Truck Mounted: 190 Inch Wheelbase (SC 3610-97-CL-E10).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

R-N-91	- Napthalene, Technical.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-C-843	- Cushioning Material, Cellulosic.
PPP-P-40	- Packaging and Packing of Hand Tools.
PPP-T-76	- Tape, Pressure-Sensitive Adhesive Paper, (for Carton Sealing).

Military

MIL-P-116	- Preservation-Packaging, Methods of.
MIL-P-130	- Paper, Wrapping, Laminated and Creped.
MIL-R-3593	- Refrigeration and Cooling Equipment (Excluding Household Refrigerators), Packaging of.

FSC 3610

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

MIL-R-12323	- Refrigerators and Related Equipment, Packaging and Packing of.
MIL-G-28554	- Generator Sets, Mobile Electric Power; Packaging of.

STANDARDS

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-281	- Automobiles, Trucks, Truck-Tractors, Trailers and Trailer Dollies; Preservation and Packaging of.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification.

(Application for copies should be addressed to the American Trucking Associations, Inc., ATTN: Tariff Order Section, 1616 P Street, NW, Washington, DC 20036.)

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification.

(Application for copies should be addressed to the Uniform Classification Committee, ATTN: Tariff Publishing Officer, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Preproduction pack. The supplier shall furnish a preproduction pack for examination within the time frame specified (see 6.2) to prove prior to starting production packaging that the applied preservation, packaging, packing, and marking comply with the requirements of this specification. Examination shall be as specified in Section 4 and shall be subject to surveillance and approval by the Government (see 6.3).

3.2 Materials. Materials shall be as specified herein and in applicable specifications and standards. Materials not specified shall be selected by the supplier and shall be subject to all provisions of this specification. Materials shall be free of defects.

3.3 Preservation and packaging. Preservation and packaging shall be Level A or C as specified (see 6.2).

3.3.1 Level A.

3.3.1.1 Preservatives. Preservatives specified herein shall conform to the applicable specifications listed in and shall be applied in accordance with MIL-P-116.

3.3.1.2 Methods of preservation. Methods of preservation indicated by symbols herein shall conform to the corresponding symbols listed in MIL-P-116.

3.3.1.3 Handtools. The hammer, craftsmans knives, putty knife, etching needles, pliers, steel rules, screwdriver, shears, measuring tapes, and open end wrench shall be preserved and packaged in accordance with PPP-P-40, Level A. The preserved and packaged tools shall be placed in the toolbox furnished as a set component.

3.3.1.4 Truck/van. The components and accessories of the truck/van shall be preserved in accordance with MIL-STD-281, Level A, (mobile), and as follows.

3.3.1.4.1 Screwjacks. The screws of the jacks shall be coated with Type P-11 preservative and the screws fully retracted into the jacks. Exterior unpainted surfaces of the jacks shall be coated with Type P-1 or P-19 preservative. The jacks shall be secured in the stowage compartment on the truck/van body.

3.3.1.4.2 One-hundred-foot power cable assembly, cable reel, and cover. The cable assembly shall be wound on the cable reel provided and the reel secured to prevent the cable from unwinding. The reel cover shall then be placed on the cable reel.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

3.3.1.4.3 Water-hose assembly, reel, and reel cover. The 50-foot water-hose assembly shall be wound on the hose reel provided and the reel secured to prevent the hose from unwinding. The reel cover shall then be placed on the hose reel.

3.3.1.4.4 Heaters and air conditioners. Heaters shall be completely drained of fuel. Components of the air conditioner shall be preserved in accordance with applicable requirements of MIL-R-3593, Level A.

3.3.1.5 Generator set (MAP). The generator set, accessories, repair parts, tools, and publications shall be preserved, packaged, packed, and marked in accordance with MIL-G-28554, Level A.

3.3.1.6 Bottles of bromophenol, bottles of bromophymol, bottles of ink, jars of opaque, cans of soap grit, and can of benzene. These items shall not require unit packaging. Items shall be consolidated packaged as specified in 3.3.1.18.

3.3.1.7 Pipe adapters, pipe bushings, pipe nipples, and pipe reducers. These items shall be preserved Method I, applying Type P-1 preservative to exterior surfaces requiring the application of a contact preservative in accordance with MIL-P-116. The items shall be packaged together in a box conforming to PPP-B-636, Class Domestic, Variety SW, Grade 125, style optional.

3.3.1.8 Laboratory aprons, cheesecloth, packages of cotton, inking pads, boxes of filter paper, box of lettering pen points, pencil pointers, pen holders, laboratory stirring rods, rubber stamp, drafting scale, cellulose sponges, sharpening stone, fluorescent lamp starter, rolls of gummed tape, thermometers, drafting triangles, pencils, drafting beam bar, electrical clamp, drafting compass, color comparator disks, drafting instrument set, rubber erasers, magnifiers, stapler, boxes of staples, and box of thumb-tacks. These items shall be preserved Method IC-1. When practical, items of like description shall be preserved together in set quantities. When the size and configuration of the item is not suitable for multiple preservation, items shall be individually preserved.

3.3.1.9 Applicator bottles, surgical bowls, hose couplings, gummed tape dispenser, pressure-sensitive tape dispensers, liquid graduates, electric hotplate, hydrometers, screwcap bottles, fluorescent lamps, incandescent lamps, paper perforator, pencil sharpener, paper towel dispenser, psychrometer, folding chair, color comparator, and liquid mixer. These items shall be preserved Method III. Containers shall conform to PPP-P-636, W5c or W6c, Style RSC. When practical, items of like description shall be preserved together in set quantities. When the size and configuration of the item

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

is not suitable for multiple preservation, items shall be individually preserved. Box closure shall be in accordance with the appendix to the box specification, Method V.

3.3.1.10 Artist brushes. The artist brushes of like description shall be placed in commercial type artist brush envelopes. The envelope containing the brushes shall contain a minimum of three balls or equivalent quantity of flake napthalene conforming to R-N-91. The envelopes containing the brushes shall then be preserved Method IC-1.

3.3.1.11 Dusting brush, flask brush, scrub brush, bottle and buret brushes, and test tube brushes. The bristles or hair of each brush shall be protected by an envelope or by fiber pads to prevent deformation. Each brush shall then be preserved Method IC-1.

3.3.1.12 Telephone cable, funnel, 12-inch hose, liquid measure, metal and plastic pails, copper (ground) wire, flammable waste can, toolbox, and padlocks. These items shall not require unit packaging. Items shall be consolidated packaged as specified in 3.3.1.18.

3.3.1.13 Fire extinguishers and ground rods. These items shall be placed and secured in their mounting brackets.

3.3.1.14 Refrigerator. The refrigerator mounted in place shall be preserved and packaged in accordance with MIL-R-12323, Level A.

3.3.1.15 Processing sink. The installed processing sink shall not require preservation and packaging, except that, any components removed from the sink shall be wrapped with paper conforming to MIL-P-130, Type II, and the wraps secured with tape conforming to PPP-T-76. The items shall be cushioned and secured within the sink trough.

3.3.1.16 Folding legs table. The table shall be folded to its minimum cube. The table shall be preserved Method III. The container shall conform to PPP-B-636, V3c, Style RSC.

3.3.1.17 Lithographic layout tables. The installed lithographic layout tables shall have movable components secured to prevent movement during shipment. Surfaces of the tables requiring the application of a contact preservative shall be coated with a preservative compound in accordance with the preservative application criteria of MIL-P-116. Lamps if removed shall be preserved as specified for spare lamps in 3.3.1.9. The unmounted glass working surface shall be wrapped with not less than 2-inch thickness of cellulosic material conforming to PPP-C-843, Type I, Class A. The wrap

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

shall be secured with tape conforming to PPP-T-76. The cushioned glass shall be secured to the table tops in a manner to prevent loosening during shipment.

3.3.1.18 Consolidated packaging. Small components in bottles, cans, jars, and boxes, and unpackaged items, and all items preserved Method IC-1 shall be placed in table drawers, file cabinets, and storage cabinets, and any other available space provided for storage within the van body. Other components, packaged and unpackaged, for which space is not available shall be consolidated packaged in a minimum number of boxes conforming to PPP-B-601, Domestic Type, Style I. The size and configuration of the boxes shall be determined by the available space that will permit securing within the van body or truck cab. Strapping of consolidated containers shall not be required. The boxes shall be immobilized within the van body or truck cab using blocking, bracing, or strapping as required, applied in a manner that will not damage the items or set components to which the boxes are secured.

3.3.2 Level C. The components of the set including the truck/van shall be preserved and packaged to afford protection against deterioration and damage from the supplier to the initial destination.

3.4 Packing. Packing shall be Level A or C as specified (see 6.2).

3.4.1 Level A. The truck/van containing the set components, prepared for shipment as specified in 3.3, shall be shipped unboxed (mobile). Wheels shall be free to rotate. The packed generator set (MAP) shall be placed inside the van body in any available space and shall be secured to prevent movement. When space is not available for securing within the van body, the generator set shall be shipped separately, but at the same time as the truck/van.

3.4.2 Level C. The truck/van, containing the set components, preserved and packaged as specified in 3.3, shall be prepared for shipment unboxed (mobile) in a manner to assure carrier acceptance and safe delivery to destination at the lowest ratings of the carrier in compliance with Uniform Freight Classification rules or National Motor Freight Classification rules.

3.5 Marking. In addition to any special marking required by the contract or purchase order (see 6.2), packages, consolidated containers, and unboxed (mobile) truck/vans shall be marked in accordance with MIL-STD-129.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Material inspection. The supplier is responsible for insuring that supplies and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

4.2 Classification of inspections. Inspections shall be classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The preproduction pack shall be examined for the defects listed in 4.4.4. Presence of one or more defects shall be cause for rejection of the preproduction pack.

4.4 Quality conformance inspection.

4.4.1 Inspection stages.

(a) The first stage shall include inspection of procedures, methods, materials, containers, and packaging marking prior to placing the packages into location in the van or prior to placing the packages into consolidated containers.
(b) The second stage shall include inspection of closure and marking of the consolidated containers, and the arrangement and blocking and bracing of the located items and blocking and bracing of consolidated containers in the van.
(c) The third stage shall include inspection of the closed and marked mobile van as prepared for shipment.

4.4.2 Unit of product. For the purpose of inspection, all packages or packs, prepared for any applicable inspection stages that will comprise a complete pack, shall be considered a unit of product.

4.4.3 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

4.4.4 Examination. Samples selected in accordance with 4.4.3 shall be examined for the defects marked "X" for the applicable level in Table I. Acceptable Quality Level (AQL) shall be 2.5 percent defective.

Table I. Classification of Defects

No.	Defect	Level A	Level C
101.	Materials, methods, and containers not as specified. Each incorrect material, method, or container shall constitute one defect (3.2, 3.3, 3.4).	X	-
102.	Surfaces of screwjacks not coated with preservative as specified (3.3.1.4.1).	X	-
103.	Screwjacks not stowed and secured as specified (3.3.1.4.1).	X	-
104.	Cable not wound on reel and the cable not secured to prevent unwinding (3.3.1.4.2).	X	-
105.	Water-hose assembly not wound on reel and the hose not secured to prevent unwinding (3.3.1.4.3).	X	-
106.	Heaters not completely drained of fuel (3.3.1.4.4).	X	-
107.	Artist brushes not packaged with napthalene as specified (3.3.1.10).	X	-
108.	Brush bristles or hair not protected as specified (3.3.1.11).	X	-
109.	Fire extinguishers and ground rods not secured in their mounting brackets (3.3.1.13).	X	-
110.	Lithographic layout table not packaged or glass secured as specified (3.3.1.17).	X	-
111.	Consolidated packaging not as specified (3.3.1.18).	X	-
112.	Wheels not free to rotate (3.4.1).	X	-
113.	Marking illegible, incomplete, incorrect, or missing (3.5).	X	X

5. PREPARATION FOR DELIVERY

(This section not applicable to this specification.)

6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contracts or orders for the preservation, packaging, packing, and marking of a Laboratory Section, Topographic Reproduction Set, Truck Mounted: 190 Inch Wheelbase (NSN 3610-00-293-8659) or (NSN 3610-00-939-6694) for MAP.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Time frame required for submission of the preproduction pack (see 3.1).
(c) Level of preservation and packaging and level of packing required (see 3.3 and 3.4).
(d) Any special marking required (see 3.5).

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to the approval of the contracting officer. Approval of the preproduction pack will not relieve the supplier of his obligation to preserve, package, pack, and mark the set components in accordance with this specification.

Custodian:

Army - ME

Preparing activity:

Army - ME

Project No. 3610-A268

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE MIL-L-52682A(ME) LABORATORY SECTION, TOPOGRAPHIC REPRODUCTION SET, TRUCK MOUNTED: 190 INCH WHEELBASE, PACKAGING OF

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.