INCH-POUND

MIL-D-12313C(ME)
AMENDMENT 2
6 September 1988
SUPERSEDING
AMENDMENT 1
18 April 1974

MILITARY SPECIFICATION

DIMMER, LAMP, 60 WATT, 120 VOLT,

MEDIUM SCREW BASE AND SOCKET

This amendment forms a part of MIL-D-12313, dated 17 June 1971, and is approved for use by the USA Belvoir Research, Development, and Engineering Center, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* 2.1, under SPECIFICATIONS, MILITARY, delete:

'MIL-M-14 - Molding Plastics and Molded Plastic Parts, Thermosetting.'

PAGE 2

* 2.2, under OTHER PUBLICATIONS, add:

'ASTM D 3220 - Molding and Extrusion Materials, Reinforced Thermoplastic Polyester.
UL 20 - Switches, Snap, General Use, Standard For.'

* 3.3, lines 1 and 2, delete 'of molded plastic conforming to MIL-M-14, type CFI-10.', and substitute 'made from a thermoplastic polyester resin conforming to ASTM D 3220.'

* 3.3.1, delete in its entirety.

* 3.4, 3.4.1, and 3.4.2, delete in their entirety and substitute:

* '3.4 Dimming device. Dimming shall be accomplished by a solid-state device. The dimming device shall be mounted inside the dimmer housing and connected in series with the base and socket as shown in figure 2.'

* 3.5, 3.5.1, and 3.5.2, delete in their entirety and substitute:

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:41Z
Check the source to verify that this is the current version before use.

PAGE 3

* "3.5 Switch. A single-pole, single-throw, 3-ampere, 125-volt toggle or slide switch, meeting the requirements of UL 20 for snap switches, shall be mounted in the dimmer housing and shall be connected in parallel with the dimming device (see 3.4). In the "dim" position, the switch contacts shall be open; in the "bright" position, the switch contacts shall be closed (see figure 2)."

* 3.6, delete in its entirety and substitute:

* "3.6 Operation. With the switch in the "bright" position and 120 volts from a 60 hertz ac power source applied to the base of the dimmer, a 60-watt, 120-volt incandescent lamp in the dimmer socket shall provide maximum brightness. When the switch is moved to the "dim" position, the brightness of the lamp shall be reduced to that which would be obtained if the lamp were connected to a 38 ±1 volts ac power source."

PAGE 4

* 4.5.1, delete Item 105 in its entirety.

* 4.5.2.1, delete in its entirety and substitute:

* "4.5.2.1 Operation. A 120-volt, 60-hertz ac power source shall be applied to the base of the dimmer, with a 60-watt, 120-volt incandescent lamp installed in the socket. With the switch in the "bright" position, the brightness of the lamp shall be of maximum intensity (brightness level A). Reduce the applied voltage to 38 ±1 volts and visually examine the brightness of the lamp (brightness level B). Next, return the applied voltage to 120-volts, move the switch to the "dim" position, and visually examine the brightness of the lamp (brightness level C). Compare brightness level C to brightness level B. These two brightness levels shall be visually identical. Failure of the lamp to burn at maximum and reduced brightness, as indicated, shall constitute failure of this test."

FIGURE 1

* Figure 1, change "resistor" to "solid-state device" and delete "vent holes", two places. Also, delete top view, pointing arrow, and "vent holes-quantity and size optional".

FIGURE 2

* Figure 2: Change "resistor" to "solid-state device", two places.

Source: https://assist.dla.mil -- Downloaded: 202610-17T22:41Z
Check the source to verify that this is the current version before use.

FIGURE 3

* Figure 3: Delete.

NOTE: The margins of this amendment are marked with asterisks to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodian:
Army - ME

Preparing Activity:
Army - ME

Review activity:
DLA - GS

Project 6250-A176

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:41Z
Check the source to verify that this is the current version before use.