# MILITARY SPECIFICATION

## MASK, PROTECTIVE, FIELD, M9A1

### 1. SCOPE

1.1 This specification covers one type of field protective mask with the canister on the left or right cheek, and in small, medium, or large size, as specified in the contract or order (see 6.2).

### 2. APPLICABLE SPECIFICATIONS, STANDARDS, DRAWINGS, AND PUBLICATIONS

2.1 The following specifications, standards, drawings, and publications, of the issue in effect on date of invitation for bids, form a part of this specification:

SPECIFICATIONS

NAVY DEPARTMENT

General Specifications for Inspection of Material.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.

MIL-STD-129 - Marking of Shipments.

DRAWINGS

CHEMICAL CORPS

C5-1-276 - Mask, Protective, Field, M9A1 - Bill of Material.

D5-20-84 - Packing, Gas Mask - Assembly and Bill of Material. (6 Masks per Unit, Metal Packaged).

D5-20-256 - Packing, Gas Mask - Assembly and Bill of Material. (6 Masks per Unit, Fiberboard Packaged).

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:40Z
Check the source to verify that this is the current version before use.

PUBLICATIONS

CHEMICAL CORPS DIRECTIVE

511 - Directive for Lot Numbering Gas Mask Facepieces.

(Copies of specifications, standards and drawings required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer).

## 3. REQUIREMENTS

3.1 Materials.- All materials and components used in the assembly, packaging, and packing of the gas mask shall conform to the specifications and drawings forming a part of this specification.

3.2 Assembly.- The components shall be assembled in the carrier as specified on Drawing D5-1-277, which is listed on Drawing C5-1-276.

3.3 Workmanship.- All work shall be done in a neat and workmanlike manner.

## 4. SAMPLING, INSPECTION AND TEST PROCEDURES

4.1 Lot.- A lot shall consist of the quantity of masks assembled from not more than one lot of canisters or facepieces. The inspection lot, for nondestructive inspection, within the above limitations, shall be designated by the inspector.

4.2 Sampling.- Sampling for nondestructive inspection shall be conducted in accordance with the classification of defects (4.3.4) and Standard MIL-STD-105.

4.3 Inspection.- Unless otherwise specified in the contract or order, inspection of the masks shall be conducted during and at the point of assembly.

4.3.1 Components.- The inspector shall ascertain that all materials, components, or subassemblies of the mask covered by separate drawings, specifications, or standards are in accordance with the applicable drawings, specifications, or standards prior to final acceptance of the mask.

4.3.2 Procedures.- For Navy purchases, the general inspection procedures shall be in accordance with General Specifications for Inspection of Material.



Source: https://assist.dla.mil -- Downloaded: 202610-17T22:40Z
Check the source to verify that this is the current version before use.

4.3.3 Packing and marking.- The inspector shall inspect the packing and marking for compliance with section 5.

4.3.4 Classification of defects.- Inspection of the mask shall be conducted as follows:

4.3.4.1 Mask, Protective, Field, M9A1 - Assembly.- (Drawing D5-1-277, which is listed on Drawing C5-1-276).

| Categories and defects | | Gage or other method of inspection |
|---|---|---|
| **Major** | AQL 0.65 percent | |
| 1. | Component missing | Visual |
| 2. | Facepiece lot number incorrect | Visual |
| 3. | Canister lot number incorrect | Visual |
| 4. | Marking incorrect | Visual |
| 5. | Damage (facepiece and canister) | Visual |
| 6. | Contamination (grease and oil) | Visual |
| **Minor** | AQL 1.0 percent | Gage or other method of inspection |
| 51. | Anti-dim set missing | Visual |
| 52. | Component incorrectly assembled | Visual |
| 53. | Damage (other than major defect No. 5) | Visual |
| 54. | Contamination (other than major defect No.6) | Visual |
| 55. | Marking missing or illegible | Visual |
| **Incidental** | | |
| | None | |



Source: https://assist.dla.mil -- Downloaded: 202640-17T22:40Z
Check the source to verify that this is the current version before use.

4.3.4.2 Packaging (after closing).- (Dwg. D5-20-217, which is listed on Dwg. D5-20-84; or Dwg. D5-20-218, which is listed on Dwg. D5-20-256).

| Categories and defects | | Gage or other method of inspection |
|---|---|---|
| Major A | AQL 0.25 percent | |
| 1a. Leakage | | 4.4.1 |
| Major | AQL 1.0 percent | |
| 1. Marking incorrect | | Visual |
| *2. Missing key | | Visual |
| 3. Damage | | Visual and Scale |
| Minor | AQL 2.5 percent | |
| 51. Marking missing or illegible | | Visual |
| *52. Improper seaming | | Tactual |
| *53. Coating missing or inadequate | | Visual and Scale |
| Incidental | AQL 10 percent | |
| 101. Contamination | | Visual |

* Applicable only to Drawing D5-20-217.

4.4 Tests.

4.4.1 Metal packaging container leakage.- Submerge the package (Dwg. D5-20-217) not more than 2 inches below the surface of water maintained at 85 ± 2°C. for 30 seconds and observe for leaks indicated by the emission of bubbles (see 6.3).

5. PREPARATION FOR DELIVERY

5.1 Packaging.- The masks shall be packaged in metal containers as specified on Drawing D5-20-217, which is listed on D5-20-84; or in fiberboard containers as specified on Drawing D5-20-218 which is listed on Drawing D5-20-256; as specified in the contract or order. The metal container shall not leak when tested as specified in 4.4.1.

5.2 Packing.

5.2.1 Fiberboard containers.- Masks of the same stock number packaged in fiberboard containers, shall be packed as specified on Drawing D5-20-256.



Source: https://assist.dla.mil -- Downloaded: 202610-17T22:40Z
Check the source to verify that this is the current version before use.

5.2.2 Metal containers.- Masks of the same stock number packaged in metal containers shall be packed as specified on Drawing D5-20-84.

5.3 Marking.

5.3.1 Packages.

5.3.1.1 Fiberboard containers.- The fiberboard containers shall be marked as specified on Drawing D5-20-218, and in accordance with Directive 511.

5.3.1.2 Metal containers.- The metal containers shall be marked as specified on Drawing D5-20-217, and in accordance with Directive 511.

5.3.2 Shipping containers.- In addition to any special marking required by the contract or order, shipping containers shall be marked in accordance with Standard MIL-STD-129.

NOTES

6.1 Intended use.- The masks covered by this specification are intended for the protection of the eyes and respiratory system against toxicological agents. They are not intended for protection against carbon monoxide or ammonia fumes.

6.2 Ordering data.- Procurement documents should specify the following:

a. Title, number, and date of this specification.
b. Location of canister stem and size.
c. Type of packaging and packing required (see 5.1 and 5.2).

6.3 Leaking metal containers.- Metal containers showing evidence of leakage when tested as specified in 4.4.1 may be reconditioned by wiping clean and dry in order to prevent moisture from being drawn into the container, sealing by soldering or other suitable means, and retested.

6.4 Stock numbers.- The Chemical Corps stock numbers for this item are listed in table I.



Source: https://assist.dla.mil -- Downloaded: 202610-17T22:40Z
Check the source to verify that this is the current version before use.

Table I.- Stock numbers

| Cml C stock number | Nomenclature | Position of canister |
|---|---|---|
| 510239 | Mask, Protective, Field, M9A1 (Large) | Left cheek |
| 510240 | Mask, Protective, Field, M9A1 (Large) | Right cheek |
| 510241 | Mask, Protective, Field, M9A1 (Medium) | Left cheek |
| 510242 | Mask, Protective, Field, M9A1 (Medium) | Right cheek |
| 510243 | Mask, Protective, Field, M9A1 (Small) | Left cheek |
| 510244 | Mask, Protective, Field, M9A1 (Small) | Right cheek |

Notice.- When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Custodian:

Army - Chemical Corps.



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T22:40Z
Check the source to verify that this is the current version before use.

# SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity *(as indicated on reverse hereof)*.

SPECIFICATION

ORGANIZATION *(Of submitter)* | CITY AND STATE

CONTRACT NO. | QUANTITY OF ITEMS PROCURED | DOLLAR AMOUNT $

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES.

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES", IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)* | DATE

DD FORM 1 APR 63 1426 REPLACES NAVSHIPS FORM 4863, WHICH IS OBSOLETE PLATE NO. 1541*

Source: https://assist.dla.mil -- Downloaded: 202610-17T22:40Z
Check the source to verify that this is the current version before use.