MILITARY SPECIFICATION

MICROCIRCUITS, LINEAR, PROGRAMMABLE VOLTAGE REFERENCES,
MONOLITHIC SILICON

This amendment forms a part of MIL-M-38510/128, dated 12 May 1982, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

1.1, line 2: Delete "Three" and substitute "Two".

PAGE 2

3.6, second sentence: Delete in its entirety.

PAGE 3

* TABLE I, Output voltage temperature coefficient characteristic test, delete and substitute the following:

Output voltage temperature coefficient		T_A = -55°C, +125°C				
	DV_{OUT1}/DT DV_{OUT2}/DT DV_{OUT3}/DT DV_{OUT4}/DT	V_O = 10 V V_O = 7.5 V V_O = 5.0 V V_O = 2.5 V	01	-0.3	0.3	%FS
		T_A = -55°C, +125°C				
	DV_{OUT1}/DT DV_{OUT2}/DT DV_{OUT3}/DT	V_O = 10 V V_O = 7.5 V V_O = 5.0 V	02	-0.15	0.15	%FS
		T_A = +125°C				
	DV_{OUT4}/DT	V_{OUT} = 2.5 V	02	-0.2	0.2	%FS
		T_A = -55°C				
	DV_{OUT4}/DT	V_{OUT} = 2.5 V	02	-0.3	0.3	%FS

PAGE 4

TABLE I, Output noise, Max Limits column: Delete "50" and substitute "150".

PAGE 5

TABLE II: Delete "Class C devices" column.

4.2c, delete and substitute the following:

"c. The percent defective allowable (PDA) shall be as specified in MIL-M-38510."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.
Source: https://assist.dla.mil - Downloaded: 2026-10-21T13:30Z
Check the source to verify that this is the current version before use.

PAGE 6

FIGURE 1, Pin 5: Delete "N.C." and substitute "STROBE".

FIGURE 1, Pin 7: Delete "N.C." and substitute "CAP".

PAGE 8

FIGURE 3, burn-in circuit: Delete "2K" resistor from circuit.

FIGURE 4, test circuit: Delete "1 µF TANTALUM" capacitor from circuit.

PAGE 10

FIGURE 6, note 3, line 1: Delete "1.0 Hz/cm" and substitute "1 s/cm".

PAGE 11

FIGURE 7, note 3, line 2: Delete "10 nV/Hz" and substitute "10 nV/$\sqrt{\text{Hz}}$".

PAGE 14

* TABLE III, Test No. 29, Equations column: Delete "(E4=E24)" and substitute "(E4-E24)".

* TABLE III, Test No. 29, Limits columns, Device type 02: Delete "-0.2" and "0.2" and substitute "-0.3" and "0.3" respectively.

PAGE 15

TABLE III, Test No. 37, Max Limits column: Delete "50" and substitute "150".

PAGE 16

* Following 4.3, add new paragraph 4.3.1:

"4.3.1 Qualification extension. For qualification inspection, if a manufacturer qualifies to device type 02 which is designed and manufactured identically (same die, same process, same screening) in all respects (except electrical testing) to device type 01, then qualification may be extended to device type 01 when authorized by the qualifying activity. Additionally, Part I qualification may be extended to device type 01 only after acceptance by the qualifying activity of subgroup C1 testing performed on this device type and submission of data in accordance with MIL-M-38510, appendix D."

4.4.3a, line 3: Delete "and C".

4.4.3b, line 1: Delete "and C".

TABLE IV, delete and substitute new table IV:

"TABLE IV. Group C end-point electrical parameters.

Device type	Characteristic	Symbol	Delta limits 1/	Limits Min	Limits Max	Unit
01	Output voltage 1 V_O = 10 V	V_{OUT1}	±0.05%	9.965	10.035	V
02	V_O = 10 V		"	9.985	10.015	"
01	Output voltage 2 V_O = 7.5 V	V_{OUT2}	"	7.474	7.526	"
02	V_O = 7.5 V		"	7.488	7.512	"
01	Output voltage 3 V_O = 5.0 V	V_{OUT3}	"	4.982	5.018	"
02	V_O = 5.0 V		"	4.991	5.009	"
01	Output voltage 4 V_O = 2.5 V	V_{OUT4}	"	2.4913	2.5088	"
02	V_O = 2.5 V		"	2.4952	2.5048	"

1/ Delta limits apply to the measured value (see delta limit MIL-M-38510)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T13:30Z
Check the source to verify that this is the current version before use.

6.3e: Delete.

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
Army - ER
Navy - EC
Air Force - 17
NASA - NA

Review activities:
Army - AR, MI
Navy - OS, SH
Air Force - 11, 19, 85, 99
DLA - ES

User activities:
Army - SM
Navy - AS, CG, MC

Preparing activity:
Air Force - 17

Agent:
DLA - ES

(Project 5962-1030)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T13:30Z
Check the source to verify that this is the current version before use.