INCH-POUND
A-A-59126/5
26 September 1997
SUPERSEDING
MIL-T-55155/5C
7 March 1994

COMMERCIAL ITEM DESCRIPTION SHEET

TERMINALS, FEEDTHRU (INSULATED)
STYLE FT05

The General Services Administration has authorized the use of this commercial item description (CID) as a replacement for Style FT05 of MIL-T-55155/5 for all federal agencies.

The requirements for acquiring the product described herein shall consist of this sheet and CID A-A-59126.

REQUIREMENTS:

Dimensions and configuration: see Figure 1.




Figure 1. Drawing.

AMSC N/A FSC 5940

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:03Z
Check the source to verify that this is the current version before use.

For panels that are less than .040 inch thick, the countersink in the hole shall have an 82° included angle.

PART NUMBER	DIMENSIONS							
	A	B	C +0.002 - 0.000	D	E	F	G	H (REF.)
AA59126/05-01	0.225	0.040	0.093	0.040	0.125	0.060	0.030	0.010 X 45°
AA59126/05-02	0.310	0.050	0.120		0.130	0.053	.	0.015 X 45°
AA59126/05-03	0.367		0.148	0.085	0.172	0.110	0.063	

Insulation material: polytetrafluoroethylene.

NOTES:

1. Dimensions are in inches.
2. Unless otherwise specified, tolerance is ±0.015 inch on decimals and ±3° on angles.
3. Drawing depicts only general design characteristics and is not intended to limit specific manufacturing processes.
4. Terminals shall have no less than 0.040 inch of the insulated portion protruding beyond the mounting panel or board.

PART NUMBER	DIMENSIONS			
	A		B	
	MAX.	MIN.	MAX.	MIN.
AA59126/05-01	0.088	0.081	0.115	0.110
AA59126/05-02	0.109	0.105	0.135	0.130
AA59126/05-03	0.138	0.134	0.165	0.160

Dielectric withstanding voltage: see Table I.

Table I. Dielectric withstanding voltage.

Pressure	Volts ac (rms) (min)
Atmospheric	1,500
Reduced barometric	650

Pull: 8 pounds minimum.
Torque: 3 ounce-inches, minimum.
Type of mounting: compression.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:03Z
Check the source to verify that this is the current version before use.

Table II. Substitutability data

Part number in A-A-59126/5	Part number in MIL-T-55155/5C
AA59126/05-01	M55155/05-01
AA59126/05-02	M55155/05-02
AA59126/05-03	M55155/05-03

The complete part number shall include the symbol for the insulation color.

MILITARY INTERESTS:

Custodian:
Army - CR
Navy - EC
Air Force - 85

Reviewer:
DLA - GS

CIVIL AGENCY COORDINATING ACTIVITY:

GSA-7FXE

Preparing activity:
Army - CR

(Project No. 5940-1191-05)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:03Z
Check the source to verify that this is the current version before use.