INCH-POUND

MS14314D
15 December 2009
SUPERSEDING
MS14314C
28 February 1994

DETAIL SPECIFICATION SHEET

PLUGS, PIPE, BRASS OR BRONZE, THREADED (SQUARE HEAD AND SQUARE SOCKET), CLASSES 250 AND 125

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and WW-P-460.



X
SOLID PATTERN
SIZES .1250" -4" INCLUSIVE
CLASS 250

Y
CORRED PATTERNS
BOTH DESIGNS APPROVED
SIZES .5" -4" INCLUSIVE
CLASS 125

Z
COUNTERSUNK (SQUARE SOCKET) PATTERN
SIZES .5" -4" INCLUSIVE
CLASS 125

FIGURE 1. Plug fittings.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:40Z
Check the source to verify that this is the current version before use.

Fitting type and size applicability.

Dash Number	Pipe Size	mm	Solid X	Cored Y	Countersunk Z
- 1	1/8 (.125)	3.18	X	….	….
- 2	1/4 (.250)	6.35	X	….	….
- 3	3/8 (.357)	9.53	X	….	….
- 4	1/2 (.500)	12.70	X	X	X
- 5	3/4 (.750)	19.05	X	X	X
- 6	1 (1.000)	25.40	X	X	X
- 7	1-1/4 (1.250)	31.75	X	X	X
- 8	1-1/2 (1.500)	38.10	X	X	X
- 9	2 (2.000)	50.80	X	X	X
- 10	2-1/2 (2.500)	63.50	X	X	X
- 11	3 (3.000)	76.20	X	X	X
- 12	4 (4.000)	101.60	X	X	X

NOTES:
1. Metric equivalents are given for information only.
2. Material: Brass or bronze in accordance with ASME-B16.15.
3. Protective Coating: None
4. Dimensions: In accordance with ASME-B16.15, table titled “Dimensions of Square Head and Square Socket Plugs – Class 250”.
5. Thread: As specified in ASME-B16.15.
6. Marking: In accordance with ASME-B16.15.
7. Part or Identifying Number (PIN): The MS PIN consists of the MS number, the dash number, and the fitting Identification letter(s). When left-hand threads are required, add the letter “L” to the PIN.

FIGURE 1. Plug fittings – Continued.

PIN:



Examples:

MS14314 – 4X represents a 1/2 NPS solid pattern square head plug.
MS14314 – 10ZL represents a 1-1/2 NPS countersunk plug, left-hand threads.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:40Z
Check the source to verify that this is the current version before use.

Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue, due to the extent of the changes.

Referenced documents. In addition to WW-P-460, this document references the following:

ASME-B16.15

CONCLUDING MATERIAL

Custodians:
Army - AT
Navy - MC
Air Force - 99
DLA - CC

Preparing activity:
DLA - CC

(Project 4730-2009-011)

Review activities:
Army - AR, CE, EA
Navy – SA, SH, YD
Air Force - 71

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at http://assist.daps.dla.mil

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:40Z
Check the source to verify that this is the current version before use.