AA-P-001873/2A(GSA-FSS)
August 23, 1977
SUPERSEDING
AA-F-001873/2(GSA-FSS)
November 20, 1973

INTERIM FEDERAL SPECIFICATION

FURNITURE, CONTEMPORARY OAK TABLES, OCCASIONAL

(DETAILED SPECIFICATION)

This Interim Federal Specification was developed by the National Furniture Center, Federal Supply Service, General Services Administration, Washington, DC 20406, based upon currently available technical information It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above This specification forms a part of the latest issue of Interim Federal Specification AA-F-001873/GEN.

1 SCOPE AND CLASSIFICATION

1 1 Scope This specification covers the detailed requirements for contemporary oak occasional tables. General requirements and other information pertaining to these items including the paragraphs listed in the cross reference tables, will be found in AA-F-001873/GEN(GSA-FSS), Furniture, Contemporary Oak (General Specification)

1 2 Classification The tables shall be of the following types and sizes (see 6 1 herein)

Type I - Coffee Table

Size 1 - Square - 36 inches wide by 36 inches deep by 17 inches high
Size 2 - Rectangular - 48 inches wide by 22 inches deep by 17 inches high

Type II - Lamp Table - 27 inches wide by 27 inches deep by 21 inches high

Type III - End Table - 18 inches wide by 26 inches deep by 21 inches high

Type IV - Night Table - 23 inches wide by 22 inches deep by 21 inches high.

2 APPLICABLE DOCUMENTS

2 1 Specifications and standards The specification and standards of the issue in effect on the date of the invitation for bids which form a part of the specification are listed in 2 1 of AA-F-001873/GEN, hereinafter called the General Specification.

2 2 Other publications The documents which form a part of this specification are listed in 2 2 of the General Specification

3 REQUIREMENTS

3 1 Preproduction sample Preproduction sample requirements shall be as given in 3 1 of the General Specification.

3 2 Materials Materials used in construction of the tables shall be of the kind and quality specified in 3 2 of the General Specification and the applicable paragraph numbers of the latter for component materials used herein as given in Table I

TABLE I. Materials cross-reference

Component	AA-F-001873/GEN Par. No.
Adhesives	3.2.1 - General Specification
Plastic laminate	3.2.2 - General Specification
Particleboard	3 2 3 - General Specification

FSC 7105

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:41Z
Check the source to verify that this is the current version before use.

TABLE I. Materials cross-reference (con.)

Laminate plastic surfaced panels	3 2 4 - General Specification
Plywood and Laminated Parts	3.2 5 - General Specification
Edge banding	3 2 6 - General Specification
Dowels	3.2 8 - General Specification
Fastening devices	3 2 10- General Specification
Glides	3.2 14- General Specification
Wood varieties and parts	3 2 16- General Specification

3 3 Construction The general requirements for construction of the table shall be as specified in 3 3 of the General Specification and the applicable paragraph numbers of the latter for components used herein are given in Table II below.

TABLE II Construction requirements cross-reference

Component	AA-F-001873/GEN Par No
Design	3 3 1 - General Specification
Assembly	3 3 2 - General Specification
Tolerances	3 3 3 - General Specification
Joinery	3 3 4 - General Specification
Edging	3 3 5 - General Specification
Finish	3 4 - General Specification
Workmanship	3 - General Specification

3 4 Type I, Size 1, square coffee table Table shall be constructed as described and illustrated in Figures 1-3 herein. All parts and surfaces not covered with a plastic laminate, shall be finished as specified in paragraph 3 4 and sub-paragraphs of the General Specification

3 5 Type I, Size 2, rectangular coffee table Table shall be constructed as described and illustrated in Figures 4-6 herein. All parts and surface not covered with a plastic laminate, shall be finished as specified in paragraph 3 4 and sub-paragraphs of the General Specification

3 6 Type II, lamp table Table shall be constructed as described and illustrated in Figures 7-9 herein. All parts and surfaces not covered with a plastic laminate, shall be finished as specified in paragraph 3 4 and sub-paragraphs of the General Specification

3 7 Type III, end table Table shall be constructed as described and illustrated in Figures 10-12 herein. All parts and surfaces not covered with a plastic laminate, shall be finished as specified in paragraph 3 4 and sub-paragraphs of the General Specification

3 8 Type IV, night table Table shall be constructed as described and illustrated in Figures 13-16 herein. All parts and surfaces not covered with a plastic laminate shall be finished as specified in paragraph 3 4 and sub-paragraphs of the General Specification

3 9 Identification marking (see 3 6 of the General Specification

3 10 Workmanship (see 3 7 of the General Specification)

4 QUALITY ASSURANCE PROVISIONS

4 The quality assurance provisions shall be as specified in Section 4 of the General Specification

5 PREPARATION FOR DELIVERY

5 1 Packaging Packaging shall be as specified in Section 5 1 of the General Specification (see 6 1 herein)

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:41Z
Check the source to verify that this is the current version before use.

5 2 Packing Packing shall be as specified in Section 5.2 of the General Specification (see 6.1 herein)

5.3 Marking.

5.3 1 Civil agencies In addition to any special marking required by the contract or order, all marking shall be in accordance with FED-STD-123.

5 3 2 Military activities In addition to any special marking required by the contract or order, all marking shall be in accordance with MIL-STD-129

5 3 3 Special marking In addition to the markings required by 5 3 1 or 5 3 2 above, the front and back panels of each shipping container shall be marked in each upper corner with the work "UP" and an arrow pointing to the direction in which the container should be placed for shipping and storage "UP" shall be in minimum 2 inch high characters In addition, the top panel of the container shall be marked with the following in minimum 2 inch high characters

TOP

THIS SIDE UP

FURNITURE

FRIGILE-HANDLE WITH CARE

The front side and back side of each shipping container shall be marked with the following in minimum 2 inch high characters

FURNITURE

FRAGILE-HANDLE WITH CARE

6 NOTES

6 1 Ordering data Purchasers should exercise any desired options offered in this specification and procurement documents should specify the following

(a) Number, title and date of this specification

(b) Number, title and date of the General Specification

(c) Type and size required (see 1 2 herein)


(d) Color of wood finish and plastic laminate if other than English Oak (see 3 4 of the General Specification

(e) When preproduction sample requirement is waived (see 3 1 herein)

(f) Level of packaging and packing required (see 5 1 and 5 2 of the General Specification)

(g) Grades when required (see Table I herein and 3 2 14 of the General Specification)


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:41Z
Check the source to verify that this is the current version before use.



COFFEE TABLE SQUARE TYPE I SIZE 1

FIGURE 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:41Z
Check the source to verify that this is the current version before use.



NOTES

A MAKE ALL FRAME MEMBERS SOLID WOOD (3 2 16 G S)

B MAKE JOINTS AS SPECIFIED IN 3 3 4 G S

C. REINFORCE JOINTS WITH GLUE SCREW BLOCKS AS REQ'D

D SCREW CLEAT REF

E MID-STRETCHER

F 3/4" DIAMETER PLASTIC NAIL GLIDES (3 2 14-G S) 4 REQ'D

G EASE EDGES OF EXPOSED FRAME MEMBERS (SEE 3 2 7 G S)

H APRONS (2), SECURED TO TOP WITH 3 COUNTER SUNK SCREWS PER APRON

FRONT VIEW


NOT TO SCALE

TYPE 1
COFFEE TABLE, SQUARE SIZE 1

FIGURE 2

AA-F-001873/2A(GSA-FSS)

Source: https://assist.dla.mil -- Downloaded: 2026-02-26T11:41Z
Check the source to verify that this is the current version before use.



NOTES

A MAKE JOINTS AS SPECIFIED IN 3 3 4 G S

B MAKE "A" FRAME JOINTS FLUSH BOTH SIDES TYP 8 PLCS

C "A" FRAME, MAKE FROM SOLID WOOD (3 2 16-G S)

D SCREW CLEAT, (2) ONE PER "A " FRAME, 28 INCHES LONG, SECURED TO "A" FRAME WITH 3 SCREWS AND TO THE TOP WITH 2 SCREWS

E TOP, PLASTIC LAMINATED AND SELF EDGED (TWO EXPOSED SIDES ONLY) ¾" P B CORE (SEE 3 2 2 G S , 3 2 3 G S , 3 2 4 G S)

F MID-STRETCHER

G APRON - REF


SECTION AA

NOT TO SCALE

COFFEE TABLE, SQUARE SIZE 1

FIGU


Source: https://assist.dla.mil -- Downloaded: 202640-26T11:41Z
Check the source to verify that this is the current version before use.



COFFEE TABLE RECTANGULAR TYPE I SIZE 2

FIGURE 4

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:41Z
Check the source to verify that this is the current version before use.



NOTES

A MAKE ALL FRAME MEMBERS SOLID WOOD (3 2 16 G S)

B MAKE JOINTS AS SPECIFIED IN 3 3 4 G S

C REINFORCE JOINTS WITH SCREWS AND OR GLUE BLOCKS AS REQ'D

D SCREW CLEAT-REF

E MID-STRETCHER

F ¾" DIAMETER PLASTIC NAIL GLIDE (3 2 14 G S) 4 REQ'D

G EASE EDGES OF EXPOSED FRAME MEMBERS

H APRON (2), SECURED TO TOP WITH 4 COUNTERSUNK SCREWS PER APRON


NOT TO SCALE

FRONT VIEW

COFFEE TABLE, RECTANGULAR SIZE 2 TYPE I

FIGURE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:41Z
Check the source to verify that this is the current version before use.



NOTES.

A MAKE JOINTS AS SPECIFIED IN 3.3.4 G.S.

B MAKE "A" FRAME JOINTS FLUSH BOTH SIDES TYP 8 PLCS

C "A" FRAME, MAKE FROM SOLID WOOD (3.2.16-G.S.)

D SCREW CLEAT (2) ONE PER "A" FRAME, MIN 15 INCHES LONG, SECURED TO "A" FRAME WITH 3 SCREWS AND TO THE TOP WITH 2 SCREWS

E TOP, PLASTIC LAMINATED AND SELF-EDGED (TWO EXPOSED SIDES ONLY) ¾" P.B. CORE (SEE 3.2.2 G.S. 3.2.3 G.S. 3.2.4 G.S.)

F MID-STRETCHER

G APRON-REF


SECTION AA

NOT TO SCALE

COFFEE TABLE, RECTANGULAR – SIZE 2

FIGURE 6


Source: https://assist.dla.mil -- Downloaded: 20260-26T11:41Z
Check the source to verify that this is the current version before use.



LAMP TABLE TYPE II

FIGURE 7

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:41Z
Check the source to verify that this is the current version before use.



NOTES

A MAKE ALL FRAME MEMBERS SOLID WOOD (3 2 16-G S)

B MAKE JOINTS AS SPECIFIED IN 3 3 4-G S

C REINFORCE JOINTS WITH GLUE BLOCKS AND/OR SCREWS AS REQ'D

D SCREW CLEAT-REF

E MID STRETCHER

F ¼" DIAMETER PLASTIC NAIL GLIDES (3 2 2 (3 2 14 G S) 4 REQ'D

G EASE EDGES OF EXPOSED FRAME MEMBERS

H APRON (2); SECURED TO TOP WITH 2 COUNTER SUNK SCREWS PER APRON


FRONT VIEW

NOT TO SCALE

LAMP TABLE TYPE II

FIGURE 8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:41Z
Check the source to verify that this is the current version before use.



NOTES

A MAKE JOINTS AS SPECIFIED IN 3 3 4 G S

B MAKE "A" FRAME JOINTS FLUSH BOTH SIDES, TYP 8 PLCS

C "A" FRAME MAKE FROM SOLID WOOD (3 2 16 G S)

D SCREW CLEAT (2) ONE PER "A" FRAME, MIN 20 INCHES LONG, SECURED TO "A FRAME" WITH 3 SCREWS AND TO TOP WITH 2 SCREWS

E TOP, PLASTIC LAMINATED AND SELF EDGED (TWO EXPOSED SIDES ONLY) ¾" P B CORE (SEE 3 2 2 G S , 3 2 3 G S , 3 2 4 G S)

F MID STRETCHER


G APRON REF

SECTION AA

LAMP TABLE TYPE II

FIGURE 9


Source: https://assist.dla.mil -- Downloaded: 20260-26T11:41Z
Check the source to verify that this is the current version before use.



END TABLE TYPE III

FIGURE 10

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:41Z
Check the source to verify that this is the current version before use.



NOTES

- [A] MAKE ALL FRAME MEMBERS SOLID WOOD (3 2 16-G S)
- B MAKE JOINTS AS SPECIFIED IN 3 3 4 G S
- C REINFORCE JOINTS WITH GLUE BLOCKS AND/OR SCREWS AS REQ'D
- [D] SCREW CLEAT REF
- [E] MID STRETCHER
- [F] ¼" DIAMETER PLASTIC NAIL GLIDES (3 2 14 G S) 4 REQ'D
- G EASE EDGES OF EXPOSED FRAME MEMBERS
- [H] APRON (2), SECURED TO TOP WITH 2 COUNTER SUNK SCREWS PER APRON


FRONT VIEW

NOT TO SCALE

END TABLE TYPE III

FIGURE 11

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:41Z
Check the source to verify that this is the current version before use.



NOTES

A MAKE JOINTS AS SPECIFIED IN 3.3.4 G.S.

B MAKE "A" FRAME JOINTS FLUSH BOTH SIDES, TYP 8 PLCS

C "A" FRAME, MAKE FROM SOLID WOOD (3.2.16 G.S.)

D SCREW CLEAT (2) ONE PER "A" FRAME, MIN 19 INCHES LONG, SECURED TO "A" FRAME WITH 3 SCREWS AND TO TOP WITH 2 SCREWS

E TOP, PLASTIC LAMINATED AND SELF EDGED (TWO EXPOSED SIDES ONLY) ¾" P.B. CORE (SEE 3.2.2 G.S., 3.2.3 G.S., 3.2.4 G.S.)

F MID-STRETCHER

G APRON - REF

NOT TO SCALE

SECTION AA

END TABLE TYPE III

FIGURE 12

AA-F-001873/2A(CSA-FSS)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:41Z
Check the source to verify that this is the current version before use.





FIGURE 13 - NIGHT TABLE, TYPE IV

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:41Z
Check the source to verify that this is the current version before use.



NOTES

A MAKE ALL FRAME MEMBERS SOLID WOOD (3 2 16 G S)

B MAKE JOINTS AS SPECIFIED IN 3 3 4 G S.

C REINFORCE JOINTS WITH GLUE BLOCKS AND/OR SCREWS AS REQUIRED

D SCREW CLEAT (2) REF

E TOP REF

F 3/4" DIAMETER PLASTIC NAIL GLIDES 4 REQ'D

G SHELF - REF (3 2 14-G S)

FRONT VIEW


NOT TO SCALE

NIGHT TABLE TYPE IV

FIGURE 14

AA-F-001873/2A(GSA-FSS)

Source: https://assist.dla.mil -- Downloaded: 2026/10-26T11:41Z
Check the source to verify that this is the current version before use.



NOTES

A MAKE JOINTS AS SPECIFIED IN 3 3 4 G S

B MAKE "A' FRAME JOINTS FLUSH BOTH SIDES TYP 8 PLCS

C "A' FRAME MAKE FROM SOLID WOOD (3 2 16 G S)

D SCREW CLEAT (2) ONE PER "A FRAME 17 INCHES LONG MIN SHAPED AS SHOWN SECURED TO 'A" FRAME WITH 3 SCREWS AND TO THE TOP WITH 2 SCREWS

E TOP, PLASTIC LAMINATED AND SELF EDGED (TWO EXPOSED SIDES ONLY) ¾ ' P B CORE (SEE 3 2 2 G S 3 2 3-G S , 3 2 4 G S)

F SHELF, PLASTIC LAMINATED AND SELF EDGED (TWO EXPOSED SIDES ONLY) ¾" P B CORE (SEE 3 2 2 G S , 3 2 3 G S , 3 2 4 G S) MAY BE GROOVED OR DOWELED INTO "A FRAME OR SECURED TO "A" FRAME WITH SCREW CLEAT IN SAME MANNER AS TOP


G BACK PANEL, EXPOSED BOTH SIDES (FINISHED TO MATCH EXTERIOR) HARDWOOD PLYWOOD (3 2 5 2 G S) GROOVED INTO TOP, SHELF AND BOTH "A" FRAMES

SECTION AA

NIGHT TABLE TYPE IV

FIGURE

Source: https://assist.dla.mil -- Downloaded: 20260-26T11:41Z
Check the source to verify that this is the current version before use.



NOTES

[A] "A" FRAMES (2) REF

[B] BACK PANEL - REF

SECTION BB

NIGHT TABLE TYPE IV

FIGURE 16

Source: https://assist.dla.mil -- Downloaded: 2026-02-26T11:41Z
Check the source to verify that this is the current version before use.

19/20