MIL-P-36728B
3 September 1976
SUPERSEDING
MIL-P-0036728A (DSA-DM)
7 February 1973 and
MIL-P-36728 (DSA-DM)
22 December 1970

MILITARY SPECIFICATION

PAPER, BIBULOUS AND LENS, 4 by 6 Inches, 12s

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers one type of booklet which contains bibulous and lens paper.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

NNN-P-40	Paper, Lens.
PPP-B-566	Boxes, Folding, Paperboard.
PPP-B-585	Boxes, Wood, Wirebound.
PPP-B-601	Boxes, Wood, Cleated-Plywood.
PPP-B-621	Boxes, Wood, Nailed and Lock-Corner.
PPP-B-636	Boxes, Shipping, Fiberboard.
PPP-B-676	Boxes, Setup.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to the Defense Personnel Support Center by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6640

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:13Z
Check the source to verify that this is the current version before use.

Military

MIL-L-10547 Liners, Case and Sheet, Overwrap; Water-Vaporproof or Waterproof, Flexible.

STANDARDS

Military

MIL-STD-105 Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 Marking for Shipment and Storage.

(Copies of specifications, standards, drawings and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

TECHNICAL ASSOCIATION OF THE PULP AND PAPER INDUSTRY (TAPPI)

Numerical Index of TAPPI Standards and Suggested Methods.

(Application for copies should be addressed to Technical Association of the Pulp and Paper Industry, 1 Dunwoody Park, Atlanta, GA 30341.)

3. REQUIREMENTS

3.1 Material. Material shall be of the highest quality throughout and as specified herein.

3.1.1 Lens paper. Lens paper shall be white and shall be in accordance with NNN-P-40, Type I, Class 2.

3.1.2 Bibulous paper. Bibulous paper shall be white and shall have a smooth lintless surface and a close texture. Basis weight shall be 32 ± 2 pounds when tested as specified in 4.4.1. Paper shall absorb 0.5 milliliters (ml.) of distilled water within 5 seconds, with no water dripping through the paper when tested as specified in 4.4.2.

3.2 Construction. Fifty sheets of lens paper and fifty sheets of bibulous paper (filter paper) and two paper cover sheets shall be bound together to form a booklet. Sheets shall be rectangular with the following dimensions:

Source: https://assist.dla.mil -- Downloaded: 202640-21T09:13Z
Check the source to verify that this is the current version before use.

Length	6 inches, + 1/4, -1/8
Width	4 inches, + 1/4, -1/16

The booklet shall be bound to permit easy removal of individual sheets. One cover sheet shall be on the front and one cover shall be on the back of the booklet.

3.3 Count. Booklet shall contain an average of 50 sheets (minimum) of bibulous paper and 50 sheets (minimum) of lens paper. No booklet shall contain less than 48 sheets of bibulous paper or less than 48 sheets of lens paper.

3.4 Workmanship. Workmanship shall be first class throughout. Sheets shall be so dimensioned and positioned as to form a symmetrical booklet. Booklet shall be free of defects listed in Table III and other defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of 3 years after delivery of the supplies to which such records relate.

4.1.2 Inspection. Inspection, as used in this specification, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

4.1.3 Certificate of quality. Certificate of quality, supplied by the manufacturer of the lens and bibulous papers, may be furnished in lieu of actual performance of such testing by the contractor, provided lot identity has been maintained and can be demonstrated to the Government. The certificate shall include the name of the

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:13Z
Check the source to verify that this is the current version before use.

contractor, the contract number, the name of the manufacturer or supplier, the NSN, the Item Identification, the name of the components, the lot number, the lot size, the sample size, the date of testing, the test method, individual test results, and the specification requirements.

4.2 Sampling.

4.2.1 For examination. Sampling for examination shall be conducted in accordance with MIL-STD-105. The inspection levels and acceptable quality levels (AQL) shall be as indicated in Table I. Unit of product for examination purposes shall be one booklet. For Major B defect 112 at least 5 sheets of lens paper and 5 sheets of bibulous paper shall be taken from each booklet.

Table I For examination

	Inspection level	AQL (percent defective)
For visual examination		
Major A defects	II	2.5
Major B defect 111	II	4.0
Major B defect 112	S-3	4.0
Minor A defects	II	2.5
Minor B defects	II	4.0
For dimensional examination	S-2	2.5

4.2.2 For tests. Sampling for tests shall be conducted in accordance with MIL-STD-105 and Table II. Unit of product for test purposes shall be one booklet. Acceptance number shall be zero.

Table II For tests

Characteristic	Component	Requirement	Test procedure	Inspection level
Basis weight	Bibulous paper	3.1.2	4.4.1	S-1
Absorption	Bibulous paper	3.1.2	4.4.2	S-1
Count	Booklet	3.3	4.4.3	S-2

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:13Z
Check the source to verify that this is the current version before use.

4.3 Examination. The booklet shall be examined to determine compliance with all requirements contained in this specification. Booklet shall be examined for defects including but not limited to those listed in Table III.

Table III. Classification of defects

Category	Defect
Major A	
101	Sheet not free of lint, dust, grease or other contamination.
102	Sheet not free of lumps and hard particles.
103	Sheet not free of defibered area.
104	Sheet not free of crumbling.
Major B	
111	Sheets not secured to booklet.
112	Sheets not torn easily and cleanly from booklet.
Minor A	
201	Sheet not free of tears and cuts.
Minor B	
211	Booklet not free of sheets which are not positionally and dimensionally symmetrical with other sheets in booklet.

* 4.3.1 Dimensional examination. The booklet shall be examined for defects in dimensions. Any dimension not within the tolerance specified herein shall be classified as a defect.

* 4.3.2 Packaging inspection. The inspection of the unit, intermediate package, packing and marking for shipment and storage shall be in accordance with the quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Tests. Tests shall be conducted to determine compliance with specification requirements.

4.4.1 Basis weight. Basis weight shall be run in accordance with TAPPI Standard T410 (24 x 36 x 500).

4.4.2 Absorption. 0.5 ml. of water shall be added all at one time in accordance with procedure specified in TAPPI Standard T432.

4.4.3 Count. Number of sheets in booklet shall be counted and the number averaged for total sample size.

Source: https://assist.dla.mil - Downloaded: 2026-10-21T09:13Z
Check the source to verify that this is the current version before use.

5. PACKAGING.

5.1 Packaging. Packaging shall be Level A or C as specified (see 6.2).

5.1.1 Unit of issue. One package, containing 12 books as specified, constitutes one unit of issue.

5.1.1.1 Level A.

5.1.1.1.1 Unit packaging. One unit of issue (12 books) shall be packaged in a box of appropriate size constructed in accordance with PPP-B-566 or PPP-B-676 Closure of box shall be as specified in the appendix of the applicable box specification.

5.1.1.1.2 Intermediate packaging. Six units of issue shall be packed in a snug-fitting box constructed in accordance with PPP-B-566, PPP-B-636, class domestic or PPP-B-676. Closure of the box shall be as specified in the appendix of the applicable box specification.

5.1.1.2 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.2 Packing. Packing shall be Level A, B or C as specified (see 6.2).

5.2.1 Level A. Twenty four units of issue shall be packed in an exterior container designed for a type 2 load and constructed in accordance with PPP-B-585, class 3, style 3; PPP-B-601, overseas type; PPP-B-621, class 2; or PPP-B-636, class weather-resistant. Closure and strapping shall be as specified in the appendix of the applicable box specification.

5.2.1.1 Case liner. Each level A wood box shall be lined with a waterproof case liner conforming to MIL-L-10547. Closure and sealing shall conform to applicable paragraphs of appendix thereto. Case liner shall not be required for fiberboard boxes. Each fiberboard box shall be waterproofed as specified in the appendix of PPP-B-636.

5.2.2 Level B. Twenty four units of issue shall be packaged in an exterior container designed for a type 2 load and constructed in accordance with PPP-B-585, class 1, style 3; PPP-B-601, domestic type; PPP-B-621, class 1; or PPP-B-636, class domestic. Closure shall be as specified in the appendix of the applicable box specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:13Z
Check the source to verify that this is the current version before use.

5.2.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.3 Marking. Each unit, intermediate and exterior container shall be marked as specified in MIL-STD-129.

6. NOTES

6.1 Intended use Booklet is intended for use in kits, where a combination of slide-blotting and lens cleaning is required.

6.2 Ordering data. Procurement documents should specify the following:

a. Title, number and date of this specification.
b. National Stock Number (NSN).
c. Selection of applicable levels of packaging and packing (see 5.1 and 5.2).

6.3 This specification is applicable to the following item listed in the Federal Supply Catalog:

National Stock No.	Item Identification
6640-00-937-0760	PAPER, BIBULOUS AND LENS, 4 by 6 Inches, 12s

6.4 The margins of this specification are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
DSA-DM

Project No. 6640-0967

Source: https://assist.dla.mil -- Downloaded: 202610-21T09:13Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:13Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS. The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-P-36728B, Paper, Bibulous and Lens, 4 by 6 Inches, 12s

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-02-21T09:13Z
Check the source to verify that this is the current version before use.

FOLD

Defense Personnel Support Center
2800 South 20th Street
Philadelphia, PA 19101

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304



Commander
Defense Personnel Support Center
ATTN: DPSC-ATT
2800 South 20th Street
Philadelphia, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:13Z
Check the source to verify that this is the current version before use.