MILITARY SPECIFICATION

RETRACTOR, EYELID, NONMAGNETIC, DESMARRES, 5-1/2 INCH

This Amendment forms a part of Military Specification MIL-R-36687 dated 18 June 1970, and is approved for use by all Departments and Agencies of the Department of Defense.

Page 1:

2.1 Delete the following under "SPECIFICATIONS, Federal":"PPP-T-76 and MMM-A-250". Add the following under "SPECIFICATIONS, Federal":
"PPP-B-566 Boxes, Folding, Paperboard.
PPP-B-676 Boxes, Set-up".

Add the following under "STANDARDS, Military":

"MIL-L-10547 Liners, Case and Sheet, Overwrap; Water-vaporproof or Waterproof, Flexible."

Page 2:

3.4 Style, design and dimensions. Delete second sentence and substitute: "Shall be suitable for use with electric eye magnets in the removal of foreign bodies from the human eye."

Page 3:

4.1 Delete entirely and substitute:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

FSC 6515

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:08Z
Check the source to verify that this is the current version before use.

Page 3:

4.1.2 Delete entirely and substitute the following:

"4.1.2 Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of 3 years after delivery of the supplies to which such records relate.

"4.1.3 Certificates of quality. Certificates of quality, supplied by the manufacturer of the corrosion-resistant steel alloys and copper alloys may be furnished in lieu of actual performance of such testing by the contractor, provided lot identity has been maintained and can be demonstrated to the Government. The certificate shall include the name of the contractor, the contract number, the name of the manufacturer or supplier, the NSN, the item identification, the name of the component/material, the lot number, the lot size, the sample size, the date of testing, the test method, individual test results, and the specification requirements."

Page 4:

4.2.2 For tests. Delete "Table II. Sampling Criteria for Tests" and notes under table and substitute:

"Table II. Sampling Criteria for Tests

Component	Characteristic	Requirement	Test procedure	Inspection level	AQL
Retractor	Hardness	3.3 and GG-I-526	GG-I-526	S-2	1.5
	Dimensions	3.4	---	S-1	2.5
	Boil test	GG-I-526	GG-I-526	S-2	1.5
	Nonmagnetic test	3.6	4.4.1	S-2	1.5
Handle (For class 8 material)	Thickness of coating	GG-I-526	GG-I-526	S-2	1.5
	Salt-spray test	GG-I-526	GG-I-526	S-2	1.5

."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:08Z
Check the source to verify that this is the current version before use.

Add the following paragraph:

"4.2.4 Raw materials. A sufficient quantity of each lot of each metal used in the construction of the retractors shall be selected for chemical analysis."

4.3 Examination. Delete first word at the beginning of third sentence, and substitute: "Examination".

Page 5:

4.4.1 Nonmagnetic test. Delete second sentence and substitute: "An Alnico horseshoe-shaped magnet, weighing between 0.131 and 0.145 pounds shall be slowly passed over the forceps at a height ranging from 1/2 inch to 1 inch."

Page 6:

5.1.3.2 Preservative. Delete "Not required" and substitute "Preservative shall not be applied".

5.1.3.4 Unit package. Line 2, delete "1A-15" and substitute "1C-2".

5.1.3.5 Intermediate package. Delete entirely and substitute:

"5.1.3.5 Intermediate package. Intermediate package shall be a box of appropriate size constructed in accordance with PPP-B-566 or PPP-B-676, except commercial colors will be acceptable, or PPP-B-636, type CF, class domestic. Closure shall be adequate to prevent accidental opening under normal handling."

Page 7:

5.2 Packing. Delete entirely and substitute:

"5.2 Packing.

"5.2.1 Level A.

"5.2.1.1 Exterior container. Exterior container shall be designed for a type 2 load and constructed in accordance with PPP-B-585, class 3, style 3; PPP-B-601, overseas type; PPP-B-621, class 2; or PPP-B-636, class weather-resistant, grade V3c. Closure and strapping shall be as specified in the appendix of the applicable box specification. Special requirements of applicable table shall apply for PPP-B-636 box.

"5.2.1.2 Case liner. Each Level A wood box shall be lined with a waterproof case liner conforming to MIL-L-10547. Closure and sealing shall conform to applicable paragraphs of appendix thereto. Case liner shall not be required for fiberboard boxes. Fiberboard box shall be waterproof in accordance with paragraph 30.4 of PPP-B-636.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:08Z
Check the source to verify that this is the current version before use.

Page 7:

"5.2.2 Level B.

"5.2.2.1 Exterior container. Exterior container shall be designed for a type 2 load and constructed in accordance with PPP-B-585, class 1, style 3; PPP-B-601, domestic type; PPP-B-621, class 1; or PPP-B-636, class domestic. Closure shall be as specified in the appendix of the applicable box specification. Fiberboard box shall be closed by method II of PPP-B-636. Special requirements of applicable table shall apply for PPP-B-636 box.

"5.2.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order."

Page 8:

6.2 Ordering data. For category "(c)", delete "Federal stock number", and substitute "National stock number".

6.3 "Delete "Federal Stock Number 6515-360-7900", and substitute: "National Stock Number 6515-00-360-7900".

6.4 Delete entirely.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Review activities:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6515-1867

Review information is current as of the date of this document. For future coordination of changes to to this document, draft circulation should be based on the information in the current DODISS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:08Z
Check the source to verify that this is the current version before use.