INCH-POUND


MS39137G
9 December 2008
SUPERSEDING
MS39137F
4 January 1999

DETAIL SPECIFICATION SHEET

ADAPTER BODY, AUTOMOTIVE AIR BRAKE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet.



Inches	mm	Inches	mm
.003	0.08	.375	9.53
.005	0.13	.41	10.4
.006	0.15	.50	12.7
.010	0.25	.66	16.8
.12	3.1	.69	17.5
.020	0.51	.796	20.22
.03	0.8	.875	22.23
.05	1.3	.890	20.32
.25	6.35	.9687	25.062
.281	7.14	.97	24.6


FIGURE 1. Adapter body.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:47Z
Check the source to verify that this is the current version before use.

MS dash number	A (NPTF short)	B inches (mm)	C inches (mm)	D inches (mm)	F inches (mm)	G inches (mm) ±.003 (0.08)	Material
-1-B	1/4	1.906 (48.41)	.500 (12.70)	.406 (10.31)	.484 (12.29)	.281 (7.14)	Brass
-1-S							Steel
-2-B	1/2	2.062 (52.37)	.656 (16.66)	.672 (17.07)	.745 (18.92)	.531 (13.49)	Brass
-2-S							Steel

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for information only.
3. Remove all burrs and slivers.
4. Tolerances unless otherwise specified for three place ±.005 inch (0.13 mm), two place decimals ±.02 inch (0.5 mm), and angles ±2°.
5. Threads shall be in accordance with ASME B1.1.

FIGURE 1. Adapter body - Continued.



MS dash number	A (NPTF short)	B inches (mm)	C inches (mm)	D inches (mm)	E inches (mm)	Material
-A-1-B	1/4	2.12 (53.85)	.56 (14.22)	.53 (13.46)	.30 (7.62)	Brass
-A-1-S						Steel
-A-2-B	1/2	2.31 (58.67)	.75 (19.05)	.88 (22.35)	.49 (12.45)	Brass
-A-2-S						Steel

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for information only.
3. Remove all burrs and slivers.
4. Tolerances unless otherwise specified for three place ±.005 inch (0.13 mm), two place decimals ±.02 inch (0.5 mm), and angles ±2°.
5. Threads shall be in accordance with ASME B1.1.

FIGURE 2. Alternate design adapter body.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:47Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Adapters shall be as specified on figures 1and 2.

The adapters specified herein are a component of the adapter, straight pipe to hose, automotive air brake hose MS39133.

Material:

Brass formed rod, tempered, half-hard brass in accordance with ASTM B16/B16M.

Steel bar in accordance with ASTM A108.


Finish:

Brass shall be uncoated.

Steel shall be zinc coated in accordance with ASTM B633, type II, Fe/Zn 25.

Air passages shall not be subject to the plating thickness requirement and may have bare areas provided they are protected with a light film of oil.


Part or Identifying Number (PIN): Standard adapter body, the PIN consists of the letters “MS”, the specification sheet number, a dash, number for pipe end size, and dash and a letter for material designator.



PIN example: MS39137-1-B indicates an adapter body 1/4 NPTF short threads to .9687 - 20 UNS-2A threads, brass body.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:47Z
Check the source to verify that this is the current version before use.

PIN: Alternate adapter body, the PIN consists of the letters “MS”, the specification sheet number, a dash, the letter A for alternate body design, a dash, a number for pipe end size, a dash and a letter for material designator.



PIN example: MS39137-A-1-A indicates an adapter body with alternate design 1/4 NPTF short threads to .9687 - 20 UNS-2A threads steel body.

Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue, due to the extent of the changes.

Referenced documents. This document references the following:

MS39133
ASME B1.1
ASTM A108
ASTM B16/B16M
ASTM B633

CONCLUDING MATERIAL

Custodians:
Army - AT
Air Force - 99
DLA - CC

Preparing activity:
DLA - CC

(Project 4730-2009-027)

Review activities:
Army - AR, EA
Air Force - 71

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:47Z
Check the source to verify that this is the current version before use.