
MILITARY SPECIFICATION SHEET

POWER DIVIDERS, 4 PORT QUADRATURE, SOLDER TERMINALS

This specification sheet is approved for use by all Departments and Agencies of the Department of Defense

The complete requirements for procuring the power dividers herein shall consist of this document and the latest issue of specification MIL-P-23971




INCHES	MM	INCHES	MM
0005	013	140	3 56
015	38	20	5 1
020	51	.240	6 10
025	64	337	8 56
030	76	.674	17 12
0500	1 270	966	24 54
080	2 03	1 010	25 65
100	2 54	1.25	31.8
.120	3.05		

NOTES
1. Dimensions are in inches
2. Metric equivalents are given for general information only and are based upon 1 00 inch = 25 4 mm
3. Unless otherwise specified, tolerances are ± 010 (25 mm) for three place decimals and ± 02 (5 mm) for two place decimals

FIGURE 1 Dimensions and configuration, P/N 001 and 002

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T18:32Z
Check the source to verify that this is the current version before use.




INCHES	MM	INCHES	MM
0005	013	134	3 40
005	13	15	3 8
007	18	22	5 6
050	1 27	375	9 52
090	2 29	56	14 2
093	2 36	1 17	29 7
105	2 67	1 437	36 50
120	3 05	1 62	41 1

NOTES
1 Dimensions are in inches
2 Metric equivalents are given for general information only and are based upon 1 00 inch = 25 4 mm
3 Unless otherwise specified, tolerances are ± 010 (25 mm) for three place decimals and ± 02 (5 mm) for two place decimals

FIGURE 2 Dimensions and configuration, P/N 003

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T18:32Z
Check the source to verify that this is the current version before use.



INCHES	MM	INCHES	MM
00005	0013	120	3 05
0005	013	134	3 40
001	03	16	4 1
002	05	18	4 6
010	.25	205	5 21
03	8	22	5 6
044	1 12	28	7 1
050	1 27	42	10 7
090	2.29	56	14 2
093	2 36	1 17	29 7
105	2 67	1 437	36 50
		1 62	41 1

NOTES
1 Dimensions are in inches
2 Metric equivalents are given for general information only and are based upon 1 00 inch = 25 4 mm
3 Unless otherwise specified, tolerances are ±.005 (13 mm) for three place decimals and ± 02 (5 mm) for two place decimals

FIGURE 3 Dimensions and configuration, P/N 004

Source: https://assist.dla.mil -- Downloaded: 202640-19T18:32Z
Check the source to verify that this is the currentversion before use.

REQUIREMENTS

Design and construction See figures 1, 2, and 3

Terminals Solder tabs

Material and finish of terminals
Part numbers 01, 03, and 04 - Nickel with electrodeposited tin coating 0 0001 to 0.0005 inch thick per MIL-T-10727 or Iron-nickel alloy in accordance with MIL-I-23011 Class I (KOVAR), gold plated in accordance with MIL-G-45204, type I, grade C.
Part number 02 - Kovar, gold plated in accordance with MIL-G-45204, type II, class I, grade C

Ambient temperature
Operating - -54° to +110°C.
Storage - -62° to +125°C

Electrical performance characteristics See table I.

TABLE I Electrical performance characteristics

M23971/1-	Impedance (ohms)	Frequency range (MHz)	Average coupling (dB)	VSWR max	Insertion loss max (dB)	Isolation min (dB)	Phase balance 90°	Amplitude balance (dB)	Power level avg (W)	Power level pk (W)	Figure
01	50	225-400	3 $\pm \frac{2}{0}$	1 2 1	0 3	23	±1 5	0 4	60	300	1
02	50	250-500	3 $\pm \frac{2}{0}$	1 2 1	0 25	23	±1 5	0 5	60	300	1
03	50	225-400	3 $\pm \frac{2}{0}$	1 2 1	0 25	25	±1 5	0 4	100	200	2
04											3

Part number M23971/1- (and dash number from table I)

Items covered by this specification sheet are substitutable for the commercial types in table II

TABLE II Part number to commercial type

Dash number	Manufacturer's code	Commercial type
01	19133 12457	4990022-2 QHF-2- 312G/15052
02	19133 12457	4990022-1 QHG-2- 375/14254
03	13499 31597 12457	277-0421-010 1R0260-3 QHF-2- 312G MOD2
04	13499 31597 12457	277-0421-040 1V0260-3 QHF-2- 312G/16838

Source: https://assist.dla.mil -- Downloaded: 202610-19T18:32Z
Check the source to verify that this is the current version before use.

Custodians
Army - EL
Navy - EC
Air Force - 85

Review activities
Army -
Navy -
Air Force -
DLA - ES

User activities
Army -
Navy - AS, OS, MC
Air Force -

Preparing activity
Navy - EC

Agent
DLA - ES

(Project 5985-0845-1)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T18:32Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS This form is provided to solicit beneficial comments which may improve this document and enhance its use DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed

NOTE This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements

DOCUMENT IDENTIFIER *(Number)* AND TITLE

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1 ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID RESTRICTIVE LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDED WORDING CHANGE

C REASON FOR RECOMMENDED CHANGE(S)

2 REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO

DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED

Source: https://assist.dla.mil -- Downloaded: 202610-19T18:32Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY
NAVAL ELECTRONIC SYSTEMS COMMAND
WASHINGTON, D.C. 20360

POSTAGE AND FEES PAID
NAVY DEPARTMENT
DOD 316

OFFICAL BUSINESS

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
DEFENSE STANDARDIZATION PROGRAM BRANCH
DEPARTMENT OF THE NAVY
WASHINGTON, D. C. 20360

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T18:32Z
Check the source to verify that this is the current version before use.