
MILITARY SPECIFICATION SHEET

POWER DIVIDER, 3 PORT QUADRATURE, SOLDER TERMINALS

This specification sheet is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the power divider described herein shall consist of this document and the latest issue of specification MIL-P-23971.



INCHES	MM	INCHES	MM
.00005	.0013	.150	3.81
.0005	.013	.185	4 70
.005	.13	.205	5.21
.010	.25	.25	6.4
.02	.5	.30	7.6
.062	1.57	345	8.76
.065	1.65	.40	10.2
.070	1.78	1.865	47.37
.093	2.36	3.525	89.54
.100	2.54	3.825	97.16
.105	2.67	4.20	106.7
.110	2.79	4.38	111.3
.130	3.30	4.48	113.8
.140	3.56		

NOTES
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.
3. Unless otherwise specified, tolerances are ±.010 (.25 mm) for three place decimals and ±.02 (.5 mm) for two place decimals.

FIGURE 1. Dimensions and configuration.

FSC 5985

Source: https://assist.dla.mil -- Downloaded: 202610-19T18:33Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Design and construction: See figure 1.

Terminals: Solder leads.

Material: Copper or iron-nickel alloy in accordance with MIL-I-23011, class I (KOVAR).

Finish: Tin plated per MIL-T-10727, type 1, 0.0005 inch thick minimum, dull finish or gold-plated in accordance with MIL-G-45204, type I, grade C.

Ambient temperature
Operating - -54° to +110°C.
Storage - -62° to +125°C.

Electrical performance characteristics:
Impedance - 50 ohms.
Frequency range - 225 to 400 GHz.
Coupling - 3 dB $\pm^{.2}_{0}$.
VSWR - 1.2.1 maximum.
Insertion loss - 0 25 dB maximum
Isolation - 20 dB minimum
Phase balance - 90° ±1.5°.
Amplitude balance 0 4 dB
Power level· 100 W average, 200 W peak.

Part number M23971/4-01.

The item covered by this specification sheet is substitutable for the commercial types in table I.

TABLE I Part number to commercial type.

Dash number	Manufacturer's code	Commercial type
01	13499	277-0421-030
01	31597	1V0260-3
01	12457	QHF-2- 312G/16638

Custodians·
Army - EL
Navy - EC
Air Force - 85

Review activities:
Army -
Navy -
Air Force -
DLA - ES

User activities·
Army -
Navy - AS, OS, MC
Air Force -

Preparing activity·
Navy - EC

Agent:
DLA - ES

(Project 5985-0845-4)

Source: https://assist.dla.mil -- Downloaded: 202640-19T18:33Z
Check the source to verify that this is the currenversion before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS This form is provided to solicit beneficial comments which may improve this document and enhance its use DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed

NOTE· This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1 ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDED WORDING CHANGE

C REASON FOR RECOMMENDED CHANGE(S)

2 REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO

DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED

Source: https://assist.dla.mil -- Downloaded: 202640-19T18:33Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY
NAVAL ELECTRONIC SYSTEMS COMMAND
WASHINGTON, D.C. 20360

POSTAGE AND FEES PAID
NAVY DEPARTMENT
DOD 316

OFFICAL BUSINESS

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
DEFENSE STANDARDIZATION PROGRAM BRANCH
DEPARTMENT OF THE NAVY
WASHINGTON, D. C. 20360

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T18:33Z
Check the source to verify that this is the current version before use.