MIL-C-37285A
15 September 1976
SUPERSEDING
MIL-C-37285
29 July 1975

MILITARY SPECIFICATION

# CLOXACILLIN SODIUM FOR SOLUTION, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

## 1. SCOPE

1.1 Scope. This specification covers Cloxacillin Sodium for Solution, USP (see 6.2).

## 2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on the date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (see 6.3)

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:21Z
Check the source to verify that this is the current version before use.

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Cloxacillin Sodium for Solution, USP, equivalent to 5 grams of Cloxacillin, in the form of pleasantly flavored crystalline powder. When reconstituted with sufficient water to make 200 ml of solution, each 5 ml shall contain a quantity of Cloxacillin Sodium equivalent to 125 mg of Cloxacillin within the applicable assay limits found in the FDA Antibiotic Regulations.

3.2 Description. Shall be a pleasantly flavored crystalline powder which, upon the addition of sufficient water to make 200 ml, reconstitutes to a palatable solution.

3.3 Additions. The coloring, flavoring, buffering, sweetening, and preservative agents used in the powder shall be approved by the Federal Food and Drug Administrative (FDA).

3.4 pH. When reconstituted as directed in the labeling, the solution shall have a pH of not less than 5.0 and not more than 7.5 when determined as specified in the applicable FDA Antibiotic regulations.



Source: https://assist.dla.mil -- Downloaded: 20260-21T10:21Z
Check the source to verify that this is the current version before use.

3.5 Flavor and palatability. When reconstituted as directed in the labeling, the resulting solution shall be palatable and pleasant to the taste with no unpleasant after-taste. Not later than the time specified for opening of bids or receipt of proposals, the offeror shall submit to the contracting officer six (6) individually packaged units of issue representative of the product which the offeror proposes to furnish. Two (2) samples will be subjected to panel testing for a determination of palatability (see 4.5.1-Palatability test). The remaining samples will be used by cognizant Government inspection and quality assurance activities for determining compliance of supplies furnished hereunder with the palatability requirement. Approval as to palatability of any sample submitted by the offeror will not constitute approval of the sample as to any other requirement of this specification. The requirement for submission of samples for use in determining compliance with the palatability requirement may be waived, provided the offeror states, in his bid or proposal, that the product he proposes to furnish is the same product he has offered to the purchasing activity on a previous procurement and the contracting officer determined that such product was previously procured and/or tested by the purchasing activity and found to comply with the palatability requirement.

3.6 Certification. The material shall conform to the pertinent provisions of the regulations for the certification of antibiotic and antibiotic-containing drugs, as promulgated by the FDA.

3.6.1 Each lot shall be certified by the FDA.

3.7 Ingredients.

3.7.1 Cloxacillin Sodium. The cloxacillin sodium used in the manufacture of the item shall comply with the USP and the applicable FDA regulations for Cloxacillin Sodium.

3.7.2 Other ingredients. Ingredients necessary to insure a suitable, stable product meeting all requirements of this specification shall be employed. All ingredients, used in the manufacture of the item, shall be of USP or NF quality or, if not included in either of these compendia, the ingredients shall be of the highest pharmaceutical grade.

3.8 Expiration dating period. The expiration dating period shall be 48 months.

3.8.1 Delivery. Not more than 4 months of the expiration dating period shall have elapsed at the time of delivery to the Government.



Source: https://assist.dla.mil -- Downloaded: 202610-21T10:21Z
Check the source to verify that this is the currentversion before use.

3.9 Workmanship. The material and its containers shall be free from defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspections. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quanitity of material produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

Table I. Sampling

| For visual examination | Inspection level | AQL (percent defective) | Unit of product |
|---|---|---|---|
| Major | S-2 | 1.0 | Filled immediate container |
| Minor | II | 2.5 | Filled immediate container |



Source: https://assist.dla.mil -- Downloaded: 202610-21T10:21Z
Check the source to verify that this is the current version before use.

4.4 Examination. The product shall be examined to determine compliance with all requirements of this specification. Nonconformance will be permitted to the extent indicated in 4.3.

4.4.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects:

Table II. Classification of defects

| Categories | Defects 1/ |
|---|---|
| Major | |
| 101 | Material not a crystalline powder. |
| 102 | Material not able to be reconstituted. |
| 103 | Reconstituted material not free from foreign matter. |
| Minor | |
| 201 | Exterior of immediate container is not free from contents or foreign matter. |
| 202 | Label not free from defacing marks and tears. |

1/ Inspection is not restricted to the classified possible defects listed above.

4.5 Tests.

4.5.1 Palatability test. A taste panel consisting of 10 members will be used to determine acceptability of samples. Samples will be prepared for testing (samples will be tested undiluted), coded, and served to panel members under controlled serving conditions, e.g., all samples will be of the same amount, and served at the same temperature; each panel member will receive an equal number of samples; the order of serving will be varied among panel members; an interval of at least five (5) minutes will elapse between successive samples and panel members will rinse their mouths with water (room temperature) after each sample; panel members will test without interference either from each other or from outsiders. The product offered shall be rated equal to or better than the Palatability Standard 1/, when determined by the taste panel, using the following 9-point hedonic rating scale. The average rating of the sample shall be equal to or greater than the average rating of the standard, similarly prepared and tested.

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---|---|---|---|---|---|---|---|---|
| Dislike extremely | Dislike very much | Dislike moderately | Dislike slightly | Neither like nor dislike | Like slightly | Like moderately | Like very much | Like extremely |

1/ Palatability Standard is available, upon separate request to the contracting officer, Defense Personnel Support Center.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:21Z
Check the source to verify that this is the current version before use.

4.6 Packaging inspection. The inspection of the intermediate, package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.7 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

5. PACKAGING

5.1. Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (see 6.3) and as specified herein.

5.2 Packaging. Packaging shall be Level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One bottle of cloxacillin sodium for solution, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. The nominal capacity of the container shall be 200 ml. The immediate container shall be provided with a safety closure.



Source: https://assist.dla.mil -- Downloaded: 202610-21T10:21Z
Check the source to verify that this is the currenversion before use.

5.2.2.2 Unit package. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each bottle shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve (12) units of issue shall be packaged as specified in 5.2.8 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. Four intermediate packages (48 units) shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Four intermediate packages (48 units) shall be packed in an exterior container as specified in 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below.

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commerical practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice
(b) the national stock number.
(c) extended potency lines.



Source: https://assist.dla.mil -- Downloaded: 20260-21T10:21Z
Check the source to verify that this is the current version before use.

Notes: (1) The national stock number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied, the national stock number and extended potency lines shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type II shelf life markings shall be shown as specified in MIL-STD-129.

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type II shelf life marking shall be shown as specified in MIL-STD-129.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

| National Stock Number | Item Identification |
|---|---|
| 6505-01-017-0340 | CLOXACILLIN SODIUM FOR SOLUTION, USP, Equivalent to 5 Grams of Cloxacillin |

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by revision.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
DSA-DM

Project No. 6505-1621



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:21Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-C-37285A

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 20261O-21T10:21Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, Pa. 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304




OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:21Z
Check the source to verify that this is the current version before use.