MILITARY SPECIFICATION

FENTANYL CITRATE AND DROPERIDOL INJECTION

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Fentanyl Citrate and Droperidol Injection.

1.2 Classification. The injection covered by this specification shall be the following sizes: (See 6.2)

Size 1 - 5 ml
Size 2 - 2 ml

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-C-186	Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals (See 6.3).

STANDARDS

Federal

FED-STD-142	Parenteral Preparations.

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	Marking for Shipment and Storage.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:17Z
Check the source to verify that this is the current version before use.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and
Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Fentanyl Citrate and Droperidol Injection and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein:

S2. Classification. Shall be type I, class 1.

Shall be suitable for intramuscular and intravenous use.

S5.2.2 The following is added to this paragraph:

Shall be a sterile, clear, colorless solution of Fentanyl Citrate and Droperidol. Shall contain 0.05 mg Fentanyl (as the Citrate) and 2.5 mg Droperidol per ml within the designated assay limits for the injection.

Shall assay to contain not less than 90.0 percent and not more than 110.0 percent of the required amount of Fentanyl (as the Citrate) when tested as specified in 4.3.1.

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:17Z
Check the source to verify that this is the current version before use.

The Fentanyl shall be identified by the characteristics of the curve obtained in the assay (retention time).

Shall assay to contain not less than 90 percent and not more than 110.0 percent of the required amount of Droperidol when tested as specified in 4.3.2.

pH. pH of the solution shall be between 3.20 and 3.80 when determined potentiometrically at 25°C, using the USP method.

S6.2.1 Clarity of solutions. Shall be clear, colorless, and free from undissolved or particulate matter.

3.2 Ingredients.

3.2.1 Fentanyl Citrate. The Fentanyl Citrate used in the manufacture of the injection, shall be in accordance with the tests, standards, and requirements of the U.S.P., including any supplements or revisions thereto.

3.2.2 Droperidol. The Droperidol used in the manufacture of the injection, shall be in accordance with the tests, standards, and requirements of the N.F. including any supplements or revisions thereto.

3.2.3 Other ingredients. All other ingredients shall comply with S5.1 of FED-STD-142.

3.3 Expiration dating period. The expiration dating period shall be not less than 36 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:17Z
Check the source to verify that this is the current version before use.

4.2 Sampling. Sampling shall be conducted in accordance with FED-STD-142.

4.3 Tests.

4.3.1 Assay for Fentanyl Citrate. Shall be determined by an appropriate, accurate, and reproducible gas chromatographic method. The bidder or offeror shall submit with its bid or proposal the detailed proposed method of assay and identification. Assay methods shall be validated by submission of an adequate number of test results including date of assay, lot number, mg of ingredient per ml found, percentage of required amount, and statistical data including as a minimum the Standard Deviation and Relative Standard Deviation. If the method is approved and accepted by the Government, such method shall be employed in the testing of the injection, and need not be resubmitted, provided the bidder or offeror certifies that there has been no change in formulation or method of manufacture.

4.3.2 Assay for Droperidol.

Standard.

Quantitatively prepare a solution of 0.125 mg per ml of Droperidol reference standard in chloroform.

Procedure:

Transfer 5.0 ml of the sample to a 100 ml volumetric flask. Dilute to volume with purified water and mix. Concomitantly treat the sample and standard as follows:

Transfer 15.0 ml, to a 60 ml screwcapped bottle containing 10.0 ml of pH 6 buffer (prepared using 0.2M $Na_2 HPO_4$ adjust with 1N HCl), 15.0 ml of chloroform, and 10.0 ml of a freshly prepared 1 percent sodium bisulfite solution. Shake on a mechanical shaker for 15 minutes. Centrifuge, then aspirate and discard the aqueous layer. Transfer the chloroform layer to a clean beaker.

Transfer 5.0 ml of the chloroform layer to a screwcapped bottle containing 50.0 ml of 0.1M citric acid. Shake on a mechanical shaker for 30 minutes. Centrifuge and decant the citric acid layer into a clean beaker. Determine the absorbance of the citric acid layer of sample and standard at 246 nm in a suitable spectrophotometer in a 1 cm cell using 0.1M citric acid as the blank.

Calculate the percent of the required amount of Droperidol in the injection, as follows:

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:17Z
Check the source to verify that this is the current version before use.

$$\frac{Au \times Cs \times 100 \times 100}{As \times 5 \times 2.5} = \text{Percent of required amount Droperidol}$$

Where Au - Absorbance of the sample
As - Absorbance of the standard
Cs - Final concentration of the standard in mg/ml.

4.4 Examination of Preparation for Delivery. An examination shall be made to determine whether the packaging, packing, and marking comply with the requirements of Section 5. Defects shall be scored as specified in table I. Sampling shall be in accordance with MIL-STD-105. The sample unit shall be one container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The Inspection Level shall be S-2 and the acceptable quality level shall be 4.0 defects per hundred units. For labeling, the acceptance number shall be zero.

Table I. Examination of Preparation for Delivery

Examination	Defect
Containers	Not as specified.
Quantity	Quantity in interior packages and shipping containers not as specified.
Packaging and Packing Materials	Any component missing or damaged.
Workmanship	Inadequate application of components such as incomplete closure of container flaps, tape improperly applied, or containers distorted.
Markings	Omitted, incorrect, illegible, improper size, location, sequence, or method of application.

5. PREPARATION FOR DELIVERY

5.1 Preparation for delivery shall be in accordance with all applicable requirements of PPP-C-186 (See 6.3) and as specified herein.

5.2 Packaging. Packaging shall be Level A or C as specified (see 6.1).

5.2.1 Unit of issue. One package containing ten (10) immediate containers as specified, constitutes one unit of issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:17Z
Check the source to verify that this is the current version before use.

5.2.2 Level A.

5.2.2.1 Immediate container. Immediate container shall be a commercially available immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. Each unit (10 immediate containers) shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Thirty-six units of issue shall be packaged as specified in 5.2.7.1 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. Four intermediate packages (144 units) shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Four intermediate packages (144 units) shall be packed as specified in 5.4.3.1.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below.

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:17Z
Check the source to verify that this is the current version before use.

5.4.1.2 Unit package. Each unit package label shall bear the following:

(a) labeling information in accordance with commercial practice.
(b) the national stock number.

Notes: (1) The national stock number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type II shelf life markings shall be shown as specified in MIL-STD-129. Marking shall include the legends:

"DO NOT PERMIT TO FREEZE"

AND

"STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F.)"

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type II shelf life marking shall be shown as specified in MIL-STD-129.

"DO NOT PERMIT TO FREEZE"

AND

"STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F.)"

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock No.	Item Identification
6505-01-010-4168	FENTANYL CITRATE AND DROPERIDOL INJECTION, 5 ml, 10s, Size 1
6505-01-010-4169	FENTANYL CITRATE AND DROPERIDOL INJECTION, 2 ml, 10s, Size 2

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:17Z
Check the source to verify that this is the current version before use.

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superceded by a revision.

6.4 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1406
cs

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:17Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-F-37252 FENTANYL CITRATE AND DROPERIDOL INJECTION

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:17Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, Pa. 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:17Z
Check the source to verify that this is the current version before use.