MIL-F-37274A
7 September 1976
SUPERSEDING
MIL-F-37274
18 July 1975

MILITARY SPECIFICATION

FLUOROMETHOLONE OPHTHALMIC SUSPENSION

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Fluorometholone Ophthalmic Suspension (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals (see 6.3).

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq., Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 S. 20th St. Phila. PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:20Z
Check the source to verify that this is the current version before use.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be an ophthalmic suspension of fluorometholone, 0.1%.

3.1.1 pH. Shall have a pH of 7.0 to 7.5 using the USP method.

3.1.2 Identification. The suspension shall comply with the identity test as specified in 4.5.1.

3.1.3 Assay. Shall assay to contain not less than 100.0% and not more than 120.0% of the required amount of fluorometholone as determined in 4.5.2.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:20Z
Check the source to verify that this is the current version before use.

3.2 Ingredients. All ingredients entering into the manufacture of the product shall be of USP or NF quality, or, if not included in either of these compendia, they shall be of the highest pharmaceutical grade.

3.3 Expiration dating period. The expiration dating period shall be 24 months.

3.4 Delivery. Not more than 3 months shall elapse from the expiration dating period to the date of delivery to the Government.

3.5 Workmanship. Workmanship shall be first class throughout. The material and its containers shall be free from defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:20Z
Check the source to verify that this is the current version before use.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quantity of suspension produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

TABLE I. Sampling

For visual examination	Inspection level	AQL (percent defective)	Unit of product
Major	S-2	1.0	Immediate container
Minor	II	2.5	Immediate container

4.3.1 For raw material and end item testing. Noncompliance with any of the following is cause for rejection.

TABLE II. Criteria for raw material and end item testing.

Characteristic	Requirement paragraph	Inspection level 1/	Minimum sample
pH	3.1.1	S-2	5
Identification	3.1.2	S-2	5
Assay	3.1.3	S-2	5

1/ Where possible, the sample shall be used for two or more tests.

4.4 Examination. The finished suspension shall be examined to determine compliance with all requirements of this specification. Nonconformance will be permitted to the extent indicated in 4.3 and 4.3.1.

4.4.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects:

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:20Z
Check the source to verify that this is the current version before use.

TABLE III. Classification of defects.

Categories	Defects 1/
Major	
101	Suspension not free from foreign matter.
102	Suspension has crystal formation.
103	Suspension not homogeneous.
Minor	
201	Exterior and immediate container not free from contents or foreign matter.
202	Label not free from defacing marks and tears.

1/ Inspection is not restricted to the classified possible defects listed above.

4.5 Tests.

4.5.1 Identification.

Standard Preparation:

Dissolve 50 mg of fluorometholone, NF, reference standard in enough 3:2 methanol: water to make 100 ml.

Sample Preparation:

Pipet 1 ml of the sample into a test tube containing 2 ml of 3:2 methanol: water, mix well.

Procedure:

Activate a chromatogram plate (0.25 mm silica gel with UV indicator on plastic or equivalent) for 5 minutes at 80° C and cool to room temperature.

Spot after activating 50 µl of the sample and standard solutions on the plate two times. Air dry the spots, the distance from the spots to the edge of the plate should be 1 inch or more.

Develop the plate in a chamber containing 4:1 methylene chloride:acetone. Allow the solution to move up the plate at least 15 cm, remove and allow to dry.

Examine the plate using a short wave UV light source. Identify the spots and calculate the Rf values. The Rf values should be the same and only one spot should be visible for each spot applied.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:20Z
Check the source to verify that this is the current version before use.

4.5.2 Fluorometholone.

Procedure:

1. Standard Preparation.

Accurately weigh about 50 mg of fluorometholone, NF, reference standard into a 500 ml volumetric flask, dissolve and q.s. with 3:2 methanol:water. Pipet 10.0 ml of this solution into a 100 ml volumetric flask and q.s. with 3:2 methanol:water.

2. Sample Preparation.

Pipet 1.0 ml of sample into a 100 ml volumetric flask. q.s. with 3:2 methanol:water and mix well.

3. Using a suitable spectrophotometer, determine the maximum absorbance of the standard and sample preparation at 240 nm $\pm$ 1 nm with 3:2 methanol:water as a blank.

Calculation:

$$\frac{Au}{As} \times Cs \times \frac{100}{1} \times 100 = \% \text{ of the required amount of fluorometholone}$$

Where:

Au = absorbance of sample preparation
As = absorbance of standard preparation
Cs = concentration of the final standard solution

4.6 Examination of preparation for delivery. An examination shall be made to determine whether the packaging, packing, and marking comply with the requirements of Section 5. Defects shall be scored as specified in table IV. Sampling shall be in accordance with MIL-STD-105. The sample unit shall be one container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The inspection level shall be S-2 and the acceptable quality level shall be 4.0 defects per hundred units.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:20Z
Check the source to verify that this is the current version before use.

TABLE IV. Examination of preparation for delivery 1/

Examination	Defect
Containers	Not as specified.
Quantity	Quantity in interior packages and shipping containers not as specified.
Packaging and packing materials	Any component missing or damaged.
Workmanship	Inadequate application of components such as incomplete closure of container flaps, tape improperly applied, or containers distorted.
Markings	Omitted, incorrect, illegible, improper size, location, sequence, or method of application.

1/ The above examination is only applicable to the unit, intermediate and exterior containers.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (see 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One bottle containing 5 ml of suspension, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. Immediate container shall be a commercially available dropper-tip immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, each unit may be packaged as specified in 5.2.5 of PPP-C-186.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:20Z
Check the source to verify that this is the current version before use.

5.2.2.3 Intermediate package. Twelve (12) units of issue shall be packaged as specified in 5.2.7.1 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Four hundred thirty-two (432) units of issue shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Four hundred thirty-two (432) units of issue shall be packed as specified in 5.4.3.1.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below.

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the national stock number.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:20Z
Check the source to verify that this is the current version before use.

Notes: (1) The national stock number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied, the national stock number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type I shelf life markings shall be shown as specified in MIL-STD-129. Marking shall include the legend: "DO NOT PERMIT TO FREEZE".

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type I shelf life marking shall be shown as specified in MIL-STD-129. Marking shall include the legend: "DO NOT PERMIT TO FREEZE".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock No.	Item Identification
6505-00-138-9875	FLUOROMETHOLONE OPHTHALMIC SUSPENSION, 0.1%, 5 ml

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

Custodians:
Army - MD
Navy - MS
Air Force-03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1619

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:20Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. *DoD contractors*, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any *portion* of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-F-37274A FLUOROMETHOLONE OPHTHALMIC SUSPENSION

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT *CREATED PROBLEMS OR REQUIRED INTERPRETATION* IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:20Z
Check the source to verify that this is the current version before use.