MILITARY SPECIFICATION

GUAIFENESIN SYRUP, N.F.

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Guaifenesin Syrup, N.F.

1.2 Classification. The syrup covered by this specification shall be the following sizes (See 6.2):

Size 1 - 4 fl. oz. (118 ml)
Size 2 - 1 gal. (3.78 liters)

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-C-186	Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals (See 6.3).

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:23Z
Check the source to verify that this is the current version before use.

STANDARDS

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and
Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:23Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Material. Shall be Guaifenesin Syrup, N.F., and shall contain 100 mg of guaifenesin per 5 ml, within the applicable assay limits for the syrup.

3.1.1 Alcohol content. The alcohol content of the finished preparation shall be within the applicable assay limits for the syrup.

3.1.2 Additives. The coloring, flavoring and sweetening agents and preservatives used in the syrup shall be in the amounts approved by the Federal Food and Drug Administration.

3.2 Flavor and palatability. The finished syrup shall be palatable and pleasant to the taste with no unpleasant after-taste. Not later than the time specified for opening of bids or receipt of proposals, the offeror shall submit to the contracting officer six (6) individually packaged samples (each containing 4 fl oz) of the finished syrup, representative of the product which the offeror proposes to furnish. Two (2) samples will be subjected to panel testing for a determination of palatability (see 4.4.2 - Palatability test). The remaining samples will be used by cognizant Government inspection and quality assurance activities for determining compliance of supplies furnished hereunder with the palatability requirement. Approval as to palatability of any sample submitted by the offeror will not constitute approval of the sample as to any other requirement of this specification. The requirement for submission of samples for use in determining compliance with the palatability requirement may be waived, provided the offeror states, in his bid or proposal, that the product he proposes to furnish is the same product he has offered to the purchasing activity on a previous procurement and the contracting officer determined that such product was previously procured and/or tested by the purchasing activity and found to comply with the palatability requirement.

3.3 Ingredients.

3.3.1 Guaifenesin. The guaifenesin used in the preparation of the syrup shall be in accordance with the tests, standards, and requirements of the N.F., including any supplements or revisions thereto.

3.3.2 Alcohol. The alcohol used in the preparation of the syrup shall be in accordance with the tests, standards, and requirements of the U.S.P., including any supplements or revisions thereto.

3.3.3 Other ingredients. All other ingredients entering into the finished syrup shall be of U.S.P. or N.F. quality or, if not included in either of these compendia, the ingredients shall be suitable for use in this preparation.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:23Z
Check the source to verify that this is the current version before use.

3.4 Expiration dating period. The expiration dating period shall be 60 months.

3.4.1 Delivery. Not less than 56 months of the expiration dating period shall remain at the time of delivery to the Government.

3.5 Workmanship. The material and its containers shall be free from defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:23Z
Check the source to verify that this is the current version before use.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quantity of syrup produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

Table I. Sampling.

For visual examination	Inspection level	AQL (percent defective)	Unit of product
Major	S-2	1.0	Immediate container
Minor	II	2.5	Immediate container

4.3.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects:

Table II. Classification of defects.

	Categories and defects 1/
Major	
101	Syrup not free from foreign matter.
102	Syrup has crystal formation.
103	Syrup not homogeneous.
Minor	
201	Exterior of immediate container is not free from contents or foreign matter.
202	Label not free from defacing marks and tears.

1/ Inspection is not restricted to the classified possible defects listed above.

4.4 Tests.

4.4.1 Tests. Tests shall be performed to determine compliance with all requirements of this document and all referenced documents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:23Z
Check the source to verify that this is the current version before use.

4.4.2 Palatability test. A taste panel consisting of 10 members will be used to determine acceptability of samples. Samples will be prepared for testing (samples will be tested undiluted unless otherwise specified in this document, coded, and served to panel members under controlled serving conditions, e.g., all samples will be of the same amount, and served at the same temperature; each panel member will receive an equal number of samples; the order of service will be varied among panel members; an interval of at least five (5) minutes will elapse between successive samples and panel members will rinse their mouths with water (room temperature) after each panel; panel members will test without interference either from each other or from outsiders. The product offered shall be rated equal to or better than the Palatability Standard 1/, when determined by the taste panel, using the following 9-point hedonic rating scale. The average rating of the sample shall be equal to or greater than the average rating of the standard, similarly prepared and tested:

1	2	3	4	5	6	7	8	9
Dislike extremely	Dislike very much	Dislike moderately	Dislike slightly	Neither like nor dislike	Like slightly	Like moderately	Like very much	Like extremely

1/ The sizes 1 and 2 Palatability Standard is available upon separate request to the contracting officer, from the Defense Personnel Support Center, Directorate of Medical Materiel.

4.5 Examination for preparation for delivery. An examination shall be made to determine whether the packaging, packing, and marking comply with the requirements of Section 5. Defects shall be scored as specified in Table III. Sampling shall be in accordance with MIL-STD-105. The sample unit shall be one container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The inspection level shall be S-2 and the acceptable quality level shall be 4.0 defects per hundred units. The acceptance number for labeling shall be zero.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:23Z
Check the source to verify that this is the current version before use.

Table III. Examination for Preparation for Delivery 1/

Examination	Defect
Containers	Not as specified.
Quantity	Quantity in interior packages and shipping containers not as specified.
Packaging and Packing Materials	Any component missing or damaged.
Workmanship	Inadequate application of components, such as incomplete closure of container flaps, tape improperly applied, or containers distorted.
Markings	Omitted, incorrect, illegible, improper size, location, sequence, or method of application.

1/ The above examination is only applicable to the unit, intermediate and exterior containers.

5. PREPARATION FOR DELIVERY

5.1 Preparation for delivery shall be in accordance with all applicable requirements of PPP-C-186 (See 6.3) and as specified herein.

5.1.1 Unit of issue. One bottle containing 4 fl. oz. or 1 gal. constitutes one unit of issue.

5.2 Packaging. Packaging shall be level A or C as specified (see 6.1).

5.2.1 Level A.

5.2.1.1 Immediate container: Size 1 and Size 2. The immediate container for Size 1 and Size 2 shall be a commercially available container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:23Z
Check the source to verify that this is the current version before use.

5.2.1.2 Unit package.

5.2.1.2.1 Size 1. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each unit shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.1.2.2 Size 2. Each immediate container shall be packaged as specified in 5.2.10 of PPP-C-186.

5.2.1.3 Intermediate package. Twenty-four (24) units of issue of size 1 shall be packaged as specified in 5.2.8 of PPP-C-186.

5.2.2 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. Ninety-six (96) units of issue of size 1 or four (4) units of issue shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Ninety-six (96) units of issue of size 1 shall be packed as specified in 5.4.3.2 of PPP-C-186 or four (4) units of issue of size 2 shall be packed as specified in 5.4.3.4 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below.

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:23Z
Check the source to verify that this is the current version before use.

5.4.1.2 Unit package. Each unit package label shall bear the following:

(a) labeling information in accordance with commercial practice.
(b) the national stock number.

Notes: (1) The National Stock Number shall not be preceded by any prefix.

(2) Strip labeling may be used.

(3) Label adhesion test shall not apply.

(4) If a unit package is not supplied for size 1, the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type II shelf life markings shall be shown as specified in MIL-STD-129. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F.)."

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type II shelf life marking shall be shown as specified in MIL-STD-129. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F.)."

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:23Z
Check the source to verify that this is the current version before use.

6.2 This specification covers the following item(s):

National Stock No.	Item Identification
6505-00-064-8765	GUAIFENESIN SYRUP, NF, 100 mg per 5 ml, 4 fl. oz. (118 ml)
6505-00-079-6269	GUAIFENESIN SYRUP, NF, 100 mg per 5 ml, 1 gal. (3.78 liters)

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

6.4 This specification does not cover all types, calsses, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procrued to meet Military requirements.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing acitvity:
Defense Supply Agency - DM

Project No. 6505-1443
CS

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:23Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA. 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:23Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-G-37297 GUAIFENESIN SYRUP, NF

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

☆ GPO: 1974— 603-680/ 6126 2-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:23Z
Check the source to verify that this is the current version before use.