MIL-M-37255A
15 April 1976
SUPERSEDING
MIL-M-37255
26 June 1975

MILITARY SPECIFICATION

MUMPS VIRUS VACCINE, LIVE, U.S.P.

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Mumps Virus Vaccine, Live, U.S.P. (See 6.2)

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-B-566	Box, Folding, Paperboard.
PPP-B-636	Box, Fiberboard.
PPP-B-676	Box, Setup.
PPP-C-186	Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (See 6.3)

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

STANDARDS

Federal

FED-STD-142	Parenteral Preparations.

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Mumps Virus Vaccine, Live, U.S.P., with separate, prefilled disposable syringe needle units.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

3.1.1 Mumps Vaccine, Live, U.S.P. Shall be in accordance with the applicable requirements of the Bureau of Biologics - Food and Drug Administration, and the applicable requirements of FED-STD-142, and as specified herein:

S2. Classification. Shall be type IV, class 2, style A.

S5.4 Shall be stabilized, lyophilized vaccine, chick cell tissue culture origin, containing a live, highly attenuated mumps virus of the Jeryl Lynn (B level) strain.

The residual moisture in the lyophilized product shall be not more than 2.0 percent, when determined by the Bureau of Biologics method.

S6.1.3 Added substances. Shall contain no preservatives or other antiviral substance which might inactivate the vaccine.

S6.4 Dry solids in final container. Delete in its entirety and substitute:

"S6.4 Dry solids in final container. The dry solids in each vial shall be of sufficient quantity for the administration of one individual dose, when reconstituted."

3.1.2 Diluent (Sterile Water for Injection, U.S.P.). A prefilled, disposable, syringe needle unit complete with 25 gauge, 5/8 inch needle and plunger, containing Sterile Water for Injection, U.S.P., shall accompany each vial of vaccine.

3.1.2.1 Shall be Sterile Water for Injection, U.S.P., and shall be in accordance with all applicable requirements of FED-STD-142 and as specified herein:

S2. Classification. Shall be type I, class 1.

S6.1.3 Added substances. Shall contain no preservatives or other antiviral substances which might activate the vaccine.

S6.3 Volume in final container. Each syringe shall be prefilled with 0.7 ml of the required diluent.

The syringe shall be prefilled with the required volume of Sterile Water for Injection, U.S.P., for reconstituting the dehydrated vaccine and for adminstering the vaccine.

Source: https://assist.dla.mil -- Downloaded: 20261O-21T10:18Z
Check the source to verify that this is the current version before use.

3.2 Add the following new paragraph to FED-STD-142:

"S6.9.5 Samples of parenterals shall be submitted as follows:

"The quality assurance representative, when inspection is at source, or the contractor, when inspection is at destination, shall send the following by fastest route directly to:

Department of Biologics Research
Division of Disease and Immunology
Walter Reed Army Institute of Research
Walter Reed Army Medical Center
Washington, DC 20012

"(1) Six (6) samples (complete unit packages with circulars) from each lot or batch, accompanied by appropriate document bearing the following information:

(a) National Stock No.
(b) Item Identification
(c) Contract number
(d) Contractor's name and address
(e) Lot or control number
(f) Quantity of material represented by the sample

"(2) One (1) copy of the protocol which the manufacturer had submitted to Bureau of Biologics stating the essential manufacturing processes and results of tests for each lot or batch.

"(3) One (1) copy of the Bureau of Biologics release from each lot or batch.

"Shipment of material shall not be withheld for a report from Walter Reed Army Institute of Research.

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:18Z
Check the source to verify that this is the current version before use.

"When inspection is made at source, the cognizant quality assurance representative shall submit one (1) copy of the Bureau of Biologics release and certificate of sterility from each lot or batch, and two (2) copies of document, submitted with samples, directly to the Directorate of Medical Materiel, Technical and Quality Assurance Division, Defense Personnel Support Center, Attention: Quality Assurance Branch, 2800 South 20th Street, Philadelphia, PA 19101.

"When inspection is made at destination, the contractor shall submit one (1) copy of the Bureau of Biologics release and certificate of sterility for each lot or batch, and two (2) copies of document submitted with samples, directly to the Defense Personnel Support Center, addressed as shown above, and one (1) copy of the Bureau of Biologics release shall also be forwarded with the shipment to the consignee."

3.3 Expiration dating period. The expiration dating period shall be 12 months. Not less than 8 months of the expiration dating period shall remain at time of delivery to the Government.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use hisn own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

Source: https://assist.dla.mil -- Downloaded: 20261O-21T10:18Z
Check the source to verify that this is the currentversion before use.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling and examination. The sampling and examination as shown in FED-STD-142 shall be applicable.

4.3 Tests. Tests shall be performed to determine compliance with all referenced documents.

4.4 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.5 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (see 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C as specified (see 6.1).

5.2.1 Unit of issue. One package containing one vial of vaccine and one prefilled disposable syringe of diluent, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available vial considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. One vial of vaccine along with one prefilled disposable syringe shall be packaged as specified in 5.2.5 of PPP-C-186.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

5.2.2.3 Intermediate package. Ten unit packages shall be packaged in a snug-fitting box constructed in accordance with PPP-B-566, PPP-B-636, class domestic or PPP-B-676. Closure shall be adequate to prevent accidental opening.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B, or C as specified (see 6.1).

5.3.1 Level A. Twenty-four intermediate packages (240 units) shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Twenty-four intermediate packages (240 units) shall be packed in an exterior container as specified in 5.4.3.1.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the expiration date.

Source: https://assist.dla.mil -- Downloaded: 202640-21T10:18Z
Check the source to verify that this is the currentversion before use.

5.4.1.2 Unit packages. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.

5.4.2 Intermediate package. Each intermediate package shall be marked in accordance with MIL-STD-129 except that the date packed shall not be required. Lot (control) number, contract or purchase order number and name of contractor shall be shown. Type I Shelf life marking as specified in MIL-STD-129 shall also be shown. Marking shall include the legend:

"STORE BETWEEN 2° - 8° (35° - 46°F)"

5.4.3 Exterior container. Exterior containers shall be marked in accordance with MIL-STD-129 except that the date packed shall not be required. Type I Shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the lot (control) number and the following legends:

"STORE BETWEEN 2° - 8°C (35° - 46°F)"

NOTE: Shipping instructions. Material shall be shipped under constant refrigeration.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock No.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item:

National Stock Number	Item Identification
6505-00-142-9203	MUMPS VIRUS VACCINE, LIVE, USP, Jeryl Lynn (B level) Strain, Lyophilized, Equivalent to 0.5 ml, Single Dose

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:18Z
Check the source to verify that this is the current version before use.

6.3 All reference to PPP-C-186 refers to PPP-C-00186B which is mandatory for use until superseded by a revision.

6.4 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1565

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-M-37255A MUMPS, VIRUS VACCINE, LIVE, U.S.P.

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA. 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.