MIL-N-37283A
21 October 1976

SUPERSEDING
MIL-N-37283
22 July 1975

MILITARY SPECIFICATION

# NORGESTREL AND ETHINYL ESTRADIOL TABLETS, USP

This specification is approved for use by all Departments and Agencies of the Deparment of Defense.

## 1. SCOPE

1.1 Scope. This specification covers Norgestrel and Ethinyl Estradiol Tablets, USP.

1.2 Classification. The tablets covered by this specification shall be of the following strengths (See 6.2):

Strength 1 - 0.3 mg Norgestrel and 0.03 mg Ethinyl Estradiol
Strength 2 - 0.5 mg Norgestrel and 0.05 mg Ethinyl Estradiol

## 2. APPLICABLE DOCUMENTS

2.1 Issues of Documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

Benefical comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:21Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS

FEDERAL

PPP-B-566 - Box, Folding, Paperboard
PPP-B-585 - Box, Wood, Wirebound
PPP-B-601 - Box, Wood, Cleated-Plywood
PPP-B-621 - Box, Wood, Nailed and Lock-Corner
PPP-B-636 - Box, Fireboard
PPP-C-00186 - Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals

MILITARY

MIL-L-10547 - Liners, Case, and Sheet, Overwrap; Water-Vaporproof or Waterproof, Flexible

STANDARDS

FEDERAL

FED-STD-140 - Tablets (for Medicinal Purposes).

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129 - Marking for Shipment and Storage

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:21Z
Check the source to verify that this is the current version before use.

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Norgestrel and Ethinyl Estradiol Tablets, USP, and shall be in accordance with all applicable requirements of FED-STD-140, and as specific herein:

S2. Classification. Shall be type I, class 1.

S5.2 The following is added to this paragraph:

Each strength 1 tablet shall contain the following within the applicable assay limits:

Norgestrel ----------0.3 mg
Ethinyl Estradiol --------0.03 mg

Each strength 2 tablet shall contain the following within the applicable assay limits:

Norgestrel ----------0.5 mg
Ethinyl Estradiol --------0.05 mg

3.2 Expiration dating period. The expiration dating period for strength 2 shall be 60 months, and the expiration dating period for strength 1 shall be not less than 36 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract of order, the supplier may use his own or any other facilities suitable for the performance or the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:21Z
Check the source to verify that this is the current version before use.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient (s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. The sampling as shown in FED-STD-140 shall be applicable.

4.3 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

4.4 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.5 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable paragraphs of PPP-C-186 and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (See 6.1).

5.2.1 Unit of issue. One box containing three filled plastic platforms and one case holder, as specified, constitutes one unit of issue.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:21Z
Check the source to verify that this is the current version before use.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall contain 21 tablets and shall be a commercially available blister-type rectangular package fitted into a plastic platform imprinted with weekdays as a recording aid to the patient. The immediate container shall be considered acceptable to the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. The plastic platform with tablets shall be packaged in a plastic case holder.

5.2.2.2 Unit package. One plastic holder containing one platform with tablets, and two additional plastic platforms with tablets shall be packaged in a box of appropriate size constructed in accordance with PPP-B-566. Three patient circulars shall be placed in the box. A physician's circular shall be placed in the box or folded over the end of the carton and held in place by a printed open-end newsboard sleeve.

5.2.2.3 Intermediate package. Twelve (12) unit packages shall be packaged in a newsboard folding box. Closure shall be adequate to prevent accidental opening.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. One hundred forty-four (144 units) shall be packed in an exterior container designed for a type 2 load and constructed in accordance with PPP-B-585, class 3, style 3; PPP-B-601, overseas type; PPP-B-621, class 2; or PPP-B-636, class weather-resistant, grade V3. Closure and strapping shall be as specified in the appendix of the applicable box specification.

5.3.1.1 Case liner. Each level A box shall be lined with a waterproof case liner conforming to MIL-L-10547. Closure and sealing shall conform to applicable paragraphs of appendix thereto. Case liner shall not be required for fiberboard boxes. Fiberboard boxes shall be waterproofed as specified in the appendix of PPP-B-636.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:21Z
Check the source to verify that this is the current version before use.

5.3.2 Level B. One hundred forty-four (144) units shall be packed in a corrugated fiberboard box of appropriate size and design, 175 pound test "C" flute. A corrugated top and bottom pad shall be furnished. Closure of box shall be in accordance with Method II of PPP-B-636.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosemetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commerical practice.

(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Labeling adhesion test shall not apply.

5.4.2 Intermediate package. Each intermediate package shall be marked in accordance with 5.5.3 of PPP-C-186. Type II Shelf Life marking as specified in MIL-STD-129 shall be shown. Marking shall also include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15°- 30°C (59°-86°F)".



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:21Z
Check the source to verify that this is the current version before use.

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type II Shelf Life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15°-30°C (59°-86°F)".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item(s):

| National Stock No. | Item Identification | Specification Designation |
|---|---|---|
| 6505-00-145-0429 | NORGESTREL AND ETHINYL ESTRADIOL TABLETS, USP, 63s | Strength 2 |
| 6505-01-019-8002 | NORGESTREL AND ETHINYL ESTRADIOL TABLETS, USP, 63s | Strength 1 |

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1622



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:21Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-N-37283A NORGESTREL AND ETHINYL ESTRADIOL TABLETS, USP

| NAME OF ORGANIZATION AND ADDRESS | CONTRACT NUMBER |
|---|---|
| | MATERIAL PROCURED UNDER A<br>☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT |

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

| SUBMITTED BY *(Printed or typed name and address - Optional)* | TELEPHONE NO. |
|---|---|
| | DATE |

**DD FORM 1 JAN 72 1426** REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:21Z
Check the source to verify that this is the current version before use.