MILITARY SPECIFICATION

TRIPROLIDINE HYDROCHLORIDE AND PSEUDOEPHEDRINE HYDROCHLORIDE SYRUP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Triprolidine Hydrochloride and Pseudoephedrine Hydrochloride Syrup.

1.2 Classification. The syrup covered by this specification shall be the following sizes (see 6.2):

Size 1 - 1 pt (473 ml)
Size 2 - 4 fl oz (118 ml)

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-B-636	Box, Fiberboard.
PPP-C-186	Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals (see 6.3).

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

STANDARDS

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Material. Shall be palatable syrup containing 1.25 mg of Triprolidine Hydrochloride and 30 mg Pseudoephedrine Hydrochloride in each 5.0 ml within the designated assay limits for the syrup. The syrup shall contain suitable preservatives.

3.1.1 Assay. The syrup shall assay to contain not less than 90.0 percent and not more than 110.0 percent of the required amounts of Triprolidine Hydrochloride (1.25 mg) and Pseudoephedrine Hydrochloride (30 mg) in each 5 ml, when assayed by an appropriate, accurate, and reproducible method.

3.1.2 pH. The pH of the undiluted syrup shall be not less than 6.50 and not more than 7.20 at 25° C., when determined potentiometrically, using the U.S.P. method.

3.1.3 Specific gravity. The specific gravity of the syrup shall be not less than 1.270 and not more than 1.300 at 25° C., when determined using a pycnometer or a specific gravity balance.

3.1.4 Identification. Shall compare qualitatively to the standard infrared absorption curve of Triprolidine Hydrochloride and Pseudoephedrine Hydrochloride Syrup as kept on file by the manufacturer. The curves (graphs) of the standard and sample shall be obtained under identical conditions. A copy of the standard infrared curve (graph) shall be submitted by the contractor, and shall be kept on file in the Technical & Quality Assurance Division, Directorate of Medical Materiel, Defense Personnel Support Center, for use if samples are submitted.

3.1.5 Palatability. The finished syrup shall be palatable and pleasant to the taste with no unpleasant aftertaste. Not later than the time specified for opening the bids or receipt of proposals, the offeror shall submit to the contracting officer, twelve individually packaged samples (each containing 4 fl oz) of Triprolidine Hydrochloride with Pseudoephedrine Hydrochloride Syrup, representative of the product which the offeror proposes to furnish. Two (2) samples will be subjected to panel testing for a determination of palatability (see 4.3.1 Palatability Test). The remaining samples will be used by cognizant Government inspection and quality assurance activities for determining compliance of supplies furnished hereunder with

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

the palatability requirement. Approval as to palatability of any sample submitted by the offeror will not constitute approval of the sample as to any other requirement of this specification. The requirement for submission of samples for use in determining compliance with the palatability requirement may be waived, provided the offeror states, in his bid or proposal, that the product he proposes to furnish is the same product he has offered to the purchasing activity on a previous procurement and the contracting officer determines that such product was previously procured and/or tested by the purchasing activity and found to comply with the palatability requirement.

3.2 Ingredients. The Triprolidine Hydrochloride and Pseudoephedrine Hydrochloride shall be of N.F. quality. All other ingredients entering into the finished syrup shall be of U.S.P. or N.F. quality, or, if not included in either of these compendia, the ingredients shall be of the highest pharmaceutical grade.

3.3 Expiration dating period. The expiration dating period shall be not less than 24 months.

3.3.1 Delivery. Not more than 3 months of the expiration dating period shall have elapsed at the time of delivery to the Government.

3.4 Workmanship. The material and its containers shall be free from defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quantity of syrup produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

Table I. Sampling

For visual examination	Inspection level	AQL (percent defective	Unit of product
Major	S-2	1.0	Immediate container
Minor	II	2.5	Immediate container

4.3.1 For raw material and end item testing. Noncompliance with any of the following is cause for rejection.

Table II. For raw material and end item testing

Characteristic	Requirement paragraph	Inspection level*	Minimum sample
Assay	3.1.1	S-2	5
pH	3.1.2	S-2	5
Specific gravity	3.1.3	S-2	5 composite
Identification	3.1.4	S-2	5
Palatability	3.1.5	-	-

* Where possible, the sample shall be used for two or more tests.

4.4 Examination. The finished syrup shall be examined to determine compliance with all requirements of this specification. Nonconformance will be permitted to the extent indicated in 4.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

4.4.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects:

Categories and defects*

Major
101 Syrup not free from foreign matter.
102 Syrup has crystal formation.
103 Syrup not homogeneous.

Minor
201 Exterior of immediate container is not free from contents and foreign matter.
202 Label not free from defacing marks and tears.

* Inspection is not restricted to the classified possible defects listed above.

4.5 Tests.

4.5.1 Palatability test. A taste panel consisting of 10 members will be used to determine acceptability of samples. Samples will be prepared for testing (samples will be tested undiluted), coded, and served to panel members under controlled serving conditions, e.g., all samples will be of the same amount, and served at the same temperature; each panel member will receive an equal number of samples; the order of serving will be varied among panel members; an interval of at least five (5) minutes will elapse between successive samples and panel members will rinse their mouths with water (room temperature) after each sample; panel members will test without interference either from each other or from outsiders. The product offered shall be rated equal to or better than the Palatability Standard*, when determined by taste panel, using the following 9-point hedonic rating scale. The average rating of the sample shall be equal to or greater than the average rating of the standard, similarly prepared and tested.

1	2	3	4	5	6	7	8	9
Dislike Extremely	Dislike very much	Dislike moderately	Dislike slightly	Neither like nor dislike	Like slightly	Like moderately	Like very much	Like extremely

* The Palatability Standard is available, upon separate request to the contracting officer.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

4.6 Examination of preparation for delivery. An examination shall be made to determine whether the packaging, packing, and marking comply with the requirements of Section 5. Defects shall be scored as specified in Table III. Sampling shall be in accordance with MIL-STD-105. The sample unit shall be one container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The inspection level shall be S-2 and the acceptable quality level shall be 4.0 defects per hundred units. For labeling, the acceptance number shall be zero.

Table III. Examination of preparation for delivery

Examination	Defect
Containers	Not as specified.
Quantity	Quantity in interior packages and shipping containers not as specified.
Packaging and Packing Materials	Any component missing or damaged.
Workmanship	Inadequate application of components such as incomplete closure of container flaps, tape improperly applied, or containers distorted.
Markings	Omitted, incorrect, illegible, improper size, location, sequence, or method of application.

NOTE: The above examination is only applicable to the unit, intermediate and exterior containers.

5. PREPARATION FOR DELIVERY

5.1 Preparation for delivery shall be in accordance with all applicable paragraphs of PPP-C-186 and as specified herein.

5.2 Packaging. Packaging shall be level A or C as specified (see 6.1).

5.2.1 Unit of issue. One bottle containing 4 fl oz (118 ml) or 1 pt (473 ml), as specified, constitutes one unit of issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available bottle considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. Bottles containing 4 fl. oz. (118 ml) shall be provided with child-proof safety closure.

5.2.2.2 Unit package. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each unit shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve units containing size 2 material shall be packaged as specified in 5.2.8 of PPP-C-186. An intermediate package shall not be required for size 1 material.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. Twelve units of size 1 or four intermediate packages (48 units) of size 2 material shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B.

5.3.2.1 Size 1. Twelve units shall be packed in an exterior container constructed in accordance with PPP-B-636, type CF, class domestic and having a minimum bursting strength test of 275 pounds. The box shall include liner, partitions, and top and bottom pads.

5.3.2.1.1 Partitions. Partitions shall be full or shoulder height, half-slotted style and fabricated of double-faced corrugated fiberboard having a minimum bursting strength of 200 pounds. The partitions shall form an individual snug-fitting cell for each immediate container. When unit boxes are used, partitions shall not be required. Partitions shall not be required when plastic bottles are used.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

5.3.2.1.2 Liners. Liners shall be one piece, covering the sides and ends of the box and fabricated of double-faced corrugated fiberboard having a minimum bursting strength test of 200 pounds. The liner shall be the same height as the bottles.

5.3.2.1.3 Pads. Top and bottom pads shall be fabricated of the same material as the liner and not more than 1/8 inch less than the inside length and width of the box. Pads shall be positioned on top and bottom of the liner and partitions.

5.3.2.1.4 Closure. Closure of the box shall conform to method II as specified in PPP-B-636.

NOTE: Liners and pads shall not be required when unit packages conforming to PPP-B-636 are used.

5.3.2.2 Size 2. Four intermediate packages (48 units) shall be packed in an exterior container as specified in 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

5.4.1.2 Unit package. Each unit package label shall bear the following:

(a) labeling information in accordance with commercial practice.
(b) the National Stock Number.

Notes:

(1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Labeling adhesion test shall not apply.
(4) If a unit package is not supplied, the National Stock Number shall appear on the immediate container.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type II Shelf Life Marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F)".

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type II Shelf Life Marking as specified in MIL-STD-129 shall be shown: "STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F)".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock No.	Item Identification
6505-00-753-9612	TRIPROLIDINE HYDROCHLORIDE AND PSEUDOEPHEDRINE HYDROCHLORIDE SYRUP, 1 pt (473 ml), Size 1
6505-00-782-6761	TRIPROLIDINE HYDROCHLORIDE AND PSEUDOEPHEDRINE HYDROCHLORIDE SYRUP, 4 fl oz (118 ml), Size 2

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

6.4 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1412
cs

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA. 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-T-37260 TRIPROLIDINE HYDROCHLORIDE AND PSEUDOEPHEDRINE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:18Z
Check the source to verify that this is the current version before use.