METRIC

A-A-59580A
11 April 2005
SUPERSEDING
A-A-59580
8 February 2001

COMMERCIAL ITEM DESCRIPTION

LIMESTONE, PULVERIZED

The General Services Administration has authorized the use of this commercial item description for all federal agencies.

1. SCOPE. This commercial item description (CID) covers one grade of pulverized limestone. The pulverized limestone shall be intended for use as a coagulant aid in military water purification equipment.

2. CLASSIFICATION. The pulverized limestone shall be a 50-pound bag unless otherwise specified in the acquisition order (see 7.4(b)).

3. SALIENT CHARACTERISTICS

3.1 Chemical composition. When tested in accordance with ASTM C 25, "Standard Test Methods for Chemical Analysis of Limestone, Quicklime, and Hydrated Lime", the pulverized limestone shall conform to table I.

3.2 Deleterious ingredients. The pulverized limestone shall meet or exceed the requirements for deleterious ingredients listed in NSF Standard 60, "Drinking Water Treatment Chemicals - Health Effects".

3.3 Particle size. The pulverized limestone shall be tested in accordance with FED-STD-536, Method 2101, "Soap and Soap-Products (Including Synthetic Detergents): Sampling and Testing", except that the sieves used shall conform to ASTM E 11, "Standard Specification for Wire Cloth and Sieves for Testing Purposes". Not less than 90 percent of the pulverized limestone shall pass through a 150 micron (µm) (No. 100) sieve and not more than 35 percent shall pass through a 45 µm (No. 325) sieve.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data that may improve this document should be sent to: STDZNMGT@dla.mil or Defense Supply Center Richmond (DSCR), ATTN: DSCR-VEB, 8000 Jefferson Davis Highway, Richmond, VA 23297-5616.

AMSC N/A FSC 6810

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:19Z
Check the source to verify that this is the current version before use.

TABLE I. Chemical composition.

Requirement	Percent by weight	
	Maximum	Minimum
Silica (silicon dioxide, SiO_2)	1.00	---
Iron and aluminum oxides (Fe_2O_3 plus Al_2O_3)	0.60	---
Calcium carbonate ($CaCO_3$) (determine as calcium oxide (CaO))	---	94.0
Magnesium carbonate ($MgCO_3$)	1.43	---

4. REGULATORY REQUIREMENTS

4.1 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4.2 Material safety data sheet (MSDS). Manufacturers shall prepare and submit a MSDS in accordance with FED-STD-313, "Material Safety Data, Transportation Data and Disposal Data for Hazardous Materials Furnished to Government Activities". The MSDS shall meet the requirements of 29 CFR 1910.1200, "Hazard Communication".

5. PRODUCT CONFORMANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this CID, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance.


5.2 Market acceptability. The product offered must have been previously sold either to the government or on the commercial market.

6. PACKAGING

6.1 Preservation, packing, labeling, and marking. Unless specified otherwise in the acquisition order (see 7.4(c)), preservation, packing, labeling, and marking shall be in accordance with 49 CFR 100-185, "Research and Special Programs Administration, Department of Transportation".

7. NOTES

7.1 Part or identification number (PIN). The following PIN procedure is for government purposes and does not constitute a requirement for the contractor.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:19Z
Check the source to verify that this is the current version before use.

7.2 Sources of documents.

7.2.1 ASTM standards. Copies of ASTM standards may be obtained from ASTM International, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959. Electronic copies of ASTM standards may be obtained from http://www.astm.org/.

7.2.2 CFR and FAR. Copies of CFR and FAR may be obtained from the Superintendent of Documents, P.O. Box 371954, Pittsburgh, PA 15250-7954. Electronic copies of CFR documents may be obtained from http://www.access.gpo.gov/. Electronic copies of FAR documents may be obtained from http://www.arnet.gov/far/.

7.2.3 Federal specifications and standards. Copies of federal specifications and standards may be obtained from General Services Administration, Federal Supply Service, Specification Section, 470 East L'Enfant Plaza SW, Suite 8100, Washington, DC 20407. Electronic copies of federal specifications and standards may be obtained from http://assist.daps.dla.mil.

7.2.4 NSF standards. Copies of NSF standards may be obtained from NSF International, P.O. Box 130140, 789 North Dixboro Road, Ann Arbor, MI 48113. Electronic copies of NSF standards may be obtained from http://www.nsf.org/.

7.3 National stock number (NSN). The following is a list of NSNs assigned that correspond to this CID. The list may not be indicative of all possible NSN associated with this document.

NSN	Size
6810-00-585-2017	50 pounds

7.4 Ordering data. The acquisition order should specify the following:

a. CID document number, revision, and CID PIN.
b. Size, if different (see 2).
c. Preservation, packing, labeling, and marking, if different (see 6.1).

7.5 Subject term (key word) listing.

water
purification

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:19Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians:
Army - AT
Air Force - 68

CIVIL AGENCY
COORDINATING ACTIVITY:

GSA - FSS

Preparing Activity:
DLA - GS3

(Project 6810-1725)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST online database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:19Z
Check the source to verify that this is the current version before use.