A-A-53196
14 September 1987

COMMERCIAL ITEM DESCRIPTION

PAD, WITCH HAZEL-LANOLIN IMPREGNATED

The General Services Administration has authorized the use of this Commercial Item Description in preference to Military Specification MIL-P-36862.

This Commercial Item Description covers a patient's medicated cleaning wipe.

Salient Characteristics:

The pad material shall be 5-1/2 + 0-1/8 by 6-1/2 + 0-1/8 inches and shall be impregnated with a medicated lotion. The impregnated pad shall be suitable for use in cleaning the pelvic area of obstetrical and surgical patients.

The medicated lotion shall be of the following formulation within the applicable assay limits by volume except as indicated, and the medicated lotion shall have a pH of 3.0 to 5.0:

Witch Hazel (Hamamelis Water, N.F.XI)	50 percent
Benzalkonium Chloride, USP	0.10 percent
Solubilized Lanolin	0.50 percent
Methylparaben, USP	0.10 percent by weight
Menthol, USP	0.005 percent by weight
Perfume	0.20 percent
Water, Purified, USP	q. s. to 100 percent

The specific gravity of the medicated lotion shall be 0.98 to 0.994 at 25°C when determined in accordance with the method described in the U.S.P.

The surface tension of the medicated lotion shall be between 34 and 38 dynes per centimeter when determined in accordance with ASTM-D-1331.

AMSC/NA FSC 6510

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:16Z
Check the source to verify that this is the current version before use.

The pad material shall be nonwoven rayon and shall meet the following requirements.

Material Requirement	Method
Thickness 6.5-8.5 mils	ASTM-D-1777
Weight 28.8 to 35.2 grams/square yard	ASTM-D-1117
Dry bursting (Mullen) strength 12 pounds minimum	ASTM-D-1117
Wet bursting (Mullen) strength 8 pounds minimum	ASTM-D-1117
Dry tensile strength, machine direction, 6 pounds minimum	ASTM-D-1117
Dry tensile strength, cross direction, 0.65 pounds minimum	ASTM-D-1117
Wet tensile strength, machine direction, 4 pounds minimum	ASTM-D-1117
Wet tensile strength, cross direction, 0.4 pounds minimum	ASTM-D-1117

The pad material shall be pleat folded at right angles to the long dimension to a nominal width of 1-1/8 inches. The pleated material shall then be folded through the center, parallel to the short dimension to form a pad which shall have nominal dimensions of 1-1/8 by 2-3/4 inches. The pad shall be absorbent and shall be impregnated to contain a minimum of 3.1 milliliters of the medicated lotion. The impregnated pad shall be nontoxic and shall not be irritating to the skin and shall weigh a minimum of 3.7 grams.

Pad material certificate of tensile strengths. If all of the tensile strength tests have been successfully performed previously the contractor may, in leiu of testing current production, submit to the procuring activity a certificate stating that current lots of which hazel-lanolin pads offered to the government are composed of the same pad material and that the pad material is manufactured identically as the production lots of pad material originally tested for all tensile strengths and found to comply. The certificate shall include the current lot number(s) of the pad material and the lot number(s) originally tested.

Workmanship. The Impregnated Pad in its immediate container shall be free from defects which detract from its appearance or impair its serviceability.

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:16Z
Check the source to verify that this is the currentversion before use.

Unit. Package (PG). Each impregnated pad shall be packaged and sealed in a suitable plastic foil laminate material that will preclude evaporation of the medicated lotion until manually opened. One package contain 100 individually sealed pads, as specified, constitutes one unit.

Quality Assurance Provisions.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item. Testing and examination shall be conducted to determine compliance with all specification requirements. Test methods shall be suitable, accurate and reproducible.

Sampling for examination. Sampling for examination shall be conducted in accordance with MIL-STD-105 and as specified herein. The unit of product for examination shall be one impregnated pad in its immediate container. Unless otherwise specified, sampling for examination shall be conducted at inspection level II, AQL 2.5 maximum percent defective.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:16Z
Check the source to verify that this is the current version before use.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Metric Products - Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this document are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch/pound units, a request should be made to the contracting officer to determine if the product is acceptable.

The contracting officer has the option of accepting or rejecting the product.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580, as amended, and as implemented by Federal Acquisition Regulation Subpart 23.4 to the maximum extent practical.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:16Z
Check the source to verify that this is the current version before use.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order. NOTE: The following National Stock Number is covered by this document:

NSN	ITEM IDENTIFICATION
6510-00-142-8812	PAD, WITCH HAZEL-LANOLIN IMPREGNATED, Cloth, 5-1/2 by 6-1/2 inches, 100s

Ordering data. Inspection/test dating required, intermediate/exterior package quantities and labeling and marking must be specified in the contract and/or order.

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 03

PREPARING ACTIVITY:

DoD - MB

Agent:

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
PHS
FDA-MPQAS

PGC 44232

Project No. 6510-0671

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:16Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEFENSE LOGISTICS AGENCY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 4966 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEFENSE LOGISTICS AGENCY

Commander
Defense Personnel Support Center
ATTN: DPSC-ATTS
2800 South 20th Street
Philadelphia, Pennsylvania 19101-8419

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:16Z
Check the source to verify that this is the current version before use.

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
A-A-53196	PAD, WITCH HAZEL-LANOLIN IMPREGNATED

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording

c. Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:16Z
Check the source to verify that this is the current version before use.