[METRIC]
A-A-52528
October 13, 1995
SUPERSEDING
MS53042B(AT)
15 January 1991

COMMERCIAL ITEM DESCRIPTION

BRACKET, EXHAUST, MUFFLER AND TAILPIPE (METRIC)

The General Services Administration has authorized the use of this commercial item description (CID) for all federal agencies.

1. SCOPE. This CID covers requirements for brackets used as supports in assembling exhaust mufflers and tailpipes.

2. SALIENT CHARACTERISTICS

2.1 Materials. Brackets shall be made of carbon steel, G10060-G10250 Unified Numbering Systems (UNS). The use of recovered material made in compliance with regulatory requirements is acceptable providing that all requirements of this CID are met (see 5.6).

2.1.1 Finish. Brackets shall be Zinc plated per ASTM B633, Type II, Service Condition 4 (thickness class Fe/Zn 25), after all bending and welding operations are complete.

2.2 Design and construction. Brackets shall be designed and constructed in accordance with figure 1.


2.2.1 Welding. The nuts shall be projection welded, with no damage to the threads after all welding operations are complete. The fusion shall be of such quality as to preclude failure.

Beneficial comments, recommendations, additions, deletions clarifications, etc. and any other data which may improve this document should be sent by letter to: U.S. Army Tank-automotive and Armaments Command, ATTN: AMSTA-TR-E/BLUE, Warren. MI 48397-5000.

FSC 2990

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.



CID PIN	Former MS Part number	Former Part number
A52528-1	MS53042-1	7411057
A52528-2	MS53042-2	7411058
A52528-3	MS53042-3	8332888
A52528-4	MS53042-4	7411094

NOTES:

1. Dimensions are millimeters. Unless otherwise specified tolerances are ± .8.
2. Weld nut threads shall be specified in the contract or order (see 5.2).

FIGURE 1. Bracket, Exhaust, Muffler and Tailpipe.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.

2.3 Identification and markings. Identification and marking shall be permanent and legible and shall include, as a minimum, the manufacturer's CAGE code, and the part identification number (PIN) (see 5.2 and 5.3).

3. QUALITY ASSURANCE PROVISIONS

3.1 Responsibility for inspection. The contractor is responsible for the performance of all inspections (examinations and tests).

3.2 Contractor certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this commercial item description and that the product conforms to the producer's own drawings, specifications, workmanship standards, and quality assurance practices. Items with known defects shall not be submitted for Government acceptance. The Government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4. PRESERVATION, PACKAGING, PACKING, LABELING, AND MARKING. Preservation, packaging, packing, labeling, and marking shall be as specified in the contractor order (see 5.2).

5. NOTES. (This section contains information of a general or explanatory nature that maybe helpful, but is not mandatory.)

5.1. Addresses for obtaining copies of referenced documents.


5.1.1 Non-Government documents. Copies of ASTM B633-85 "Standard Specification for Electrodeposited Coatings of Zinc or Iron and Steel" are available from the American Society for Testing and Materials (ASTM), 1916 Race Street, Philadelphia, PA 19103. Copies of "Metals and Alloys in the Unified Numbering System" are available from the Society of Automotive Engineers, Inc. (SAE), 400 Commonwealth Drive, Warrendale, PA 15096.

5.2 Ordering data. Acquisition documents must specify the following:

a. Title, number, and date of this CID.
b. Issue of Department of Defense Index of Specifications and Standards (DODISS) to be cited in the solicitation, and if required, the specific issue of individual documents referenced.
c. PIN number and quantity required.
d. Selection of applicable level and packaging requirements.
e. Metric or Unified Screw Threads and size.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.

5.3 Part or identification number (PIN). The PINs to be used for the brackets acquired by this CID are created as follows:



5.4 Cross-reference data. Brackets conforming to this CID are interchangeable/substitutable with brackets conforming to MS53042B(AT), dated 15 January 1991.

5.5 Muffler clamps and hangers. For associated muffler clamps and hangers, see A-A-52415 and A-A-52529, respectively.

5.6 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

MILITARY INTERESTS:

Custodians:
Army - AT

Review Activity:
DLA - CS

CIVIL AGENCY COORDINATING ACTIVITY:
GSA - FSS

PREPARING ACTIVITY:
Army - AT

(Project 2990-0118)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.