QUALIFICATION CERTIFIED
JUNE 2001

QPL-81703-11
29 June 2001
SUPERSEDING
QPL-81703-10
27 February 1998

QUALIFIED PRODUCTS LIST

OF

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-C-81703

CONNECTOR, ELECTRIC, CIRCULAR, MINIATURE, RACK AND PANEL OR PUSH-PULL COUPLING, ENVIRONMENT RESISTING

Effective 30 September 1998, MIL-C-81703 has been declared "Inactive for New Design" and superseded for new design by SAE-AS81703. This QPL is applicable on all acquisitions to which MIL-C-81703 is applied.

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release or otherwise affect the obligation of the manufacturer to comply with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST AND QUALIFICATION APPROVAL IS THE NAVAL AIR SYSTEMS COMMAND (CODE 4.4.4), 48298 SHAW ROAD, BUILDING 1461, UNIT 4, PATUXENT RIVER, MD 20670-5304.

MANUFACTURER'S FULL NAME, CAGE NUMBER, OFFICE AND PLANT ADDRESSES ARE LISTED AT THE END OF THIS QPL.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

Qualified Backshell Accessories

The following connector accessories used on MIL-C-81703 connectors, have been superseded by MIL-C-85049. These accessories, which use MIL-DTL-5015 as their procurement specification, are no longer listed in QPL-5015. To determine if the manufacturer is qualified to MIL-C-85049, consult QPL-85049.

Cross reference of superseded specifications

Superseded specification	Superseded by
MS3152	MIL-C-85049/53
MS3153	/54
MS3154	/55
MS3416 (style E)	/31
MS3416 (style G)	/60
MS3417	/52
MS3418	/51

Applicable Specification Sheets

The following is a listing of the applicable specification sheets:

MS3130 - MS3139

MS3130	Connector, Receptacle, Electric, Solder Type, Wall Mounting Flange, Push-Pull Coupling, Series 1 (Class E, P and J). (Inactive for new design)
MS3132	Connector, Receptacle, Electric, Solder Type, Box Mounting Flange, Push-Pull Coupling, Series 1 (Class E and H). (Inactive for new design)
MS3134	Connector, Receptacle, Electric, Solder Type, Jam Nut Mounting, Push-Pull Coupling, Series 1 (Class E, P, J and H). (Inactive for new design)
MS3135	Connector, Receptacle Electric, Dummy Stowage, Wall Mounting Flange, Push-Pull Coupling (Series 1 and 2 Connectors). (Inactive for new design)
MS3137	Connector, Plug, Electric, Solder Type, Push-Pull Coupling, Series 1 (Class E, P and J). (Inactive for new design) (Use SAE-AS31371.)
SAE-AS31371	Connector, Plug, Electric, Solder Type, Push-Pull Coupling Series 1 (Class E, P, and J).
MS3138	Connector, Plug, Electric, Solder Type, Lanyard, Push-Pull Coupling, Series 1 (Class E, P and J). (Inactive for new design)
MS3139	Connector, Receptacle, Electric, Through Bulkhead, Wall Mounting Flange, Series 1 (Class E). (Inactive for new design)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

MS3140 - MS3148

MS3140	Connector, Receptacle, Electric, Crimp Type, Wall Mounting Flange, Push-Pull Coupling, Series 2 (Class E and J). (Inactive for new design)
MS3144	Connector, Receptacle, Electric, Crimp Type, Jam Nut Mounting, Push-Pull Coupling, Series 2 (Class E and J). (Inactive for new design)
MS3147	Connector, Plug, Electric, Crimp Type, Push-Pull Coupling, Series 2 (Class E and J). (Inactive for new design)
MS3148	Connector, Plug, Electric Crimp Type, Lanyard, Push-Pull Coupling, Series 2 (Class E and J). (Inactive for new design)

MS3424 - MS3467

MS3424	Connector, Receptacle, Electric, Crimp Type, Wall Mounting Flange, Push-Pull Coupling, Series 3 (Class L and E). (Inactive for new design)
MS3446	Connector, Plug, Electric, Crimp Type, Rack and Panel, Series 3 (Class L and E). (Inactive for new design)
MS3464	Connector, Receptacle, Electric, Crimp Type, Jam Nut Mounting, Push-Pull Coupling, Series 3 (Class L and E). (Inactive for new design)
MS3467	Connector, Plug, Electric, Crimp Type, Push-Pull Coupling, Series 3 (Class L and E). (Inactive for new design)

MS3466 - MS33703

MS3466	Connector, Receptacle, Electric, Hermetic, Solder Type, Box Mounting, Push-Pull Coupling, Series 3 (Class H). (Inactive for new design)
MS3182	Cover, Protective, Electric Connector, Plug, Push-Pull Coupling. (Inactive for new design)
MS3183	Cover, Protective, Electric Connector, Receptacle, Push-Pull Coupling. (Inactive for new design)
MS33698	Insert Arrangements, Electric Connector, Shell Size 3(Navy). (Inactive for new design)
MS33699	Insert Arrangements, Electric Connector, Shell Size 7(Navy). (Inactive for new design)
MS33700	Insert Arrangements, Electric Connector, Shell Size 12 (Navy). (Inactive for new design)
MS33701	Insert Arrangements, Electric Connector, Shell Size 19 (Navy). (Inactive for new design)
MS33702	Insert Arrangements, Electric Connector, Shell Size 27 (Navy). (Inactive for new design)
MS33703	Insert Arrangements, Electric Connector, Shell Size 37 (Navy). (Inactive for new design)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

For the sake of brevity, part number designations are displayed as shown in example (a).

(a)

Government Designation	Manufacturer's Designation
MS0000|A|-1|X	TEX|-1|X|5
|B|-2|	|-2| |6
|-3|	|-3|
|-4|	|-4|

The matrices generates the following fictitious part numbers:

MS0000A-1X	TEX-1X5
-2X	-2X5
-3X	-3X5
-4X	-4X5
MS0000B-1X	TEX-1X6
-2X	-2X6
-3X	-3X6
-4X	-4X6

MS3137 has been inactivated for new design and replaced by SAE-AS31371. The government and manufacturer's designations and manufacturer's name and qualification test references given for MS3137 are applicable to SAE-AS31371.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUAL.TEST REFERENCE
MS3130 |E|3-50 |P	DM9606 |3 |P|-023	Deutsch Engineered
MS3134 |P|7-50 |S	DM9601 |7 |S|-369	Connecting Devices (1)
MS3138 | |12-6 |	14946 |12-6 | |	
|12-50|	|12 | |	00807601.AC/8-31-99
|19-4 |	|19-4 | |	
MS3137 |E|19-7 |	DM9703 |19-7 | |-546	
|P|19-12|	|19-12| |-562	
|19-50|	|19 | |	
|27-2 |	|27-2 | |	
|27-3 |	|27-3 | |	
MS3132 |E|27-5 |	DM9606 |27-5 | |-560	
|27-8 |	|27-8 | |	
|27-11|	|27-11| |	
|27-50|	|27 | |	
MS3139 |E|37-2 |	DM9603 |37-2 | |-023	
|37-3 |	|37-3 | |	
|37-50|	|37 | |	
MS3130E |3-50P	RT9606 |3P-023	Robert Technologies, Inc.
|3–50S	|3S-023	
|7–50P	|7P-023	00833901.AA/8-23-99
|7–50S	|7S-023	
|19–7P	|19-7P-023	
|19–7S	|19-7S-023	
MS3130P |3-50P	RT9606P|3P-023	Robert Technologies, Inc.
|3-50S	|3S-023	
|7-50P	|7P-023	00833901.AA/8-23-99
|7-50S	|7S-023	
|19-7P	|19-7P-023	
|19-7S	|19-7S-023	
MS3132E |3-50P	RT9606N|3P-023	Robert Technologies, Inc.
|3-50S	|3S-023	
|7-50P	|7P-023	00833901.AA/8-23-99
|7-50S	|7S-023	
|19-7P	|19-7P-023	
|19-7S	|19-7S-023	

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUAL.TEST REFERENCE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

MS3132	H	3	C	50	P	DM5306	C	3	P	-793	Deutsch Engineered
MS3134		7	Y	50		DM5300	Y	7		-513	Connecting Devices (2)
		12		50				12			
		19		7				19-7			00807601.AC/8-31-99
		19		12				19-12			
		19		50				19			
		27		2				27-2			
		27		3				27-3			
		27		50				27			
		37		2				37-2			
		37		3				37-3			
		37		50				37			

MS3135	-3	A	14089	3	A	-023	Deutsch Engineered
	-7	B		7	B		Connecting Devices (1)
	-12			12			
	-19			19			00807601.AC/8-31-99
	-27			27			
	-37			37			

MS3137E	3-50P	RT9700	3P-023	Robert Technologies, Inc.
	3-50S		3S-023	
	7-50P		7P-023	00833901.AA/9-29-99
	7-50S		7S-023	
	19-7P		19-7P-023	
	19-7S		19-7S-023	

MS3137P	3-50P	RT9700P	3P-023	Robert Technologies, Inc.
	3-50S		3S-023	
	7-50P		7P-023	00833901.AA/9-29-99
	7-50S		7S-023	
	19-7P		19-7P-023	
	19-7S		19-7S-023	

MS3140	E	3-50	P	DD00	3	P	-023	Deutsch Engineered
MS3144		7-50	S	DD04	7	S		Connecting Devices (1)
MS3147		12-50		DD07	12			
MS3148		19-50		12942	19			00807601.AC/8-31-99
MS3445		27-50		DD09	27			
		37-50			37			

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUAL.TEST REFERENCE
MS3424|E|3-50 |P MS3446|L|7-50 |S MS3464| |12-50| MS3467| |19-4 | | |19-7 | | |19-50| | |27-2 | | |27-5 | | |27-50| | |37-50| | |61-42| | |61-50|	D8170|E-|3-0 |P|-1A D8179|L-|7-0 |S| D8174| |12-0 | | D8177| |19-4 | | | |19-7 | | | |19-50| | | |27-2 | | | |27-5 | | | |27-0 | | | |37-0 | | | |61-42| | | |61-0 | |	Deutsch Engineered Connecting Devices (1) 00807601.AC/8-31-99
MS3466|H|3 |C|50| P | |7 | |50| | |12| |50| | |19| |4 | | |19| |7 | | |19| |50| | |27| |2 | | |27| |5 | | |27| |50| | |37| |50|	D8170|H|3-0 |P | |7-0 | | |12-0| | |19-4| | |19-7| | |19-0| | |27-2| | |27-5| | |27-0| | |37-0|	Deutsch Engineered Connecting Devices (2) 00807601.AC/8-31-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S COMPLETE NAME AND ADDRESS

Office:

Deutsch Engineered Connecting Devices
3850 Industrial Avenue
Hemet, CA 92545

Plants:

Same address (1)

Deutsch Engineered Connecting Devices (2)
Municipal Airport
Hemet, CA 92054

Office:

Robert Technologies, Inc.
3 Fairfield Court
Manalapan, NJ 07726

Plant:

Robert Technologies
37 Main Street
South River, NJ 08882

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:24Z
Check the source to verify that this is the current version before use.