DD–B–581a
APRIL 30, 1954
SUPERSEDING
Int. Fed. Spec. DD–B–00581 (GSA–FSS)
19 September 1952

FEDERAL SPECIFICATION

BOTTLE, EMBALMING SOLUTION, CORK FINISH, ONE-HALF GALLON

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 **Scope.**—This specification covers one-half-gallon capacity, cork-finish bottles, complete with rubber stoppers, for use as containers for embalming solution (see par. 6.2).

1.2 **Classification.**

1.2.1 *Type, grade, and size.*—Embalming bottles covered by this specification shall be of one type, grade, and size.

2. APPLICABLE SPECIFICATIONS AND STANDARDS

2.1 The following Federal Specification of the issue in effect on date of invitation for bids, forms a part of this specification:

ZZ–S–751—Stoppers; Rubber and Synthetic Rubber.

(Non-Government activities may obtain copies of Federal Specifications and Standards upon application accompanied by check, money order, cash, or Government Printing Office coupons, to the General Services Administration, Business Service Center, Region 3, Seventh and D Streets SW., Washington 25, D. C. This office will also honor deposit account numbers issued by the Government Printing Office, Washington 25, D. C. Prices may be obtained from the Index of Federal Specifications and Standards or from the GSA Regional Offices.

(Single copies of this specification and other product specifications required by non-Government activities for bidding purposes are available without charge at the GSA Regional Offices in Boston, New York, Atlanta, Chicago, Kansas City, Mo., Dallas, Denver, San Francisco, Los Angeles, Seattle, and Washington, D. C.

(Government activities may obtain copies of Federal Specifications and Standards and the Index of Federal Specifications and Standards through departmental channels from the established sources of supply.)

2.2 Specifications and standards applicable only to individual departments are listed in section 7.

3. REQUIREMENTS

3.1 **Material.**

3.1.1 *Bottles.*—Bottles shall be made of a good grade of clear, colorless glass, symmetrically made, properly finished and annealed, and reasonably free from seeds, blisters and other imperfections which might impair the strength, appearance or efficiency of the bottle.

3.1.2 *Stoppers.*—The stopper for bottles shall conform to type A, grade II, No. 3 of Federal Specification ZZ–S–751. If the stopper is made of synthetic rubber it shall be of a suitable compound compatible with formaldehyde solutions.

3.2 **Manufacture and design.** — Bottle shall be rectangular in shape, and shall have

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

a graduated scale molded in the center of one side of the bottle, beginning at the bottom of the bottle, with each graduation line approximately ⅜ inch long and marked to indicate the following quantities: 8, 16, 24, 32, 40, 48, 56, and 60 or 64 ounces. The capacity of the bottle to the base of neck shall be not less than 64 ounces. Each bottle shall be furnished complete with rubber stopper.

3.3 **Dimensions and weight.** — Outside dimensions shall be 8¼ to 8¾ inches high over all, and 4½ to 4¾ inches square. The neck shall be approximately 1⅛ inches long, ¾ inch inside diameter at mouth, $1\frac{6}{16}$ inches outside diameter below flange, with an integral glass flange ¼ inch thick of approximately 1⅞ inches outside diameter. Approximate weight of the bottle shall be 3 pounds.

3.4 **Identification marking.**—Bottles shall be legibly and permanently marked with the name or registered trade-mark of the manufacturer.

3.5 **Workmanship.** — Workmanship shall be first class throughout. Embalming-solution bottles shall be free from defects which detract from their appearance, or may impair their serviceability.

4. SAMPLING, INSPECTION, AND TEST PROCEDURES

4.1 **Sampling.**—Unless otherwise specified, not less than two embalming-solution bottles shall be taken at random from each delivery of 100 units or fraction thereof for inspection and tests to determine compliance with specification requirements.

4.2 **Inspection.**—Samples shall be carefully inspected for material, manufacture and design, dimensions, weight, identification marking and workmanship.

4.3 **Tests.**—Necessary tests shall be conducted to determine compliance with specification requirements.

5. PREPARATION FOR DELIVERY

5.1 **Packaging.**—Unless otherwise specified, bottle shall be packaged in accordance with accepted commercial practice.

5.2 **Packing.** — The subject commodity shall be prepared for shipment to permit acceptance by carrier for transportation at the lowest applicable rate, and to afford maximum protection from normal hazards of transportation.

5.3 **Marking.**

5.3.1 *Packages.*—Unless otherwise specified, packages shall be marked with the name and size of the commodity, the quantity contained therein, and the name of the manufacturer and contractor.

5.3.2 *Shipping containers.*—Unless otherwise specified, shipping containers shall be marked with the name and size of the commodity as defined by the contract or order under which the shipment is made, the quantity contained therein, the name of the contractor, the number of the contract or order, the name and address of the consignee, and the gross weight.

6. NOTES

6.1 **Ordering data.**—Purchasers should exercise any desired options offered herein. (See 4.1, 5.1, 5.3.1, 5.3.2, and 7.2.4.)

6.2 These bottles are used for preparing solutions and are designed to fit into kits, therefore the over-all dimensions and shape should not be altered. The square cross section is considered necessary, since the shape will make most economical use of the space available in the kit or carrying case.

6.3 This specification covers the following

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

item appearing in the Armed Services Catalog of Medical Materiél:

Bottle, Embalming Solution, Cork Finish, ½ Gallon 4-048-200

6.4 It is believed that this specification adequately describes the characteristics necessary to secure the desired material, and that normally no samples will be necessary prior to award to determine compliance with this specification. If, for any particular purpose, samples with bids are necessary they should be specifically asked for in the invitation for bids, and the particular purpose to be served by the bid sample should be definitely stated, the specification to apply in all other respects.

6.5 Federal specifications do not include all types, classes, grades, sizes, etc., of the commodities indicated by the titles of the specifications, or which are commercially available, but are intended to cover the types, classes, etc., which are suitable for Federal Government requirements.

6.6 **Transportation description.** — The transportation description applicable to this item is:

Bottles, carboys, demijohns or jars, n.o.i.b.n., glass other than cut, with or without their equipment of caps, covers, stoppers or tops, one gallon or less in capacity. Each in fiber or wicker cover in boxes or crates, or in bottle carriers with partitions with or without covers.

In barrels, boxes or crates; also c.l. in barrels, boxes or crates, with or without tops, or in fiber boxes with covers not fastened or in package 646.

Carload weight 30,000 pounds.

Bottles, carboys, demijohns or jars, n.o.i., glass, other than cut, with or without their equipment of caps, covers, stoppers or tops, one gallon or less in capacity. Each in fiber or wicker cover in boxes or crates, or in bottle.

Carriers with partitions with or without covers.

In barrels, boxes or crates; also volume in barrels, boxes or crates; with or without tops, or loose, braced in vehicle.

Truckload weight 30,000 pounds.

NOTE: Package numbers referred to above are defined in Uniform Freight Classification No. 1.

Patent notice.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded, by implication or otherwise, as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

7. DEPARTMENTAL REQUIREMENTS

7.1 The following specifications and standards of the issues in effect on date of invitation for bids, and special requirements, form a part of this specification for purchases made under this specification by the respective departments.

7.2 Army, Navy, and Air Force.

7.2.1 *Applicable specifications and standards.*

Federal Specifications:

NN-B-621—Boxes; Wood, Nailed and Lock-Corner.

LLL-B-631—Boxes; Fiber, Corrugated (for Domestic Shipment).

LLL-B-636—Boxes; Fiber, Solid (for Domestic Shipment).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

Military Specifications:

JAN-P-106—Packaging and Packing for Overseas Shipment — Boxes; Wood, Nailed.
MIL-L-10547—Liners, Case, Waterproof.

Navy Department Specification:

General Specifications for Inspection of Material.[1]

Military Standard:

MIL-STD-105—Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129—Marking of Shipments.

(Copies of specifications, standards, and drawings required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.)

7.2.2 *Sampling.*—Sampling shall be conducted in accordance with Military Standard MIL-STD-105.

7.2.3 *Inspection procedures (Navy only).*—The general inspection procedures shall be in accordance with Navy Department General Specifications for Inspection of Material.

7.2.4 *Packaging.*—One bottle as specified constitutes one unit. Each unit shall be packaged in a carton of appropriate size conforming to the requirements of Federal Specification LLL-B-631 or LLL-B-636. Each carton shall be adequately secured to prevent accidental opening. Carton shall be designed with suitable interior fittings or shall contain sufficient cushioning material to insure against shifting of, or damage to, the contents.

[1] Applicable to Navy purchases only.

7.2.5 *Packing.*

7.2.5.1 *For domestic shipment.*—Six such cartons (6 units) shall be overpacked in an exterior container conforming to the requirements of Federal Specification NN-B-621.

7.2.5.2 *For overseas shipment.*—Six unit cartons (6 units) shall be overpacked in an exterior container designed for type 3 load, and conforming to the requirement of Military Specification JAN-P-106. Closure and strapping shall comply with appendix thereto.

7.2.5.2.1 *Liner.*—Each overseas shipping container shall be provided with a type I or II, grade B, class 2, barrier material type L-2 or M case liner conforming with Military Specification MIL-L-10547.

7.2.5.3 *Packing variation permitted.*—If the number of units in any shipment is not the exact multiple of the number of units specified to be contained in each shipping container, the units not constituting the nearest such multiple shall be packed in an exterior container of suitable size and design and so constructed as to insure safe delivery to specified destination.

7.2.6 *Marking.*—Each unit carton and each shipping container shall be marked in accordance with Military Standard MIL-STD-129.

7.2.7 *Ordering data.*—Requests, requisitions, schedules, and contracts or orders should specify whether the subject commodity is to be packed for domestic or overseas shipment. (See 7.2.5.1 and 7.2.5.2.)

NAVY INTEREST: Md

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY

POSTAGE AND FEES PAID
NAVY DEPARTMENT

OFFICIAL BUSINESS

COMMANDER
DEFENSE MEDICAL SUPPLY CENTER
3RD AVENUE & 29TH STREET
BROOKLYN, NEW YORK 11232

FOLD

PLATE NO. 15419 (BACK)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity *(as indicated on reverse hereof)*.

SPECIFICATION

ORGANIZATION *(Of submitter)*

CITY AND STATE

CONTRACT NO.

QUANTITY OF ITEMS PROCURED

DOLLAR AMOUNT
$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES.

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES", IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)*

DATE

DD FORM 1 APR 63 1426

REPLACES NAVSHIPS FORM 4863, WHICH IS OBSOLETE

C-8279

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.