DD-B-595a
MAY 21, 1958
SUPERSEDING
Int. Fed. Spec. DD-B-00595 (Navy-BuMed)
Undated

FEDERAL SPECIFICATION

BOTTLE, STOPPER, GROUND-GLASS CAP

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE

1.1 This specification covers a wide-mouth, glass, medicine bottle with an overfitting ground-glass cap.

2. APPLICABLE SPECIFICATIONS AND STANDARDS

2.1 The following specifications and standards, of the issues in effect on date of invitation for bids, form a part of this specification:

Federal Specifications:

PPP-B-566 — Boxes, Folding, Paperboard.

PPP-B-621—Boxes, Wood, Nailed and Lock-Corner.

PPP-B-676 — Boxes, Set-Up, Paperboard.

Federal Standards:

Fed. Std. No. 102—Preservation, Packaging, and Packing Levels.

(Activities outside the Federal Government may obtain copies of Federal Specifications and Standards as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C.

(Single copies of this specification and other product specifications required by activities outside the Federal Government for bidding purposes are available without charge at the General Services Administration Regional Offices in Boston, New York, Atlanta, Chicago, Kansas City, Mo., Dallas, Denver, San Francisco, Los Angeles, Seattle, and Washington, D. C.

(Federal Government activities may obtain copies of Federal Specifications and Standards and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specifications:

MIL-L-10547 — Liners, Case, Waterproof.

Military Standards:

MIL-STD-105 — Sampling Procedures and Tables for Inspection by Attributes.

MIL-STD-129—Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Material.—Bottle shall be made of good grade, clear, colorless, soda-lime glass.

3.2 Details.—Dimensions, style, and design shall be in accordance with figure 1. The inner surface of the cap and the outer surface of neck shall be properly ground to form a watertight seal.

441891/58/336
FSC 8125

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.




FIGURE 1.

3.3 Capacity.—The minimum fluid capacity of the bottle shall be 10 milliliters (ml.). The capacity point shall not extend above the bottom level of the neck nor below the bottom level of the shoulder.

3.4 Graduations. — Bottle shall have no graduated scale and no mark for the capacity point.

3.5 Identification marking.—Each bottle shall be legibly and permanently marked with the name or registered trade-mark of the manufacturer.

3.6 Workmanship.—Workmanship shall be first class throughout. Bottle shall be symmetrically made, properly finished and annealed, and reasonably free from seeds, stones, blisters, and other imperfections which might impair its strength, appearance, or efficiency. Bottle shall be clean, dry, and ready for use.

4. SAMPLING, INSPECTION, AND TEST PROCEDURES

4.1 Sampling.—Sampling procedures shall be conducted in accordance with the procedures set forth in Military Standard MIL–STD–105.

4.2 Inspection.—The inspector shall ascertain that the bottles have been inspected and accepted in accordance with specification requirements.

4.2.1 *Classification of defects:*

	Categories and defects
Major	AQL 2.5 percent
101	Bottle does not have 10 ml. capacity.
102	Overfitting glass cap does not form a watertight seal.
103	Cap not ground on inner surface.
104	Outer surface of the bottle neck is not ground.
105	Bottle over 1¾ inches in over-all height.

Minor	AQL 6.25 percent
201	Bottle not clean and dry.
202	Glass not free of blisters, stones, or dirt.
203	Diameter not as specified.

4.3 Tests.—Tests shall be conducted in accordance with the applicable specifications, as necessary, to determine compliance with this specification.

4.4 Supplier responsibilities for inspection.—The supplier shall be required to perform examinations and tests to substantiate conformance of supplies to specification requirements. The examinations and tests shall be at the expense of the supplier. Suppliers shall have either adequate test facilities for executing tests, or shall make arrangements for the utilization of tests facilities acceptable to the Government. Records of examinations and tests performed by the supplier shall be maintained by the supplier and made available to the Government, upon the Government's request, at any time, or from time to time for a period of two years after the delivery of the supplies to which the same relate. The supplier shall be responsible for

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

compliance with all requirements of this specification, and all other technical requirements of the contract.

5. PREPARATION FOR DELIVERY

(The levels of preservation, packaging, and packing protection are defined in Federal Standard No. 102.)

5.1 Packaging.

5.1.1 *Unit of issue.*—One bottle, as specified, constitutes one unit.

5.1.2 *Packaging quantities.*—The number of units of issue indicated in table I shall be packaged in each intermediate and exterior container, as applicable, for the required level of protection specified in procurement document.

TABLE I.—*Packaging quantities*

Federal Stock Number	Unit package	Intermediate package	Shipping container
8125–502–3750	Not required	12 units	576 units

5.1.2.1 *Packing variation permitted.* — If the required number of units to be shipped is less than the number of units specified to be overpacked in an exterior container, such units shall be packed in an exterior container of suitable size and design, acceptable to a common carrier, which will insure safe delivery to destination.

5.1.3 *Level A.*

5.1.3.1 *Intermediate package.*—Intermediate package shall be a carton of appropriate size constructed in accordance with Federal Specification PPP–B–566 or PPP–B–676. Carton shall be designed with suitable interior fittings or shall contain sufficient cushioning materials to insure against shifting of, or damage to, the contents. Each carton shall be adequately secured to prevent accidental opening.

5.1.4 *Level C.*—Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose within the continental limits of the United States of America.

5.2 Packing.

5.2.1 *Level A.*

5.2.1.1 *Exterior container.*—Exterior container shall be constructed in accordance with Federal Specification PPP–B–621, table IV.

5.2.1.2 *Case liner.*—Each level A box shall be lined with a waterproof case liner conforming to Military Specification MIL–L–10547. Closure and sealing shall conform to applicable paragraphs of appendix thereto.

5.2.1.3 *Strapping.* — Strapping, when required, shall be in accordance with applicable box specification.

Note.—Strapping will not be required for shipment forwarded to a receiving activity within the continental limits of the United States for storage and redistribution.

5.2.2 *Level B.*

5.2.2.1 *Exterior container.*—Exterior container shall be constructed in accordance with Federal Specification PPP–B–621, table II.

5.2.3 *Level C.* — The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.3 Marking.

5.3.1 *Intermediate packages.*—Each intermediate package shall be marked in accord-

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

ance with section 5 of Military Standard MIL–STD–129.

5.3.2 *Shipping container.*—Shipping container shall be marked in accordance with Military Standard MIL–STD–129. Service color and service symbol markings are required only on direct shipments from the contractor's plant to overseas activities.

6. NOTES

6.1 Intended use.—Ground-glass-cap stopper bottles are intended for use as a dental medicinal glass and must be of a size to fit the racks of a dental-instruments and supplies cabinet.

6.2 Ordering data. — Procurement documents should specify the following:

(*a*) Title, number and date of this specification.

(*b*) Selection of applicable levels of packaging and packing (see 5.1 and 5.2).

6.3 This specification covers the following item appearing in the Armed Services Medical Stock List:

8125–502–3750 BOTTLE, STOPPER, Ground Glass Cap, 10 ml.

6.4 This specification does not include all types, classes, grades, sizes, etc., of the commodity indicated by the title of the specification or which are commercially available, but is intended to cover the types, etc., which are normally procured to meet Federal Government requirements.

Notice. — When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

MILITARY INTERESTS:
Army—M
Navy—Md
Air Force.

Copies of this specification may be purchased for 5 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.