MILITARY SPECIFICATION

MANOMETER, PRESSURE, DIFFERENTIAL AND ABSOLUTE, TYPE E-1

This amendment forms a part of Military Specification MIL-M-7255B dated 6 October 1969, and is approved for use by all Departments and Agencies of the Department of Defense.

Add to bottom of Page 1:

"Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: the Engineering Division, San Antonio Air Logistics Center/MMEDC, Kelly AFB, Texas 78241 by using the self addressed Standardization Document Proposal (DD Form 1426) appearing at the end of this document or by letter."

PAGE 1

1.1, delete in its entirety and substitute:

"1.1 Scope. This specification covers one type of differential and absolute pressure manometer, designated type E-1."

Delete paragraph 2.1 and substitute the following 2.1 and 2.1.1:

"2.1 Government documents.

2.1.1 Specifications and standards. Unless otherwise specified (see 6.2), the following specifications and standards of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation, form a part of this specifications to the extent specified herein."

Under SPECIFICATIONS, FEDERAL, delete:

"QQ-P-416 Plating, Cadmium (Electrodeposited)" and "PP-B-601 Boxes, Wood, Cleated Plywood."

Under SPECIFICATIONS, MILITARY, delete:

"MIL-D-1000 Drawings, Engineering and Associated Lists" and substitute "DOD-D-1000 Drawing, Engineering and Associated List."

Under SPECIFICATIONS, MILITARY add the following:

"MIL-B-26195 Box, Wood-Cleated, Skidded, Load-Bearing Base."

FSC 6685

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T08:20Z
Check the source to verify that this is the current version before use.

Under MIL-C-5015, delete title and substitute, "Connector, Electrical, Circular Threaded, AN Type, General Specification for."

Under MIL-C-5541, delete title and substitute, "Chemical Conversion Coatings on Aluminum and Aluminum Alloys."

PAGE 2

Under STANDARDS, MILITARY, add:

"MIL-STD-794 Parts and Equipment, Procedures for Packaging of."

Under STANDARDS, MILITARY, MIL-STD-143, delete title and substitute "Standards and Specifications, Order of Precedence for the Selection of."

Delete parenthetical source paragraph and substitute the following:

"(Copies of specifications and standards required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)"

2.2, delete in its entirety and substitute the following:

"2.2 Other publications. The following document(s) form a part of this specification to the extent specified herein. The issues of the documents which are indicated as DoD adopted shall be the issue listed in the current DoDISS and the supplement thereto, if applicable."

Add the following American Society for Testing and Materials documents:

"AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

ASTM B 633-78 Zinc or Iron and Steel, Electrodeposited Coatings of
ASTM D 3951-82 Packaging, Commercial

(Application for copies of ASTM publications should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, Pennsylvania 19103.)"

Add the following new paragraph 2.3:

"2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence."

3.1, delete in its entirety and substitute:

"3.1 First article. This specification makes provisions for first article inspection (see 4.4)."

PAGE 8

3.4, line 4: Delete "MIL-D-1000" and substitute "DOD-D-1000."

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T08:20Z
Check the source to verify that this is the current version before use.

PAGE 9

3.10.2, delete and substitute:

"3.10.2 Steel parts. Steel parts shall be zinc-plated where practicable in accordance with ASTM D 3951-82 to achieve the degree of protection required."

PAGE 10

4.1, line 2 and line 4: Delete "supplier" and substitute "contractor."

4.2, delete "(a) Preproduction inspection (see 4.4)" and substitute:

"(a) First article inspection. (see 4.4)."

PAGE 12

4.4, delete and substitute the following:

"4.4 First article. The first article inspection shall consist of the examination and tests of this specification."

PAGE 13

Delete Section 5 "PREPARATION FOR DELIVERY" in its entirety and substitute the following new Section 5:

"5. PACKAGING

5.1 Preservation. Preservation shall be Level A, C or Commercial/Industrial as specified (see 6.2).

5.1.1 Level A. Each manometer shall be preserved and packaged Method IIA in accordance with MIL-P-116. The unit container shall conform to MIL-B-26195, Style A, Type II. Cushion and immobilize Mercury bottles with PPP-C-843.

5.1.2 Level C. The Level C preservation for the manometer shall conform to Method III in accordance with MIL-P-116 and MIL-STD-794 requirements for this level. The unit container shall conform to MIL-B-26195, Style A, Type I.

5.1.3 Commercial. The commercial/industrial preservation of testers shall be in accordance with the requirements of ASTM D 3951.

5.2 Packing. Packing shall be Level A, B, C or Commercial as specified (see 6.2).

5.2.1 Level A. Manometers preserved and packaged as specified in 5.1.1 need not be overboxed. The unit container shall be used as the shipping container. Cushioning, anchoring, bracing, and blocking within containers shall be in accordance with MIL-STD-1186.

5.2.2 Level B. Same as for Level A.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T08:20Z
Check the source to verify that this is the current version before use.

5.2.3 Level C. Manometer preserved and packaged as specified in 5.1.2 shall not be overboxed. The unit container shall be used as the shipping container. Cushioning, anchoring, bracing, and blocking within container shall be in accordance with MIL-STD-1186.

5.2.4 Commercial. The manometer shall be packed in accordance with the requirements of ASTM D 3951.

5.3 Marking.

5.3.1 Levels A, B and C. In addition to any special or other identification marking required by the contract (see 6.2) each unit pack, intermediate and exterior container and unitized load shall be marked in accordance with MIL-STD-129.

5.3.2 Commercial. Commercial/industrial marking shall be in accordance with the requirements of ASTM D 3951."

PAGE 14

Delete paragraph 6.2 in its entirety and substitute the following new paragraphs, 6.2 and 6.2.1:

"6.2 Ordering data.

6.2.1 Acquisition requirements. Acquisition documents should specify the following:

(a) Where the first article sample is to be forwarded for testing (see 4.4.1).

(b) Levels of packaging and packing required (see 5.1 and 5.2).

(c) Any special marking required (see 5.3)."

Custodians:
Navy - AS
Air Force - 99

Review activity:
DLA - GS

Preparing activity:
Air Force - 82

(Project 6685-0737)

FSC 6685

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T08:20Z
Check the source to verify that this is the current version before use.