
MILITARY SPECIFICATION SHEET

CONNECTORS, ELECTRICAL RECTANGULAR, RACK AND PANEL, SOLDER TYPE PIN CONTACTS, SIZE 20

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the connectors described herein shall consist of this specification and the latest issue of MIL-C-28748.



NOTE: The polarization feature (Pin) on the plug shell shall be adjacent to the side closest to the Number 1 or A contact position.

FIGURE 1. Connector assembly.

© denotes changes

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:13Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Ⓒ Dimensions and configuration: See figure 1 and applicable listed military standards for inserts, shields, retaining plates, jackscrews, guidepins, screws, nuts, and contacts.

Screws: MS35275-215 furnished with MS24132, MS24133, and MS18193-T1, -S1, -T3, and -S3 when required. MS35275-229 furnished with MS18193-T2, -S2, -T4, and -S4 when required. Cross drilled hole is optional.

Nuts: As specified on MS18197. Not required with shield.

Mating connectors: See MIL-C-28748/4 and MIL-C-28748/6.

Part number: As shown in the following example.

EXAMPLE OF PART NUMBER:

(See part number code)

M28748/5-	A	1	0	L	1A
Basic number of specification sheet	Insert	Shield and shield clamp location or retaining plate	Shell type	Jackscrews or guidepins	Contacts

PART NUMBER CODE:

Insert	Number of contacts
A - MS24004	7
B - MS18257	9
C - MS24010	14
D - MS24014	20
E - MS24020	26
F - MS24022	34
G - MS18258	42
H - MS24026	50
J - MS18261	75
K - MS18263	104

Shield and shield clamp location or retaining plate

Shield

1 - Top	MS24132	1/
2 - Side	MS24132	1/
3 - Top	MS24133	1/
4 - Side	MS24133	1/
5 - Top	MS18193	2/
6 - Side	MS18193	2/
A - Top	MS18192	3/
B - Side	MS18192	3/
0 - None		

1/ Used when no shell is specified.
2/ Used with or without shells.
3/ Used when shell is specified

Shell type	
A-A of MS18203	Polarization
B-B of MS18203	
C-C of MS18203	
D-D of MS18203	
E-E of MS18203	
F-F of MS18203	
G-G of MS18203	
H-Unpolarized MS18203	
J-A of MS18204	Polarization
K-B of MS18204	
L-C of MS18204	
M-D of MS18204	
N-E of MS18204	
P-F of MS18204	
Q-G of MS18204	
R-Unpolarized MS18204	
0-No shell included.	

Retaining plate

7 - MS18198
8 - MS18199
9 - MS18200

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:13Z
Check the source to verify that this is the current version before use.

Jackscrews or guidepins		
L	Long jackscrews	MS18194
S	Short jackscrews	MS18195 (Not used with shield)
F	Fixed jackscrews	MS18196 (Not used with shield)
G	Guidepins	MS18197
0	None included	

Ⓒ Jack and guide location: The female jackscrew (turning or fixed) or female guidepin shall be located by the "A" or "1" pin contact.

Contacts: Per MIL-C-28748

1A - 100 percent size 20

Custodians:
Army - CR
Navy - EC
Air Force - 85

Review activities:
Army - AT, MI
Navy - AS
Air Force - 11, 17, 99
DLA - ES

User activities:
Army - AV, ME, AR
Navy - MC, OS, SH
Air Force -

Agent:
DLA - ES

Preparing activity:
Navy - EC

(Project 5935-3244-5)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:13Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:13Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 12503 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
DEFENSE STANDARDIZATION PROGRAM BRANCH
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20360
ATTN: ELEX 8111

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:13Z
Check the source to verify that this is the current version before use.