INCH-POUND

A-A-52187
June 30, 1994

COMMERCIAL ITEM DESCRIPTION

CUTTER, DOUGHNUT, 3-INCH

The General Service Administration has authorized the use of this Commercial Item Description in preference to MIL-C-40115 for all federal agencies.

1. SCOPE

1.1 Scope. This commercial item description covers one type and size of doughnut cutter, 3-inch round.

2. SALIENT CHARACTERISTICS

2.1 Design and construction. The doughnut cutter shall be made from 24 gauge cold rolled steel.

2.2 Finish. The finish of the doughnut cutter shall be bright nickel plated in accordance with MIL-C-26074.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be used in improving this document should be addressed to: Commander, U.S. Army Natick Research, Development, and Engineering Center, ATTN: SATNC-WEE, Natick, MA 01760-5018 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A

FSC 7330

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

3. QUALITY ASSURANCE

3.1 Certification. The contractor shall certify, and maintain substantiating evidence, that the product offered meets the salient characteristics and requirements of this Commercial Item Description, and that the product conforms to the producer's own drawings, specification, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

3.2 Metric Products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this Commercial Item Description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerance specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

3.3 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

3.4 Preproduction sample inspection. When a preproduction sample is required, it shall be examined for defects listed in end item inspection as specified.

3.5 End item inspection. The contractor is responsible for assuring that the product offered conforms to the stated requirements. Sampling inspection shall be in accordance with MIL-STD-105. The inspection level shall be II. The sample unit shall be one completed end item. The finding of any of the following defects shall be cause for rejection of the lot.

- Not in accordance with specific design requirements
- Cracked, fractured, splits, punctured, dented or malformed
- Sharp edges or rough edges (except cutting edge)
- Rust or discoloration
- Pits, burrs, or slivers
- Not finished as specified

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

4. PACKAGING

4.1 Packaging and packing. Packaging and packing shall be commercial.

4.2 Commercial packaging and packing. Each doughnut cutter shall be cleaned, preserved, packaged, packed, and unitized in accordance with ASTM D 3951.

4.3 Marking (commercial). Marking of unit pack, shipping container, and unit load shall be in accordance with ASTM D 3951.

5. NOTES

5.1 Intended use. The doughnut cutter is intended for use in hand cutting doughnuts in messes, field kitchens, and central pastry kitchens and galleys.

5.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this commercial item description.

5.3 Sources for documents.

5.3.1 Sources for non-Government association documents.

ASTM D 3951 - Standard Practice for Commercial Packaging, is available from:

American Society for Testing and Materials (ASTM)
1916 Race Street
Philadelphia, PA 19103-1187

5.3.2 Source for Government documents. Copies of military and federal documents are available from:

Standardization Documents Order Desk
Building 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

5.4 Sources of supply. Manufacturers whose products are known to meet the CID requirement are as listed below. However, competition is not limited to these companies:

Rochow Swirl Mixer
P.O. Box 10405
Rochester, NY 14610

Nash Metal Ware Co., Inc.
1 Nassau Avenue
Brooklyn, NY 11222

MILITARY INTERESTS:
ACTIVITY:

Custodians

Army - GL
Navy - SA
Air Force - 99

Review Activities

Army - MD
Air Force - 35, 84
DLA - GS

CIVIL AGENCY COORDINATING

GSA - FSS

PREPARING ACTIVITY:

Army - GL

(Project 7330-0629)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.