INCH-POUNDS

A-A-52188
June 30, 1994

COMMERCIAL ITEM DESCRIPTION

GRATER, FOOD, (NON-MECHANICAL)

The General Service Administration has authorized the use of this Commercial Item Description in preference to MIL-G-22786 for all federal agencies.

1. SCOPE

1.1 Scope. This commercial item description covers a non-mechanical food grater.

2. SALIENT CHARACTERISTICS

2.1 Design and construction. The grater shall have a single or multiple coarse grating surface, as specified (see 5.2), and shall be fabricated from stainless steel. The grater shall have a hemmed edge or a stainless steel wire-reinforced bead on all edges. The grater type and size shall be as specified in the contract or purchase order.

2.2 Handle. The grater handle shall be made from the same material as the grater, and shall be welded or riveted across the top of the grater body.

2.3 Finish. Stainless steel surfaces shall be polished in accordance with the manufacturer's commercial practice.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be used in improving this document should be addressed to: Commander, U.S. Army Natick Research, Development, and Engineering Center, ATTN: SATNC-WEE, Natick, MA 01760-5018 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 7330

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

2.4 Identification marking. The handle of each grater shall be permanently and legibly marked with the manufacturer's identification marking. Use of a "stick-on" or removable label is prohibited.

3. QUALITY ASSURANCE

3.1 Certification. The contractor shall certify, and maintain substantiating evidence, that the product offered meets the salient characteristics and requirements of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

3.2 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this Commercial Item Description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

3.3 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

3.4 End item examination. The contractor is responsible for assuring that the product offered conforms to the stated requirements. Sampling inspection shall be in accordance with MIL-STD-105. The inspection level shall be II. The sample unit shall be one complete end item. The finding of any of the following defects shall be cause for rejection of the lot.

Not in accordance with specific design requirements
Cracked or fractured metal
Sharp edges, slivers, or burrs, that may cause injury
Rivets not completely set, cracked, broken, or loose (when applicable)
Weld cracked or fractured, burned through, excess material
Not ground smooth, or excess flux or splatter not removed (when applicable)
Not finished as specified
Any indication of rust or corrosion

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

Coating not uniform, any area not coated, wrinkles, etc. (when applicable)
Dirt, smudge, grease, or foreign matter
Pitted, scratched, or tool marks clearly noticeable
Identification marking missing, illegible, incorrect, incomplete, or in the wrong location

4. PACKAGING

4.1 Packaging and packing. Packaging and packing shall be commercial or export as specified (see 5.2).

4.2 Commercial packaging and packing. Each item shall be cleaned preserved, packaged, packed and unitized in accordance with ASTM D 3951.

4.3 Export packaging and packing.

4.3.1 Export packaging. Each grater shall be cleaned, preserved, wrapped, and cushioned to protect against corrosion, deterioration, and physical damage during shipping and storage.

4.3.2 Export packing. Graters, packaged for export shall be packed in snug-fitting fiberboard boxes conforming to style RSC, Grade V3c, V3s, or V4s of ASTM D 5118. Each box shall be closed and sealed in accordance with ASTM D 1974.

4.4 Unit loads (commercial and export). Shipping containers shall be arranged in unit loads in accordance with MIL-L-35078. When unit loads are strapped, strapping shall be limited to non-metallic strapping, except for Type II, Class F loads.

4.5 Marking (commercial and export). Interior boxes and shipping containers shall be marked in accordance with MIL-STD-129, or ASTM D 3951, as applicable.

5. NOTES

5.1 Intended use. The food grater is intended for shredding food.

5.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this commercial item description.
b. Whether a single or multiple coarse grating surface is required (see 2.1).
c. Type of packaging, and packing required (see 4.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

5.3 Source for documents.

5.3.1 Sources for non-Government association documents.

ASTM

D 1974 - Method of Closing, Sealing, and Reinforcing Fiberboard Shipping Containers
D 3951 - Standard Practice for Commercial Packaging
D 5118 - Fabrication of Fiberboard Shipping Boxes

ASTM documents are available from:

The American Society for Testing and Materials (ASTM)
1916 Race Street
Philadelphia, PA 19103-1187

5.3.2 Source for Government documents. Copies of military and federal documents are available from:

Standardization Documents Order Desk
Building 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

MILITARY INTERESTS:
ACTIVITY:

Custodians

Army - GL
Navy - SA

Review Activities

Army - MD
Navy - YD
DLA - GS

CIVIL AGENCY COORDINATING

GSA - FSS

PREPARING ACTIVITY:

Army - GL

(Project 7330-0630)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.