MILITARY SPECIFICATION SHEET

TOPOGRAPHIC SUPPORT SYSTEM (TSS):

RECTIFIER I SECTION, TOPOGRAPHIC

SUPPORT SET, SEMITRAILER MOUNTED

This specification sheet is approved for use by the Mobility Equipment Research and Development Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the rectifier I section described herein shall consist of this document and the latest issue of MIL-T-52964(ME).

1. REQUIREMENTS

1.1 Description. The rectifier I section shall be as shown in Figure 1 and shall be equipped with the components listed in SC 6675-97-CL-E59.

1.2 Components. Components of the rectifier I section shall be manufactured and operate in conformance with the component's technical specifications and literature.

1.3 Special provisions. The temperature control sink will require the following: A gravity feed stainless steel wall mounted 50 gallon water tank. The tank shall have a water heater and water chiller. Plumbing will include all necessary standard commercial plumbing receptacles. A safety eyewash shall be part of the sink. It shall be a separate hose with nozzle.

The automatic processor shall have a 50 gallon stainless tank (wall mounted). A pump to draw water in from an outside tank source of water, pressure regulators to preclude over-pressure from an outside source, water filters to remove foreign objects, a water heater, and water chiller. A pressurized water tank to maintain water pressure, a high and low level shut-off switch to control pressure, flowmeters and pressure relief valves are not required and shall not be provided.

A gravity drain is required for the sink and processor. The drain shall be through the side of the van and not the bottom. A water connection is required on the van exterior for filling the tanks.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:42Z
Check the source to verify that this is the current version before use.

Darkroom curtains are required (see component list figure). Curtains are referenced in MIL-B-13207 and install per figure 1.

Installation of darkroom safelights is required. The frames and glass are specified in the component listing.

Double doors shall be installed on the curbside of the section. The opening shall be approximately 80 inches.

2. TESTS

2.1 Component test. The component test procedures shall be written and conducted by the contractor to determine the component's conformance to its' technical specifications and literature. The test shall be conducted in an van environment. The component test shall be conducted twice; once prior to any Section 4 testing and once after completing all testing as specified in Section 4 of the general specification.

2.1.1 Test items. The following components of the rectifier I section shall be tested:

Dryer, photographic print
Printer, contact, processor (dry)
Printer, contact, photographic
Processor, film paper
Rectifier, panoramic
Rectifier, projection printing
Sink, photo processing

Nonconformance to 1.2 shall constitute failure of this test.

3. NOTES


3.1 Intended use. The rectifier I (with assigned personnel) section will produce rectified photos using image data in whatever form provided. The rectification capability will be in pan and frame format at 3-inch and 6-inch, respective.

Custodian:
Army - ME

Preparing activity:
Army - ME

Project 6675-A221-9

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:42Z
Check the source to verify that this is the current version before use.



Equipment as shown in approximate location only and the exact location will be accomplished by the Contractor in conjunction with the Government after the factors of human engineering and safety have been approved.

"NOT TO SCALE"

SC 6675-97-CL-E59

NO.	ITEM
1	PANEL BOX (CONTRACTOR INSTALLED)
2	AIR CONDITIONER/HEATER
3	KIT, MOUNTING, RIFLE
4	CABINET, STORAGE, WALL
5	FILING CABINET, LEGAL SIZE (4 DRAWER)
6	FILING CABINET, MAP & PLAN (FLAT)
7	CHAIR, ROTARY, DRAFTING
8	BOARD, TRACING, SCRIBING, PORTABLE
9	TRIMMER, PAPER
10	PRINTER/ENLARGER
11	PROCESSOR, FILM PAPER
12	WATER TANK, 50 GAL. STAINLESS STEEL, WITH HEATER (CONTRACTOR INSTALLED)
13	RECTIFIER, PANORAMIC, 3"
14	RECTIFIER
15	SINK
16	PRINTER, PROCESSOR (HEAT)
17	DRIER
18	VIEWER, FILM
19	CURTAIN, DARKROOM & BLACKOUT (CONTRACTOR INSTALLED)

FIGURE 1. Rectifier I section (TSS), semitrailer mounted.

X-3461A

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:42Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:42Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE MIL-T-52964/7(ME) Topographic Support System (TSS): Rectifier I Section, Topographic Support Set, Semitrailer Mounted

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:42Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Mobility Equipment Research
and Development Command
ATTN: DRDME-DS
Ft. Belvoir, VA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:42Z
Check the source to verify that this is the current version before use.