MILITARY SPECIFICATION

CONTACTS, ELECTRICAL CONNECTOR,
GENERAL SPECIFICATION FOR

This supplement forms a part of Military Specification MIL-C-39029D, dated 02 May 1988.

SPECIFICATION SHEETS

MIL-C-39029/1	Contacts, Electrical Connector, Pin, Crimp Removable, (For MIL-T-81714 Terminal Junction System).
MIL-C-39029/2	Contacts, Electrical Connector, Pin, Crimp Removable, (For MIL-C-81659 Series 1 Connectors).
MIL-C-39029/3	Contacts, Electrical Connector, Socket, Crimp Removable, (For MIL-C-81659 Series 1 Connectors).
MIL-C-39029/4	Contacts, Electrical Connector, Pin, Crimp Removable, (For MIL-C-26482 Series 2, MIL-C-81703 Series 3, MIL-C-83733, and MIL-C-83723 Series 3 Connectors).
MIL-C-39029/5	Contacts, Electrical Connector, Socket, Crimp Removable, (For MIL-C-26482 Series 2, MIL-C-81703 Series 3, MIL-C-83733, and MIL-C-83723 Series 3 Connectors).
MIL-C-39029/6(AS) (INACTIVE)	Contacts, Electrical Connector, Pin, Crimp Removable, Shielded, (For MIL-C-81511 Series 1 and 2 Connectors).
MIL-C-39029/7	Contacts, Electrical Connector, Pin, Crimp Removable, Shielded, (For MIL-C-26482 Series 2 and MIL-C-81703 Series 3 Connectors).
MIL-C-39029/8	Contacts, Electrical Connector, Socket, Crimp Removable, Shielded, (For MIL-C-26482 Series 2 and MIL-C-81703 Series 3 Connectors).
MIL-C-39029/9	Contacts, Electrical Connector, Pin, Crimp Removable, Thermocouple, (For MIL-C-26482 Series 2, MIL-C-81703 Series 3, MIL-C-83723 Series 3, and MIL-C-83733 Connectors).

AMSC N/A FSC 5935

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-04-21T18:28Z
Check the source to verify that this is the current version before use.

SPECIFICATION SHEETS (Continued)

MIL-C-39029/10	Contacts, Electrical Connectors, Socket, Crimp Removable, Thermocouple, (For MIL-C-26482 Series 2, MIL-C-81703 Series 3, MIL-C-83723 Series 3, and MIL-C-83733 Connectors).
MIL-C-39029/11	Contacts, Electrical Connector, Pin, Crimp Removable, (For MIL-C-81659 Series 2 Connectors).
MIL-C-39029/12	Contacts, Electrical Connector, Socket, Crimp Removable, (For MIL-C-81659 Series 2 Connectors).
MIL-C-39029/13(AS) (INACTIVE)	Contacts, Electrical Connector, Socket, Crimp Removable, Shielded, (For MIL-C-81511 Series 1 Connectors).
MIL-C-39029/14(AS) (INACTIVE)	Contacts, Electrical Connector, Socket, Crimp Removable, Shielded, (For MIL-C-81511 Series 2 Connectors).
MIL-C-39029/15(AS)	Contacts, Electric, Socket, Crimp Removable, Composition A.
MIL-C-39029/16(AS) (INACTIVE)	Contacts, Electrical Connector, Socket, Crimp Removable, (For MIL-C-81511 Series 4 Connectors).
MIL-C-39029/17(AS) (INACTIVE)	Contacts, Electrical Connector, Socket, Crimp Removable, (For MIL-C-81511 Series 3 Connectors).
MIL-C-39029/18(AS) (INACTIVE)	Contacts, Electrical Connector, Pin, Crimp Removable, (For MIL-C-81511 Series 3 and 4 Connectors).
MIL-C-39029/19(AS) (INACTIVE)	Contacts, Electrical Connector, Pin, Crimp Removable, Shielded, (For MIL-C-81511 Series 3 and 4 Connectors).
MIL-C-39029/20(AS) (INACTIVE)	Contacts, Electrical Connector, Socket, Crimp Removable, Shielded, (For MIL-C-81511 Series 3 Connectors).
MIL-C-39029/21(AS) (INACTIVE)	Contacts, Electrical Connector, Socket, Crimp Removable, Shielded (For MIL-C-81511 Series 4 Connectors).
MIL-C-39029/22	Contacts, Electrical Connector, Socket, Crimp Removable, (For Terminal Junction System Series II, TJS and MIL-C-81511 Series 3 and 4 Class L Connectors).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:28Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS SHEETS (Continued)

MIL-C-39029/23 (INACTIVE)	Contacts, Electrical Connectors, Pin, Crimp Removable, Shielded, (For MIL-C-26482 Series 1 Connectors).
MIL-C-39029/24 (INACTIVE)	Contacts, Electrical Connectors, Socket, Crimp Removable, Shielded, (For MIL-C-26482 Series 1 Connectors).
MIL-C-39029/25 (INACTIVE)	Contacts, Electrical Connector, Pin, Crimp Removable, Shielded, (For MIL-C-26482 Series 1 Connectors).
MIL-C-39029/26 (INACTIVE)	Contacts, Electrical connectors, Socket, Crimp Removable, Shielded, (For MIL-C-26482 Series 1 Connectors).
MIL-C-39029/27	Contacts, Electrical Connector, Socket, Crimp Removable, Shielded, Size 12 (For MIL-C-38999 Series II Connectors).
MIL-C-39029/28	Contacts, Electrical Connector, Pin, Crimp Removable, Shielded, Size 12 (For MIL-C-38999 Series I, II, III and IV Connectors).
MIL-C-39029/29	Contacts, Electrical Connector, Pin, Crimp Removable, (For MIL-C-5015 Series MS3450 and MIL-C-83723 Series 2 Connectors).
MIL-C-39029/30	Contacts, Electrical Connector, Socket, Crimp Removable, (For MIL-C-5015 MS3450 Series and MIL-C-83723 Series II Connectors).
MIL-C-39029/31	Contacts, Electrical Connector, Pin, Crimp Removable, (For MIL-C-26482 Series 1, MIL-C-26500 and MIL-C-26518 Connectors).
MIL-C-39029/32	Contacts, Electrical Connector, Socket, Crimp Removable, (For MIL-C-26482 Series 1, MIL-C-26500 and MIL-C-26518 Connectors).
MIL-C-39029/33(AS) (INACTIVE)	Contacts, Electrical Connector, Socket, Crimp Removable, (For MIL-C-81511 Series 1 Connectors).
MIL-C-39029/34	Contacts, Electrical Connector, Pin, Crimp Removable, (For MIL-C-28748/3 and MIL-C-28748/13 Connectors).
MIL-C-39029/35	Contacts, Electrical Connector, Socket, Crimp Removable, (For MIL-C-28748/4 and MIL-C-28748/14 Connectors).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:28Z
Check the source to verify that this is the current version before use.

SPECIFICATION SHEETS (Continued)

MIL-C-39029/36	Contacts, Electrical Connector, Pin, Crimp Removable, (For MIL-C-28748/9 Connectors).
MIL-C-39029/37	Contacts, Electrical Connector, Socket, Crimp Removable, (For MIL-C-28748/10 Connectors).
MIL-C-39029/44	Contacts, Electrical Connector, Pin, Crimp Removable, (For MIL-C-5015 Series MS3400 Connectors).
MIL-C-39029/45	Contacts, Electrical Connector, Socket, Crimp Removable, (For MIL-C-5015 Series MS3400 Connectors).
MIL-C-39029/46(AS) (INACTIVE)	Contacts, Electrical Connector, Socket, Crimp Removable, (For MIL-C-81511 Series 2 Connectors).
MIL-C-39029/47(AS) (INACTIVE)	Contacts, Electrical Connector, Pin, Crimp Removable, (For MIL-C-81511 Series 1 and 2 Connectors).
MIL-C-39029/48	Contacts, Electrical Connector, Pin, Crimp Removable, (For MIL-C-22992 Class L Connectors).
MIL-C-39029/49	Contacts, Electrical Connector, Socket, Crimp Removable, (For MIL-C-22992 Class L Connectors).
MIL-C-39029/50	Contacts, Electrical Connector, Pin, Crimp Removable, Shielded, (For MIL-C-83733 Connectors).
MIL-C-39029/51	Contacts, Electrical Connector, Socket, Crimp Removable, Shielded, (For MIL-C-83733 Connectors).
MIL-C-39029/54(USAF) (INACTIVE)	Contacts, Electrical Connector, Pin, Crimp Removable, Shielded, (For MIL-C-26500 and MIL-C-26518 Connectors).
MIL-C-39029/55(USAF) (INACTIVE)	Contacts, Electrical Connector, Socket, Crimp Removable, Shielded, (For MIL-C-26500 and MIL-C-26518 Connectors).
MIL-C-39029/56	Contacts, Electrical Connector, Socket, Crimp Removable, (For MIL-C-38999 Series I, III, and IV Connectors).
MIL-C-39029/57	Contacts, Electrical Connectors, Socket, Crimp Removable, (For MIL-C-24308, MIL-C-38999 Series II, MIL-C-55302/68, /71, /72, /75 and MIL-C-83733 Connectors).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:28Z
Check the source to verify that this is the current version before use.

SPECIFICATION SHEETS (Continued)

MIL-C-39029/58	Contacts, Electrical Connector, Pin, Crimp Removable, (For MIL-C-24308, MIL-C-38999 Series I, II, III, and IV, and MIL-C-55302/69 and MIL-C-83733 Connectors).
MIL-C-39029/59	Contacts, Electrical Connector, Socket, Crimp Removable, Shielded, Size 8 (For MIL-C-38999 Series I, III, and IV Connectors).
MIL-C-39029/60	Contacts, Electrical Connector, Pin, Crimp Removable, Shielded, Size 8 (For MIL-C-38999 Series I, III, and IV Connectors).
MIL-C-39029/63	Contacts, Electrical Connector, Socket, Crimp Removable, (For MIL-C-24308 Connectors).
MIL-C-39029/64	Contacts, Electrical Connector, Pin, Crimp Removable, (For MIL-C-24308 Connectors).
MIL-C-39029/69	Connector Contact, Electrical Socket, Crimp Removable, For MIL-C-85028(AS) Connectors.
MIL-C-39029/70	Connector Contact, Electrical Pin, Crimp Removable, For MIL-C-85028(AS) Connectors.
MIL-C-39029/71	Contacts, Electrical Connector, Pin, Removable, Solderless Wrap-Post Termination (For MIL-C-38999 Series II, MIL-C-24308, MIL-C-83733, and MIL-C-55302/69 Connectors).
MIL-C-39029/72	Contacts, Electrical Connector, Socket, Removable, Solderless Wrappost Termination (For MIL-C-38999 Series I, II, III, and IV, MIL-C-24308, and MIL-C-55302/68, /71, and /75 Connectors).
MIL-C-39029/73	Contacts, Electrical Connectors, Socket, Solder, Removable, Shielded, (For MIL-C-83723 Series 3, MIL-C-26482 Series 2 and MIL-C-83733 Connectors).
MIL-C-39029/74	Contacts, Electrical Connectors, Pin, Solder, Removable, Shielded, (For MIL-C-83723 Series 3, MIL-C-26482 Series 2 and MIL-C-83733 Connectors).
MIL-C-39029/75	Contacts, Electrical Connector, Socket, Crimp Removable, Shielded, Size 12 (For MIL-C-38999 Series I, II, III and IV Connectors).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:28Z
Check the source to verify that this is the current version before use.

SPECIFICATION SHEETS (Continued)

MIL-C-39029/76	Contacts, Electrical connector, Pin, Crimp Removable, Shielded, Size 16 (For MIL-C-38999 Series I, II, III, and IV and MIL-C-24308 Connectors).
MIL-C-39029/77	Contacts, Electrical Connector, Socket, Crimp Removable, Shielded, Size 16 (For MIL-C-38999 Series I, III and IV Connectors).
MIL-C-39029/78	Contacts, Electrical Connector, Socket, Crimp Removable, Shielded, Size 16 (For MIL-C-38999 Series II and MIL-C-24308 Connectors).
MIL-C-39029/79	Contacts, Electrical Connector, Pin, Crimp Removable, Shielded, (For MIL-C-28748/9 Connectors).
MIL-C-39029/80	Contacts, Electrical Connector, Socket, Crimp Removable, Shielded, (For MIL-C-28748/10 Connectors).
MIL-C-39029/83(EC)	Contacts, Electrical Connector, Pin, Crimp Removable (For MIL-C-28840 Connectors).
MIL-C-39029/84(EC)	Contacts, Electrical Connector, Socket, Crimp Removable (For MIL-C-28840 Connectors).
MIL-C-39029/85	Contacts, Electrical Connector, Pin, Crimp Removable, Thermocouple (For MIL-C-5015, MS3450 Series and MIL-C-83723 Series II Connectors).
MIL-C-39029/86	Contacts, Electrical Connector, Socket, Crimp Removable, Thermocouple (For MIL-C-5015, MS3450 Series and MIL-C-83723 Series II Connectors).
MIL-C-39029/87	Contacts, Electrical Connector, Pin, Crimp Removable, Thermocouple, (For MIL-C-38999 Series I, II, III, and IV, MIL-C-24308, and MIL-C-83733).
MIL-C-39029/88	Contacts, Electrical Connector, Socket, Crimp Removable, Thermocouple (For MIL-C-38999 Series I, III, and IV Connectors).
MIL-C-39029/89	Contacts, Electrical Connector, Socket, Crimp Removable, Thermocouple (For MIL-C-38999 Series II, MIL-C-83733, and MIL-C-24308 Connectors).
MIL-C-39029/90	Contact, Electrical Connector, Concentric Twinax, Pin, Size 8.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:28Z
Check the source to verify that this is the current version before use.

SPECIFICATION SHEETS (Continued)

MIL-C-39029/91	Contact, Electrical Connector, Concentric Twinax, Socket, Size 8.
MIL-C-39029/92	Contacts, Electrical Connector, Crimp Removable (For MIL-S-12883/40 and /41 Relay Sockets).
MIL-C-39029/93	Contacts, Electrical Connector, Pin, Crimp Removable, (For DOD-C-83527 Connector).
MIL-C-39029/94	Contacts, Electrical Connector, Socket, Crimp Removable, (For DOD-C-83527 Connector).
MIL-C-39029/95	Contact, Electrical Connector, Concentric Twinax, Socket Shielded, Size 8 (For DOD-C-83527 Connector).
MIL-C-39029/96	Contact, Electrical Connector, Concentric Twinax, Pin, Size 8 (For DOD-C-83527 Connector).
MIL-C-39029/97	Contacts, Electrical Connector, Pin, Crimp Removable, Coaxial, Size 1 (For DOD-C-83527 Connectors).
MIL-C-39029/98	Contacts, Electrical Connector, Socket, Crimp Removable, Coaxial, Size 1 (For DOD-C-83527 Connectors).
MIL-C-39029/99	Contacts, Electrical Connector, Socket, Crimp Removable, Coaxial, Size 5 (For DOD-C-83527 Connectors).
MIL-C-39029/100	Contacts, Electrical Connector, Socket, Crimp Removable, Coaxial, Size 5 (For DOD-C-83527 Connectors).
MIL-C-39029/101	Contacts, Electrical Connector, Socket, Crimp Removable (For MIL-S-12883/44, MIL-S-12883/45, and MIL-S-12883/46 Relay Sockets).
MIL-C-39029/102	Contacts, Electrical Connector, Pin, Crimp Removable, Coaxial, Size 12 (For MIL-C-38999 Series I, II, III and IV Connectors).
MIL-C-39029/103	Contacts, Electrical Connector, Socket, Crimp Removable, Coaxial, Size 12 (For MIL-C-38999 Series I, III and IV Connectors).
MIL-C-39029/104	Contacts, Electrical Connector, Concentric Twinax, Pin, Shielded, Size 8 (for MIL-C-28840)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:28Z
Check the source to verify that this is the current version before use.

Preparing activity:
Navy - AS
(Project No. 5935-3591)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:28Z
Check the source to verify that this is the current version before use.