
MIL-C-39029/7B
2 Aug 1976
SUPERSEDING
MIL-C-39029/7A(NAVY)
15 October 1973


MILITARY SPECIFICATION SHEET

CONTACTS, ELECTRICAL CONNECTOR,
PIN, CRIMP REMOVABLE, SHIELDED, (FOR
MIL-C-26482 SERIES 2 AND MIL-C-81703 SERIES 3 CONNECTORS)


This specification is approved for use by all Departments and Agencies of the Department of Defense

The complete requirements for procuring the contacts described herein shall consist of this document and the latest issue of Specification MIL-C-39029.






SHIELD CRIMP SLEEVE



CONTACT SEPARATOR
(POLYTETRAFLUOROETHYLENE)



INNER CONTACT (SOCKET)

FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:30Z
Check the source to verify that this is the current version before use.

TABLE I. Dimensions.

BIN code	A MAX DIA	B MIN DIA	C DIA	D MAX DIA	E DIA	H DIA	L (REF)	N MIN	P	R	S	T MIN	X
126	.047	.017	.061 .055	.052	.0310 .0295	.022 .016	.760	.155	.222 .202	.155 .140	.558 .538	.280	.036 .033
127	.047	.023	.061 .055	.052	.0310 .0295	.022 .016	.760	.155	.222 .202	.155 .140	.558 .538	.280	.036 .033
128	.047	.027	.061 .055	.052	.0310 .0295	.022 .016	.760	.155	.222 .202	.155 .140	.558 .538	.280	.036 .033

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Metric equivalents are in parentheses for overall length and diameter only.
4. Dimensions shown apply after plating.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:30Z
Check the source to verify that this is the current version before use.

TABLE II Design characteristics.

BIN code	Color bands			Contact cavity size	Cables accommodated	Type	Class
	1st	2nd	3rd				
126	Brown	Red	Blue	12	RG-178 B/U, RG-178 A/U, RG-196 A/U, 30 AWG, 28 AWG	D	B
127	Brown	Red	Violet	12	RG-174/U, RG-188 A/U, 26 AWG		
128	Brown	Red	Gray	12	24 AWG		

REQUIREMENTS:

Dimensions, design characteristics, and configuration: See figure and tables I and II.

Tools. See table III.

Mating contact. MIL-C-39029/8.

Manufacturer's recommended assembly instructions to be shipped with unit package.

Preparation of samples. Contacts shall be wired as required using wire in accordance with table II (cables accommodated column)

Contact resistance
Outer contact - 3 mV at 1 ampere.
Inner contact - 10 mV at 1 ampere.

Dielectric withstanding voltage·
Sea level - 700 Vac, rms.
70,000 feet - 200 Vac, rms.

Tensile strength:
Outer contact - 9 pounds, minimum
Inner contact - 3 pounds, minimum

Insulation resistance. 1,000 megohms, minimum

QPL evaluating activity Naval Weapons Support Center, Code 3074, Crane, Indiana 47522.

International interest NEPR 57

Military part numbers. See table IV.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:30Z
Check the source to verify that this is the current version before use.

TABLE III Tools.

BIN code	Inner contact		Shield crimp sleeve		Installing tool	Removal tool	
	Basic crimping tool	Positioner	Basic crimping tool	Die		Wired contact	Unwired contact
126	M22520/2-01	M22520/2-27	M22520/5-01	M22520/5-06	MS3447-12	MS3447-12	MS3348-12
127	M22520/2-01	M22520/2-27	M22520/5-01	M22520/5-06	MS3447-12	MS3447-12	MS3448-12
128	M22520/2-01	M22520/2-27	M22520/5-01	M22520/5-06	MS3447-12	MS3447-12	MS3448-12

TABLE IV. Military part number.

Bin code	Military part number
126	M39029/7-001
127	M39029/7-002
128	M39029/7-003

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:30Z
Check the source to verify that this is the current version before use.

Custodians
Army - EL
Navy - AS
Air Force - 85

Review activities:
Army - MU, MI
Navy - EC, SH, MC
Air Force - 11, 17, 99
DSA - ES

User activities
Army -
Navy - OS
Air Force -

Preparing activity
Navy - AS

Agent
DSA - ES

(Project 5935-1977-7)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:30Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Commander
Naval Air Systems Command (AIR 51122)
Washington, DC 20361

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:30Z
Check the source to verify that this is the current version before use.

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions - Reverse Side)

1 DOCUMENT NUMBER	2 DOCUMENT TITLE

3a NAME OF SUBMITTING ORGANIZATION	4 TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)* _____

5 PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6 REMARKS

7a NAME OF SUBMITTER *(Last, First, MI)* - Optional	b WORK TELEPHONE NUMBER *(Include Area Code)* - Optional
c MAILING ADDRESS *(Street, City, State, ZIP Code)* - Optional	8 DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:30Z
Check the source to verify that this is the current version before use.