MIL-L-37635
28 August 1978

MILITARY SPECIFICATION

LIDOCAINE HYDROCHLORIDE INJECTION, MODIFIED

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Lidocaine Hydrochloride Injection, Modified (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-C-186	- Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:09Z
Check the source to verify that this is the current version before use.

MILITARY

MIL-S-37607 - Syringe, Cartridge, Aspirating, Thumb, Ring Handle.

STANDARDS

FEDERAL

FED-STD-142 - Parenteral Preparations.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Applications for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:09Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Material. Shall be Lidocaine Hydrochloride Injection, Modified, and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein.

S2. Classification. Shall be type I, class 1.

S5.2.2 The following is added to this paragraph:
Shall be a two (2) percent W/V solution of Lidocaine Hydrochloride with added epinephrine 1:50,000. Each ml of injection shall contain the following:

Lidocaine Hydrochloride	-----	0.02 Gram
Epinephrine	-----	0.00002 Gram
Sodium Chloride	-----	0.006 Gram
Sodium Metabisulfite	-----	0.0005 Gram
Methylparaben	-----	0.001 Gram
Water for Injection, qs ad.	-----	1.00 ml

Shall be in accordance with the tests, standards, and requirements of the USP including any supplements or revisions thereto, for Lidocaine Hydrochloride Injection, except that the quantity of epinephrine shall be as stated above. Shall assay within the applicable assay limits of the USP for Lidocaine Hydrochloride Injection.

S6.1.2.1 Vehicle shall be as specified in S5.2.2.

S6.3 Delete the last sentence in S6.3 and substitute:

The final container (cartridge) shall contain not less than 1.80 ml and each cartridge shall deliver not less than 1.7 ml when used with the cartridge syringes.

The following new paragraph is added to FED-STD-142:

S6.9.5 All cartridges showing any discloration, leakage of solution, or particulation prior to ejection, within the expiration dating period, shall be replaced by the manufacturer with freshly prepared injection in conformity with requirements of this specification at no cost to the Government.

3.2 pH. The pH of the injection shall be within the limits of the USP for Lidocaine Hydrochloride Injection.

3.3 Ingredients.

3.3.1 Lidocaine hydrochloride and epinephrine. The lidocaine hydrochloride and epinephrine used in the manufacture of the injection shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:09Z
Check the source to verify that this is the current version before use.

3.4 Other ingredients. All other ingredients used in the manufacture of the injection shall comply with S5.1 of FED-STD-142.

3.5 Expiration dating period. The expiration dating period shall be not less than 18 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. Sampling as shown in FED-STD-142 shall be applicable.

4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests and examination. Tests and examination shall be performed to determine compliance with all requirements of this document and all referenced documents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:09Z
Check the source to verify that this is the current version before use.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One can containing fifty cartridges, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available clear, type I USP glass cartridge considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. The cartridges shall be suitable for use with Syringe, Cartridge, Aspirating, Thumb Ring Handle, covered by MIL-S-37607 (see 6.3).

5.2.2.2 Unit package. Fifty cartridges shall be vacuum packaged in a metal can. The can shall contain sufficient cushioning material to insure against shifting and breakage of the contents and shall meet the following requirements:

5.2.2.2.1 Size. The outside diameter of the can shall not exceed 86.5 mm. The total height of the can shall not exceed 78.8 mm.

5.2.2.2.2 Closure. Can shall have an aluminum full panel roll top with a pull ring. Can closure shall be accomplished in a vacuum not greater than 10 inches of mercury at 20° C.

5.2.2.3 Intermediate package. Twenty unit packages shall be packaged in a box conforming to PPP-B-636, class domestic. Closure shall be as specified in the appendix of the box specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:09Z
Check the source to verify that this is the current version before use.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Two intermediate packages (40 units) shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Two intermediate packages (40 units) shall be packed as specified in 5.4.3.6.1.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder, and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the National Stock Number.

NOTES: (1) The National Stock Number need not be preceded by any prefix.

(2) Strip labeling may be used.

(3) Label adhesion test shall not apply.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. In addition, type I shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legends:

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30° C (59° - 86°F)"
and
"DO NOT PERMIT TO FREEZE".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:09Z
Check the source to verify that this is the current version before use.

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Type I shelf life marking as specified in MIL-STD-129 shall also be shown. Marking shall include the legends:

"STORE AT CONTROLLED ROOM TEMPERATURE 15°-30°C (59° - 86°F)"
and
"DO NOT PERMIT TO FREEZE".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.

(b) National Stock Number.

(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item:

National Stock Number	Item Identification
6505-00-261-7240	LIDOCAINE HYDROCHLORIDE INJECTION, MODIFIED, 2%, With Epinephrine 1:50,000, Cartridges, 1.8 ml, 50s

6.3 Shall be suitable for use with 6515-00-010-8761, Syringe, Cartridge, Aspirating, Thumb Ring Handle (see 5.2.2.1).

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
DLA-DM

Project No. 6505-1778

Review activity:
DoD - MB

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:09Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:09Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-L-37635 LIDOCAINE HYDROCHLORIDE INJECTION, MODIFIED

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:09Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

POSTAGE AND FEES PAID

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

DEFENSE PERSONNEL SUPPORT CENTER
DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:09Z
Check the source to verify that this is the current version before use.

copies of specifications and standards required by