MILITARY SPECIFICATION

LIDOCAINE HYDROCHLORIDE INJECTION, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1 SCOPE

1.1 Scope. This specification covers Lidocaine Hydrochloride Injection, USP.

1.2 Classification. The injection covered by this specification shall be of the following sizes and strengths (see 6.2):

Strength 1 - 0.5 percent Lidocaine Hydrochloride
Strength 2 - 1.0 percent Lidocaine Hydrochloride
Strength 3 - 2.0 percent Lidocaine Hydrochloride
Strength 4 - 1.0 percent Lidocaine Hydrochloride with Epinephrine 1:100,000
Strength 5 - 1.5 percent Lidocaine Hydrochloride with Epinephrine 1:200,000
Size 1 - 20 ml
Size 2 - 50 ml
Size 3 - 5 ml, 10s
Size 4 - 20 ml, 5s
Size 5 - 30 ml, 5s

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:10Z
Check the source to verify that this is the current version before use.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.

STANDARDS

FEDERAL

FED-STD-142 - Parenteral Preparations.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:10Z
Check the source to verify that this is the current version before use.

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Lidocaine Hydrochloride Injection, USP, and shall be in accordance with all applicable of requirements of FED-STD-142, and as specified herein.

S2. Classification. Shall be type I, class 1. For strength 3, size 3, shall be suitable for intravenous (IV) use.

S5.2.1 The following is added to this paragraph:

For strength 1, shall be a 0.5 percent solution of lidocaine hydrochloride within the applicable assay limits for the injection.

For strength 2, shall be a 1.0 percent solution of lidocaine hydrochloride within the applicable assay limits for the injection.

For strength 3, shall be a 2.0 percent solution of lidocaine hydrochloride within the applicable assay limits for the injection.

For strength 4, shall be a 1.0 percent solution of lidocaine hydrochloride with added epinephrine 1:100,000, within the applicable assay limits for the injection.

For strength 5, shall be a 1.5 percent solution of lidocaine hydrochloride, with added epinephrine 1:200,000, within the applicable assay limits for the injection.

3.2 Ingredients.

3.2.1 Lidocaine hydrochloride and epinephrine. The lidocaine hydrochloride and epinephrine used in the manufacture of the injection shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

3.3 Other ingredients. All other ingredients used in the manufacture of the injection shall be comply with S5.1 of FED-STD-142.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:10Z
Check the source to verify that this is the current version before use.

3.4 Expiration dating period. The expiration dating period shall be not less than 24 months for strength 3, size 3, strength 4, size 4, and strength 5, size 5; and not less than 36 months for strength 1, size 2; strength 2, size 2; and strength 3, size 1.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of the inspection requirements specified herein.

4.2 Sampling. Sampling as shown in FED-STD-142 is applicable.

4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests. Tests shall be performed to determine compliance with all requirements of this document and all referenced documents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:10Z
Check the source to verify that this is the current version before use.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One bottle containing 20 ml of size 1, strength 3, or 50 ml of size 2, strength 1, or size 2, strength 2, constitutes a unit of issue. One box containing 5 vials of size 4, strength 4, or 5 ampuls of size 5, strength 5, constitutes a unit of issue. One box containing 10 syringe-needle units of size 3, strength 3 constitutes a unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1.1 Size 1 and 2. The immediate container for size 1 and size 2 shall be a commercially available multiple dose vial considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.1.2 Size 3. The immediate container for size 3 shall be a commercially available disposable syringe-needle unit considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. The needle shall be 22 gage, 15/16 or 1-1/2 inches.

NOTE: Individual carton is required for strength 3, size 3.

5.2.2.1.3 Size 4. The immediate container for size 4 shall be a commercially available vial considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.1.4 Size 5. The immediate container for size 5 shall be a commercially available immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package.

5.2.2.2.1 Size 1 and size 2. At the option of the contractor, a unit package may be furnished for size 1 or size 2 bottles. If a unit package is furnished, each unit shall be packaged as specified in 5.2.5 of PPP-C-186.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:10Z
Check the source to verify that this is the current version before use.

5.2.2.2.2 Size 3, size 4 and size 5. Each unit shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package.

5.2.2.3.1 Size 1 and size 2. Thirty units of issue shall be packaged in an intermediate package as specified in paragraph 5.2.7.1 of PPP-C-186.

5.2.2.3.2 Size 3, size 4 and size 5. Five unit packages of size 3 or six unit packages of size 4 or size 5 shall be packaged in an intermediate package as specified in 5.2.8 of PPP-C-186.

5.2.3 Level C. Each unit of issue shall be packaged in a manner that will afford adequate protection against deterioration and physical damage during shipment from the supply source to the first receiving activity.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Eight intermediate packages containing size 1 or size 5, or four intermediate packages containing sizes 2 thru 4 of one strength only shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B.

5.3.2.1 Size 1 and size 2. Eight intermediate packages containing size 1, or four intermediate packages containing size 2, strength 1, or size 2, strength 2, shall be packed as specified in 5.4.3.1.1 of PPP-C-186.

5.3.2.2 Size 3, size 4 and size 5. Eight intermediate packages containing size 5, four intermediate packages containing size 3, or eight intermediate packages containing size 4 shall be packed as specified in 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The packaged bottles or ampuls of one size and strength only shall be packed in shipping containers in a manner that will afford adequate protection against damage during direct shipment from the supply source to the first receiving activity. These packs shall conform to the applicable carriers' rules and regulations.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:10Z
Check the source to verify that this is the current version before use.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Food, Drug Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Individual carton: For strength 3, size 3. Each individual carton label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) indication for IV use.

5.4.1.3 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

NOTES: (1) The National Stock Number need not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied for size 1 and size 2 the National Stock Number shall appear on the immediate container label.
(5) For strength 3, size 3, the labeling for the unit package and insert, if supplied, shall bear indication for IV use.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. In addition, type I shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legends:

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)"

and

"DO NOT PERMIT TO FREEZE".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:10Z
Check the source to verify that this is the current version before use.

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type I shelf life marking as specified in MIL-STD-129 shall also be shown. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)"

and

"DO NOT PERMIT TO FREEZE".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following items:

National Stock Number	Item Identification	Specification Designation
6505-00-055-5716	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 1.5%, With Epinephrine 1:200,000, 30 ml, 5s	Strength 5, Size 5
6505-00-139-4512	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 2%, Syringe-Needle Unit, 5 ml, 10s	Strength 3, Size 3
6505-00-582-5182	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 1%, With Epinephrine 1:100,000, 20 ml, 5s	Strength 4, Size 4,
6505-00-598-6115	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 0.5%, 50 ml	Strength 1, Size 2
6505-00-598-6116	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 1%, 50 ml	Strength 2, Size 2
6505-00-598-6117	LIDOCAINE HYDROCHLORIDE INJECTION, USP, 2%, 20 ml	Strength 3, Size 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:10Z
Check the source to verify that this is the current version before use.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Review activity:
DoD - MB

Preparing activity:
DLA-DM

Project No. 6505-1782

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:10Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-L-37641 LIDOCAINE HYDROCHLORIDE INJECTION, USP

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:10Z
Check the source to verify that this is the current version before use.