MILITARY SPECIFICATION

TRIETHANOLAMINE POLYPEPTIDE OLEATE-CONDENSATE SOLUTION

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Triethanolamine Polypeptide Oleate-Condensate Solution (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals Pharmaceuticals.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:08Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be an otic solution (cerumenolytic agent) containing 10 percent triethanolamine polypeptide oleate-condensate in propylene glycol. Shall contain a suitable preservative.

3.1.1 Tests.

3.1.1.1 Specific gravity. Shall have a specific gravity of not less than 1.035 and not more than 1.050 at 25°C, when determined using a pycnometer or specific gravity balance.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:08Z
Check the source to verify that this is the current version before use.

3.1.1.2 pH. Shall have a pH of not less than 5.00 and not more than 6.00 at 25°C, using the USP method.

3.1.1.3 Water content. Water content shall be not more than 3 percent, when determined using the Karl Fischer method as described in the USP.

3.1.1.4 Iron content. Iron content shall be not more than 5 parts per million, when determined using the USP test method for iron in reagents.

3.1.1.5 Heavy metals. Heavy metals shall be not more than 5 parts per million (as lead), when determined using the USP method for heavy metals in reagents.

3.1.1.6 Iodine value. Shall be not less than 2.5 and not more than 3.5, when determined using the USP method for iodine value (Hanus method).

3.1.1.7 Viscosity. Shall be not less than 50 centipoises and not more than 90 centipoises at 25°C, when determined using a suitable apparatus.

3.1.1.8 Biuret test. Shall give a positive reaction to indicate the presence of protein (peptide grouping) in the solution.

3.1.1.9 Total nitrogen. Shall be not less than 0.75 percent and not more than 0.95 percent when determined using the USP Kjeldahl method.

3.2 Ingredients.

3.2.1 Polypeptide oleate-condensate. The polypeptide oleate-condensate, used in the manufacture of the solution to form the triethanolamine polypeptide oleate-condensate, shall meet the following requirements:

3.2.1.1 Moisture. Shall be not more than 3.0 percent when determined by the USP azeotropic (toluene distillation) method, or by drying at 105°C to constant weight.

3.2.1.2 Iron content. Iron content shall be not more than 50 parts per million, when determined using the USP test method for iron in reagents.

3.2.1.3 Heavy metals. Heavy metals shall be not more than 50 parts per million (as lead), when determined using the USP method for heavy metals in reagents.

3.2.1.4 Nitrogen. Shall be not less than 7.2 percent and not more than 8.8 percent by weight, when determined using the USP Kjeldahl method.

3.2.1.5 pH. Shall be not less than 2.00 and not more than 3.00 at 25°C for a 5 percent suspension of the polypeptide oleate-condensate in purified water, when determined using the USP method.

3.2.1.6 Iodine value. Shall be not less than 25 and not more than 40 when determined by the USP method for iodine value (Hanus method).

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:08Z
Check the source to verify that this is the currentversion before use.

3.2.2 Triethanolamine. The triethanolamine, used in the manufacture of the solution to form the triethanolamine polypeptide oleate-condensate, shall be in accordance with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

3.2.3 Propylene glycol. The propylene glycol used in the manufacture of the solution shall be in accordance with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

3.3 Other ingredients. All other ingredients entering into the finished solution shall be of USP or NF quality or, if not included in either of these compendia, the ingredients shall be suitable for use in the solution.

3.4 Delivery. Not more than 6 months shall have elapsed form the date of manufacture of the product to the date of delivery to the Government.

3.5 Workmanship. The material and its containers shall be free from defects which detract from their appearance or impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of the inspection requirements specified herein.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quantity of solution produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:08Z
Check the source to verify that this is the current version before use.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-129.

TABLE I. Sampling.

For visual examination	Inspection level	AQL (percent defective)	Unit of product
Major	S-2	1.0	Filled immediate container
Minor	II	2.5	Filled immediate container

4.3.1 Raw material and end item testing. Noncompliance with any of the following is cause for rejection.

TABLE II. Criteria for raw material and end item testing.

Characteristic	Requirement paragraph	Inspection level 1/	Minimum sample
Tests	3.1.1	S-2	5 (Composite)
Ingredient: Polypeptide Oleate-Condensate	3.2.1	2/	-

1/ Where possible, the sample shall be used for two or more tests.
2/ Sufficient quantities of the raw material shall be selected from each lot to perform tests indicated in applicable tests methods. Failure of any sample to comply with test requirements shall be cause for rejection of the lot represented.

4.4 Examination. The finished solution shall be examined to determine compliance with all requirements of this specification. Nonconformance will be permitted to the extent indicated in 4.3 and 4.3.1.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:08Z
Check the source to verify that this is the current version before use.

4.4.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects.

TABLE III. Classification of defects.

Categories	Defects 1/
Major	
101	Solution not free from foreign matter.
102	Solution has crystal formation.
103	Solution not homogeneous.
Minor	
201	Exterior of immediate container is not free from contents or foreign matter.
202	Label not free from defacing marks or tears.

1/ Inspection is not restricted to the classified possible defects listed above.

4.5 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.6 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.7 Tests. Tests shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One package containing one bottle with dropper, as specified, constitutes one unit of issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:08Z
Check the source to verify that this is the current version before use.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available dropper bottle, with suitably wrapped blunt-end dropper, considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit packaging. Each unit may be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate packaging. Twelve (12) units of issue shall be packaged as specified in 5.2.7.1 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. One hundred forty-four (144) units of issue shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. One hundred forty-four (144) units of issue shall be packed as specified in 5.4.3.1.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder, and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the date of manufacture prefixed by "MFD".

5.4.1.2 Unit package. Each unit packaged label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

Source: https://assist.dla.mil -- Downloaded: 20261O-21T11:08Z
Check the source to verify that this is the current version before use.

NOTES: (1) The National Stock Number need not be preceded any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.

5.4.2 Intermediate container. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Date of manufacture shall be shown in lieu of date packed.

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Date of manufacture shall be shown in lieu of date packed.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item:

National Stock Number	Item Identification
6505-00-754-2437	TRIETHANOLAMINE POLYPEPTIDE OLEATE-CONDENSATE SOLUTION, Otic, 10%, 8 ml

Custodians:
Army - MD
Navy - MS
Air Force - 03

Review activity:
DoD - MB

Preparing activity:
DLA - DM

Project No. 6505-1773

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:08Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE
MIL-T-37627 TRIETHANOLAMINE POLYPEPTIDE OLEATE-CONDENSATE SOLUTION

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*	TELEPHONE NO.
	DATE

DD FORM 1426 1 OCT 76 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:08Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 SOUTH 29th STREET
PHILADELPHIA, PA 19101

POSTAGE AND FEES PAID

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL,DPSC-ATT
2800 SOUTH 20th STREET
PHILADELPHIA, PA. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:08Z
Check the source to verify that this is the current version before use.