INCH-POUND
A-A-59126/29D
5 October 2020
SUPERSEDING
A-A-59126/29C
25 October 2015

COMMERCIAL ITEM DESCRIPTION SHEET

TERMINALS, STUD, SINGLE TURRET
(NONINSULATED, SWAGE MOUNTED)
STYLE SE29

The General Services Administration has authorized the use of this commercial item description (CID) for all federal agencies as a replacement for Style SE29 of MIL-T-55155/29.

The requirements for acquiring the product described herein shall consist of this sheet and the latest issue in effect of CID A-A-59126.

REQUIREMENTS:

Dimensions and configuration: see Figure 1.




Figure 1. Configuration and Dimensions.

Comments, suggestions or questions on this document should be emailed to usarmy.apg.ccdc-c5isr.mbx.standardization-crx@mail.mil.
Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil/.

AMSC N/A FSC 5940

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:03Z
Check the source to verify that this is the current version before use.

PART NUMBER	Mounting board thickness (REF)	A .002	B .015	C .010	D .005	E .005	F .005	G .010	H .003	K .003	L .005
AA59126/29X-01	1/64	.047	.093	.063	.063	.018	.040	.027	.028	.031	.035
AA59126/29X-02	1/32	.047	.093	.063	.063	.018	.040	.027	.028	.031	.051
AA59126/29X-03		.078	.187	.109	.125	.047	.075	.040	.055	.068	.078
AA59126/29X-04		.112	.234	.156	.187		.145	.065	.076	.093	
AA59126/29X-05	1/16	.047	.093	.063	.063	.018	.040	.027	.028	.031	.082
AA59126/29X-06		.078	.187	.109	.125	.047	.075	.040	.055	.093	.109
AA59126/29X-07		.112	.234	.156	.187		.145	.065	.076		
AA59126/29X-08	3/32	.047	.093	.063	.063	.018	.040	.027	.028	.031	.113
AA59126/29X-09		.078	.187	.109	.125	.047	.075	.040	.055	.093	.140
AA59126/29X-10		.112	.234	.156	.187		.145	.065	.076		
AA59126/29X-11	1/8	.047	.093	.063	.063	.018	.040	.027	.028	.031	.145
AA59126/29X-12		.078	.187	.109	.125	.047	.075	.040	.055	.093	.170
AA59126/29X-13		.112	.234	.156	.187		.145	.065	.076		
AA59126/29X-14	5/32	.112	.234	.156	.187	.047	.145	.065	.076	.031	.195
AA59126/29X-15	3/16									.093	.230
AA59126/29X-16	1/4										.297

Figure 1. Configuration and Dimensions (continued)

Type of mounting: swage.

Figure 1 Notes:

1. Dimensions are in inches.
2. The drawing depicts only general design characteristics and is not intended to limit specific manufacturing processes.

Table I. Substitutability data.

Part number in A-A-59126/29 1/	Part number in MIL-T-55155/29A 1/
AA59126/29X-01	M55155/29-1
AA59126/29X-02	M55155/29-2
AA59126/29X-03	M55155/29-3
AA59126/29X-04	M55155/29-4
AA59126/29X-05	M55155/29-5
AA59126/29X-06	M55155/29-6
AA59126/29X-07	M55155/29-7
AA59126/29X-08	M55155/29-8
AA59126/29X-09	M55155/29-9
AA59126/29X-10	M55155/29-10
AA59126/29X-11	M55155/29-11
AA59126/29X-12	M55155/29-12
AA59126/29X-13	M55155/29-13
AA59126/29X-14	M55155/29-14
AA59126/29X-15	M55155/29-15
AA59126/29X-16	M55155/29-16

1/ The complete part number shall include the symbol for the conductor material and finish.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:03Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodian:
Army - CR
Navy - AS
Air Force - 85

Reviewer:
DLA – GS

CIVIL AGENCY COORDINATING ACTIVITY:

GSA-7FXE

Preparing activity:
Army - CR

(Project No. 5940-2020-001)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:03Z
Check the source to verify that this is the current version before use.