DDD-W-80C
AMENDMENT-1
February 5, 1973

FEDERAL SPECIFICATION

WASHCLOTH, TERRY, COTTON

This amendment, which forms part of Federal Specification DDD-W-80C, dated June 22, 1971, was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use by all Federal agencies.

PAGE 1

2.1, opposite "DDD-L-20". Delete "Equipment" and substitute: "Equipage".

PAGE 2

2.1, line 11, following "other". Delete "Federal Specifications" and substitute: "product specifications".

Line 13, following "charge". Delete "from Business Service Centers".

2.2, line 2, following "Unless". Delete "otherwise indicated" and substitute: "a specific issue is identified".

Line 6. Delete "20407" and substitute: "20580".

PAGE 3

2.2, lines 3 and 4. Delete "National Motor Freight Traffic Association Inc., Agent" and substitute "American Trucking Association, Inc., Tariff Order Section."

2.2, line 8, following "Committee". Delete remainder of sentence and substitute: "Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)"

PAGE 5

3.4.1 Delete and substitute the following: "3.4.1 Edge finishing. All raw edges shall be overedged stitched with 10 to 14 stitches per inch of stitch type 504 or as an alternate stitch type 505 and stitching type EFd-1 as specified in FED-STD-751. All ends of stitching, thread breaks, skipped stitches and runoffs shall be overstitched 3/4 to 1-inch. There shall be no loose or untrimmed threads on the finished washcloths."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:32Z
Check the source to verify that this is the current version before use.

PAGE 5 (Cont'd)

3.5, line 2, following "sample." Add "when available."

PAGE 7

4.2.2.1.1, lines 5 and 6. Delete "Overstitching missing or loose stitch tension resulting in a loosely secured edge" and substitute: "Any overedge stitching missing, 3 or more consecutively skipped stitches, stitching runoffs, loose stitch tension resulting in a loosely secured edge."

Add to defect list "Any thread breaks, runoffs and ends of stitching not overstitched 3/4 to 1-inch."

4.3, line 5. Delete "sealed" and substitute: "closed."

PAGE 8

4.3, line 6. Insert "Incorrectly fabricated bag."

4.3, line 10. Delete "or more" and substitute "is more"

PAGE 10

5.1.1, at end of paragraph. Add "The bag may be fabricated from polyethylene film tubing or sheeting."

5.2.1, last sentence. Delete and substitute: "Each shipping container shall be closed in accordance with method III, waterproofed in accordance with method V and reinforced as specified in the appendix of PPP-B-636."

5.2.2.1, line 3, after "with". Insert "method III as specified in."

PAGE 11

5.3, line 1. Delete "(military requirement)."

5.4.1, line 2. Delete "and shipping containers" and substitute: "shipping containers and palletized unit loads."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:32Z
Check the source to verify that this is the current version before use.

CUSTODIANS:

Army - GL
Navy - SA
Air Force - 82

Review activity:

Army - MD

Preparing activity:

Army - GL

Civil Agencies Interest:

GSA - FSS
HEW - PHS
VA
JUS - FPI

Project No. 7210-0155

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:32Z
Check the source to verify that this is the current version before use.