O-F-1044B
AMENDMENT 1
November 28, 1977

FEDERAL SPECIFICATION

FUEL, ENGINE PRIMER: COLD STARTING, IN PRESSURIZED AND NONPRESSURIZED CONTAINERS

This amendment forms a part of Federal Specification O-F-1044B, dated February 24, 1975, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

1.2.1, Type III, after "unit" delete "20.0 oz av" and substitute "18 oz av".

PAGES 1 and 2

2.1, under Federal Specifications, delete: "PPP-B-566, PPP-B-601, PPP-B-621, PPP-B-636, PPP-B-676, PPP-F-320".

PAGE 3

2.2, under Department of Transportation, delete "49 CFR 171-190 - General Information and Regulations" and substitute "49 CFR 171-189 - Hazardous Materials Regulations."

Delete in its entirety all reference to: "Federal Aviation Agency (FAA)" "Uniform Classification Committee, Agent.", "National Motor Freight Traffic Association, Inc., Agent".

PAGE 4

3.4, line 1, delete "85" and substitute "60".

PAGE 5

3.6, line 3, delete "49 CFR 171-190 and 49 CFR 397" and substitute "49 CFR 171-189".

PAGE 6

3.9, delete first sentence and substitute:

"3.9 Marking. In addition to the marking required in Section 5, the following marking shall be applied:"; delete: "3.9(b)"; change subparagraph "c" to "b"; delete last sentence and substitute: "The above markings shall be applied directly to the Type II, Type III, and Type IV, Class 2 dispenser units. For Type I and Type IV, Class 1 dispenser units, the above markings shall be applied to the exterior container."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:16Z
Check the source to verify that this is the current version before use.

PAGE 7

4.1.1, delete in its entirety.

PAGE 11

4.6, delete in its entirety and substitute: "4.6 Inspection of packaging."

PAGE 12

4.6.1.3, defect 108, delete and substitute: "108. Number of Type II and Type III units intermediate packed together not as specified";

delete defects 110, 111 and 112; delete defect "113" and substitute "110".

PAGES 12 and 13

5., delete in its entirety and substitute:

"5. PREPARATION FOR DELIVERY

5.1 Preservation. Preservation shall be Level A or C as specified (see 6.2).

5.1.1 Level A. Each Type I primer fuel unit shall be coated with P-19 preservative in accordance with the requirements of MIL-P-116.

5.1.2 Level C. The primer fuel units shall be preserved to afford protection against damage and deterioration during shipment from the contractor to initial destination.

5.2 Packing. Packing shall be Level A or C as specified (see 6.2).

5.2.1 Level A.

5.2.1.1 Intermediate pack. Type II and Type III primer fuel units shall each be intermediate packed in quantities of 24 in fiberboard boxes as specified in Title 49 CFR 171-189 for engine starting fluid.

5.2.1.2 Exterior pack. The Types I and IV primer fuel units and the intermediate packs of Type II and Type III primer fuel units shall be packed in wooden boxes as specified for engine starting fluid in Title 49 CFR 171-189. Each box shall contain only primer fuel units of one type and class.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:16Z
Check the source to verify that this is the current version before use.

5.2.1.3 Level C. The primer fuel units shall be packed as specified in 5.2.1 except that specified fiberboard boxes shall be permitted in lieu of wood boxes.

5.3 Marking. In addition to the marking required in 3.9 and Title 49 CFR 171-189, containers shall be marked in accordance with FED. STD. No. 123 for Civil Agencies and MIL-STD-129 for Military Agencies."

PAGE 14

6.2(d), delete and substitute:

"(d) Degree of preservation and packing required (see 5.1 and 5.2)."

MILITARY INTERESTS:

Custodians:
Army - ME
Air Force - 68

Review activity:
Army - MR

User activity:
Navy - AS

Preparing activity: Army - ME

CIVIL AGENCY COORDINATING ACTIVITIES:

GSA - FSS
DOT - FIS

Project 6850-0619

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:16Z
Check the source to verify that this is the current version before use.